UNITED NATIONS



NATIONS UNIES

POSTAL ADDRESS-ADRESSE POSTALE: UNITED NATIONS, N.Y. 10017 CABLE ADDRESS-ADRESSE TELEGRAPHIQUE: UNATIONS NEWYORK

Reference: C.N.428.2000.TREATIES-3 (Depositary Notification)

AGREEMENT CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF THESE PRESCRIPTIONS

GENEVA, 20 MARCH 1958

DRAFT REGULATION

The Secretary-General of the United Nations, acting in his capacity as depositary, communicates the following:

On 23 June 2000, the Secretary-General received from the Administrative Committee of the above Agreement, pursuant to article 1 (2) of the Agreement, the following draft Regulation:

"Uniform provisions concerning the approval of:

- I. Specific components of motor vehicles using compressed natural gas (CNG) in their propulsion system;
- II. Vehicles with regard to the installation of specific components of an approved type for the use of compressed natural gas (CNG) in their propulsion system"

In accordance with article 1 (2) of the Agreement, the Regulation will be considered as adopted unless, within a period of six months from this notification, more than one-third of the Contracting Parties at the time of notification have informed the Secretary-General of their disagreement with the Regulation.

Reference is made in this respect to article 1 (3) and (4) of the Agreement, which read as follows:

"3. When a Regulation has been adopted, the Secretary-General shall so notify as soon as possible all the Contracting Parties, specifying which Contracting Parties have objected and in respect of which the Regulation shall not enter into force.

4. The adopted Regulation shall enter into force on the date(s) specified therein as a Regulation annexed to this Agreement for all Contracting Parties which did not notify their disagreement."

Copies of the draft Regulation in question, in the English and French languages, are transmitted

..... herewith in accordance with article 1 (2) of the Agreement (doc.TRANS/WP.29.704).

Mr

28 June 2000

UNITED NATIONS



Economic and Social Council

Distr.

GENERAL

TRANS/WP.29/704 13 June 2000

ENGLISH Original: ENGLISH and FRENCH

ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

1.

World Forum for Harmonization of Vehicle Regulations (WP.29)

DRAFT REGULATION:

UNIFORM PROVISIONS CONCERNING THE APPROVAL OF:

- I. SPECIFIC COMPONENTS OF MOTOR VEHICLES USING COMPRESSED NATURAL GAS (CNG) IN THEIR PROPULSION SYSTEM;
- II. VEHICLES WITH REGARD TO THE INSTALLATION OF SPECIFIC COMPONENTS OF AN APPROVED TYPE FOR THE USE OF COMPRESSED NATURAL GAS (CNG) IN THEIR PROPULSION SYSTEM

Note: The text reproduced below was adopted by the Administrative Committee (AC.1) of the amended 1958 Agreement at its fourteenth session, following the recommendation by WP.29 at its one-hundred-and-twentieth session. It is based on document TRANS/WP.29/1998/33, as amended by documents TRANS/WP.29/1998/33/Corr.1, TRANS/WP.29/1998/64, TRANS/WP.29/1998/68 and TRANS/WP.29/1998/68/Add.1 (TRANS/WP.29/703, para. 186).

1. SCOPE

This Regulation applies to:

1.1. Part I. Specific components of motor vehicles using compressed natural gas (CNG) in their propulsion system;

- 1.2. Part II. Vehicles with regard to the installation of specific components, for the use of compressed natural gas (CNG) for propulsion, of an approved type.
- 2. DEFINITION AND CLASSIFICATION OF COMPONENTS

CNG components for use in vehicles shall be Classified with regard to the working pressure and function, according to figure 1-1.


- Class 0 High pressure parts including tubes and fittings containing CNG at a pressure higher than 3 MPa and up to 26 MPa.
- Class 1 Medium pressure parts including tubes and fittings containing CNG at a pressure higher than 450 kPa and up to 3,000 kPa (3 MPa).
- Class 2 Low pressure parts including tubes and fittings containing CNG at a pressure higher than 20 kPa and up to 450 kPa.
- Class 3 Medium pressure parts as safety valves or protected by safety valve including tubes and fittings containing CNG at a pressure higher than 450 kPa and up to 3,000 kPa (3 MPa).
- Class 4 Parts in contact with gas subject to the pressure lower than 20 kPa.

A component can consist of several parts, each part Classified in its own Class with regard to maximum working pressure and function.

- 2.1. "<u>Pressure</u>" means relative pressure versus atmospheric pressure, unless otherwise stated.
- 2.1.1. "<u>Service Pressure</u>" means the settled pressure at a uniform gas temperature of 15 °C.
- 2.1.2. "<u>Test pressure</u>" means the pressure to which a component is taken during acceptance testing.
- 2.1.3. "<u>Working pressure</u>" means the maximum pressure to which a component is designed to be subjected to and which is the basis for determining the strength of the component under consideration.

2.2. "<u>Specific component</u>" means:

- (a) container (or cylinder),
- (b) accessories fitted to the cylinder
- (c) pressure regulator,
- (d) automatic valve,
- (e) manual valve,
- (f) gas/air mixer (carburettor or injector(s)),
- (g) gas flow adjuster,
- (h) flexible fuel line,
- (i) rigid fuel line,
- (j) filling unit or receptacle,
- (k) check valve or non-return valve,
- (1) pressure relief valve (discharge valve),
- (m) pressure relief device (temperature triggered),
- (n) filter,
- (o) pressure or temperature sensor / indicator,
- (p) excess flow valve,
- (q) service valve,
- (r) electronic control unit,
- (s) gas-tight housing,
- (t) fitting,
- (u) ventilation hose.
- 2.2.1. Many of the components mentioned above can be combined or fitted together as a "multi-functional component".



Performance Test	Over- pressure Strength Test	Leakage Test (external)	Leakage Test (internal)	Continued Operation Durability Test	Corrosion Resistance	Ozone Ageing	CNG Compatibility	Vibration Resistance	Dry – Heat Resistance
	Annex 5A	Annex 5B	Annex 5C	Annex 5L	Annex 5E	Annex 5G	Annex 5D	Annex 5N	Annex 5F
Class 0	x	x	A	A	x	A	A	x	λ
Class 1	x	x	A	A	x	A	A	x	A
Class 2	X	X	A	A	x	A	A	x	A
Class 3	x	x	A	A	x	A	A	x	λ
Class 4	0	0	0	0	X	A	A	0	λ

Fig. 1-2 TESTS APPLICABLE TO SPECIFIC CLASSES OF COMPONENTS (EXCLUDING CYLINDERS)

فت

- X = Applicable
- 0 = Not applicable
- A = As applicable

TRANS/WP.29/704 page 5

- 2.3. "<u>Container</u>" (or cylinder) means any vessel used for the storage of compressed natural gas;
- 2.3.1. A container can be:

CNG-1 metal;

CNG-2 metal liner reinforced with resin impregnated continuous filament (hoop wrapped);

CNG-3 metal liner reinforced with resin impregnated continuous filament (fully wrapped);

CNG-4 resin impregnated continuous filament with a nonmetallic liner (all composite).

- 2.4. "<u>Type of container</u>" means containers which do not differ in respect of the dimensional and material characteristics as specified in annex 3.
- 2.5. "Accessories fitted to the container" means the following components (but not limited to them), either separate or combined, when fitted to the container:
- 2.5.1. Manual valve;
- 2.5.2. Pressure sensor/indicator;
- 2.5.3. Pressure relief valve (discharge valve);
- 2.5.4. Pressure relief device (temperature triggered);
- 2.5.5. Automatic cylinder valve;
- 2.5.6. Excess flow valve;
- 2.5.7. Gas-tight housing.
- 2.6. "<u>Valve</u>" means a device by which the flow of a fluid may be controlled.
- 2.7. "Automatic valve" mans a valve which is not operated manually.
- 2.8. "<u>Automatic cylinder valve</u>" means an automatic valve rigidly fixed to the cylinder which controls the flow of gas to the fuel system.
- 2.9. "<u>Check valve or non-return valve</u>" mans an automatic valve which allows gas to flow in only one direction.
- 2.10. "<u>Excess flow valve</u>" means a valve which automatically shuts off, or limits, the gas flow when the flow exceeds a set design value.
- 2.11. "<u>Manual valve</u>" means a manual valve rigidly fixed to the cylinder.

- 2.12. "<u>Pressure relief valve (discharge valve)</u>" means a device which prevents a pre-determined upstream pressure being exceeded.
- 2.13. "<u>Service valve</u>" means an isolation valve which is closed only when servicing the vehicle.
- 2.14. "<u>Filter</u>" means a protective screen which removes foreign debris from the gas stream.
- 2.15. "<u>Fitting</u>" means a connector used in a piping, tubing, or hose system.
- 2.16. <u>Fuel lines</u>
- 2.16.1. "<u>Flexible fuel lines</u>" mean a flexible tubing or hose through which natural gas flow.
- 2.16.2. "<u>Rigid fuel lines</u>" mean a tubing which has not been designed to flex in normal operation and through which natural gas flows.
- 2.17. "<u>Gas/air mixer</u>" means a device for introducing gaseous fuel into the engine intake manifold (carburettor or injector).
- 2.18. "<u>Gas flow adjuster</u>" means a gas flow restricting device, installed downstream of a pressure regulator, controlling gas flow to the engine.
- 2.19. "<u>Gas-tight housing</u>" means a device which vents gas leakage to outside the vehicle including the gas ventilation hose.
- 2.20. "<u>Pressure indicator</u>" means a pressurised device which indicates the gas pressure.
- 2.21. "<u>Pressure regulator</u>" means a device used to control the delivery pressure of gaseous fuel to the engine.
- 2.22. "<u>Pressure relief device (temperature triggered)</u>" means a one time use device triggered by excessive temperature and/or pressure which vents gas to protect the cylinder from rupture.
- 2.23. "<u>Filling unit or receptacle</u>" means a device fitted in the vehicle external or internal (engine compartment) used to fill the container in the filling station.
- 2.24. "<u>Electronic control unit (CNG fuelling)</u>" means a device which controls the gas demand of the engine, and other engine parameters, and cuts off automatically the automatic valve, required by safety reason.
- 2.25. "<u>Type of components</u>" as mentioned in paragraphs 2.6. to 2.23. means components which do not differ in such essential respect as materials and working pressure.

2.26. "<u>Type of Electronic Control Unit</u>" as mentioned in paragraph 2.24. means components which do not differ in such essential respect as the basic software principles excluding minor changes.

PART I

APPROVAL OF SPECIFIC COMPONENTS OF MOTOR VEHICLES USING COMPRESSED NATURAL GAS (CNG) IN THEIR PROPULSION SYSTEM

- 3. APPLICATION FOR APPROVAL
- 3.1. The application for approval of specific component or multifunctional component shall be submitted by the holder of the trade name or mark or by his duly accredited representative.
- 3.2. It shall be accompanied by the under-mentioned documents in triplicate and by the following particulars:
- 3.2.1 description of the vehicle comprising all the relevant particulars referred to in annex 1A to this Regulation,
- 3.2.2. a detailed description of the type of the specific component,
- 3.2.3. a drawing of the specific component, sufficiently detailed and on an appropriate scale,
- 3.2.4. verification of compliance with the specifications prescribed in paragraph 6 of this Regulation.
- 3.3. At the request of the technical service responsible for conducting approval tests, samples of the specific component shall be provided. Supplementary samples shall be supplied upon request (3 maximum)
- 3.3.1 During pre-production of containers $[n] \pm/$, containers of each 50 pieces (lot of qualification) shall be subject to non-destructive tests of annex 3.

4. MARKINGS

- 4.1. The samples of specific component submitted for approval shall bear the trade name or mark of the manufacturer and the type; and for flexible hoses also the manufacturing month and year; this marking shall be clearly legible and indelible.
- 4.2. All components shall have a space large enough to accommodate the approval mark; this space shall be shown on the drawings referred to in paragraph 3.2.3. above.

- 4.3. Every container shall also bear a marking plate with the following data clearly legible and indelible:
 - (a) a serial number;
 - (b) the capacity in litres;
 - (c) the marking "CNG";
 - (d) operating pressure/test pressure [MPa];
 - (e) weight (kg);
 - (f) year and month of approval (e.g. 96/01);
 - (g) approval mark according to paragraph 5.4.

5. APPROVAL

- 5.1. If the component samples submitted for approval meet the requirements of paragraphs 6.1. to 6.11. of this Regulation, approval of the type of component shall be granted.
- 5.2. An approval number shall be assigned to each type of component or multifunctional component approved. Its first two digits (at present 00 for the Regulation in its original form) shall indicate the series of amendments incorporating the most recent major technical amendments made to the Regulation at the time of issue of the approval. The same Contracting Party shall not assign the same alphanumeric code to another type of component.
- 5.3. Notice of approval or of refusal or of extension of approval of a CNG component type pursuant to this Regulation shall be communicated to the Parties to the Agreement applying this Regulation, by means of a form conforming to the model in annex 2B to this Regulation.
- 5.4. There shall be affixed, conspicuously and in the space referred to in paragraph 4.2. above, to all components conforming to a type approved under this Regulation, in addition to the mark prescribed in paragraphs 4.1. and 4.3., an international approval mark consisting of:

- 5.4.1. A circle surrounding the letter "E" followed by the distinguishing number of the country which has granted approval <u>1</u>/.
- 5.4.2. The number of this Regulation, followed by the letter "R", a dash and the approval number to the right of the circle prescribed in paragraph 5.4.1. This approval number consists of the component type approval number which appears on the certificate completed for this type (see paragraph 5.2. and annex 2B) preceded by two figures indicating the sequence of the latest series of amendments to this Regulation.
- 5.5. The approval mark shall be clearly legible and be indelible.
- 5.6. Annex 2A to this Regulation gives examples of the arrangement of the aforesaid approval mark.
- 6. SPECIFICATIONS REGARDING CNG COMPONENTS
- 6.1. General provisions
- 6.1.1. The specific components of vehicles using CNG in their propulsion system shall function in a correct and safe way as specified in this Regulation.

The materials of the components which are in contact with CNG shall be compatible with it (see annex 5D).

Those parts of component whose correct and safe functioning is liable to be influenced by CNG, high pressure or vibrations has to be submitted to relevant test procedures described in the annexes of this Regulation. In particular the provisions of paragraphs 6.2. to 6.11. are to be fulfilled.

¹ for Germany, 2 for France, 3 for Italy, 4 for the Netherlands, 5 for 1/ Sweden, 6 for Belgium, 7 for Hungary, 8 for the Czech Republic, 9 for Spain, 10 for Yuqoslavia, 11 for the United Kingdom, 12 for Austria, 13 for Luxembourg, 14 for Switzerland, 15 (vacant), 16 for Norway, 17 for Finland, 18 for Denmark, 19 for Romania, 20 for Poland, 21 for Portugal, 22 for the Russian Federation, 23 for Greece, 24 for Ireland, 25 for Croatia, 26 for Slovenia, 27 for Slovakia, 28 for Belarus, 29 for Estonia, 30 (vacant), 31 for Bosnia and Herzegovina, 32 for Latvia, 33 (vacant), 34 for Bulgaria, 35-36 (vacant), 37 for Turkey, 38-39 (vacant), 40 for The former Yugoslav Republic of Macedonia, 41 (vacant), 42 for the European Community (Approvals are granted by its Member States using their respective ECE symbol), 43 for Japan, 44 (vacant), 45 for Australia and 46 for Ukraine. Subsequent numbers shall be assigned to other countries in the chronological order in which they ratify or accede to the Agreement Concerning the Adoption of Uniform Technical Prescriptions for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these Prescriptions, and the numbers thus assigned shall be communicated by the Secretary-General of the United Nations to the Contracting Parties to the Agreement.

The specific components of vehicles using CNG in their propulsion system shall comply with relevant electromagnetic compatibility (EMC) requirements according to Regulation No. 10, 02 series of amendments, or equivalent.

- 6.2. Provisions regarding containers
- 6.2.1. The CNG containers shall be type approved pursuant to the provisions laid down in annex 3 to this Regulation.
- 6.3. Provisions regarding components fitted to the container
- 6.3.1. The container shall be equipped at least with the following components, which may be either separate or combined:
- 6.3.1.1. manual valve,
- 6.3.1.2. automatic cylinder valve,
- 6.3.1.3. pressure relief device,
- 6.3.1.4. excess flow valve.
- 6.3.2. The container may be equipped with a gas-tight housing, if necessary.
- 6.3.3. The components mentioned in paragraphs 6.3.1. to 6.3.2. above shall be type approved pursuant to the provisions laid down in annex 4 to this Regulation.
- 6.4.-6.11. Provisions regarding other components

The components shown shall be type approved pursuant to the provisions laid down in the annexes which can be determined from the table below:

Paragraph	Component	Annex
6.4.	Automatic valve Check valve or non-return valve Pressure relief valve Pressure relief device	4A
6.5.	Excess flow valve Flexible fuel line-hose	4B
6.6.	CNG filter	4C
6.7.	Pressure regulator	4D
6.8.	Pressure and temperature sensors	4E
6.9.	Filling unit or receptacle	4F
6.10.	Gas flow adjuster and gas/air mixer or injector	4G
6.11.	Electronic control unit	4H

- 7. MODIFICATIONS OF A TYPE OF CNG COMPONENT AND EXTENSION OF APPROVAL
- 7.1. Every modification of a type of CNG component shall be notified to the administrative department which granted the type approval. The department may then either:
- 7.1.1. consider that the modifications made are unlikely to have an appreciable adverse effect, and that the component still complies with the requirements; or
- 7.1.2. Determine whether partial or complete retesting has to be established by the competent authority.
- 7.2. Confirmation or refusal of approval, specifying the alterations, shall be communicated by the procedure specified in paragraph 5.3. above to the Parties to the Agreement which apply this Regulation.
- 7.3. The competent authority issuing the extension of approval shall assign a series number to each communication form drawn up for such an extension.
- 8. (Not allocated)
- 9. CONFORMITY OF PRODUCTION

The conformity of production procedures shall comply with those set out in the Agreement, appendix 2 (E/ECE/324-E/ECE/TRANS/505/Rev.2) with the following requirements:

- 9.1. Every container shall be tested at a minimum pressure of 1.5 times the working pressure in conformity with the prescriptions of annex 3 of this Regulation.
- 9.2. Burst testing under hydraulic pressure according to paragraph 3.2. of annex 3 shall be carried out for each lot consisting of max 200 containers manufactured with the same lot of raw material.
- 9.3. Every flexible fuel line assembly which is applied in the high and medium pressure (Class 0, 1) according to the Classification as described in paragraph 2 of this Regulation, shall be tested at the pressure twice the working pressure.
- 10. PENALTIES FOR NON-CONFORMITY OF PRODUCTION
- 10.1. The approval granted in respect of a type of component pursuant to this Regulation may be withdrawn if the requirements laid down in paragraph 9 above are not complied with.
- 10.2. If a Party to the Agreement applying this Regulation withdraws an approval it has previously granted, it shall forthwith so notify the other Contracting Parties applying this Regulation, by means of a communication form conforming to the model in annex 2B to this Regulation.

11. (Not allocated)

12. PRODUCTION DEFINITELY DISCONTINUED

If the holder of the approval completely ceases to manufacture a type of component approved in accordance with this Regulation, he shall so inform the authority which granted the approval. Upon receiving the relevant communication, that authority shall inform thereof the other Parties to the Agreement applying this Regulation by means of a communication form conforming to the model in annex 2B to this Regulation.

13. NAMES AND ADDRESSES OF TECHNICAL SERVICES RESPONSIBLE FOR CONDUCTING APPROVAL TESTS, AND OF ADMINISTRATIVE DEPARTMENTS

> The Parties to the Agreement applying this Regulation shall communicate to the United Nations Secretariat the names and addresses of the technical services responsible for conducting approval tests and of the administrative departments which grant approval and to which forms certifying approval or extension or refusal or withdrawal of approval, issued in other countries, are to be sent.

PART II

APPROVAL OF VEHICLES WITH REGARD TO THE INSTALLATION OF SPECIFIC COMPONENTS OF AN APPROVED TYPE FOR THE USE OF COMPRESSED NATURAL GAS (CNG) IN THEIR PROPULSION SYSTEM

- 14. DEFINITIONS
- 14.1. For the purposes of Part II of this Regulation:
- 14.1.1. "<u>Approval of a vehicle</u>" means the approval of a vehicle type of categories M and N with regard to its CNG system as an original equipment for the use in its propulsion system;
- 14.1.2. "<u>Vehicle type</u>" means vehicles fitted with specific components for the use of CNG in their propulsion system which do not differ with respect to the following conditions:
- 14.1.2.1. the manufacturer;
- 14.1.2.2. the type designation established by the manufacturer,
- 14.1.2.3. the essential aspects of design and construction:
- 14.1.2.3.1. chassis/floor pan (obvious and fundamental differences);
- 14.1.2.3.2. the installation of the CNG equipment (obvious and fundamental differences).
- 14.1.3. "<u>CNG system</u>" means an assembly of components (container(s) or cylinder(s), valves, flexible fuel lines, etc.) and connecting parts (rigid fuel lines, pipes fitting, etc.) fitted on motor vehicles using CNG in their propulsion system.
- 15. APPLICATION FOR APPROVAL
- 15.1. The application for approval of a vehicle type with regard to the installation of specific components for the use of compressed natural gas in its propulsion system shall be submitted by the vehicle manufacturer or by his duly accredited representative.
- 15.2. It shall be accompanied by the under-mentioned documents in triplicate: description of the vehicle comprising all the relevant particulars referred to in annex 1B to this Regulation.
- 15.3. A vehicle representative of the vehicle type to be approved, shall be submitted to the technical service conducting the approval tests.

16. APPROVAL

- 16.1. If the vehicle submitted for approval pursuant to this Regulation is provided with all the necessary specific components for the use of compressed natural gases in its propulsion system and meets the requirements of paragraph 17 below, approval of that vehicle type shall be granted.
- 16.2. An approval number shall be assigned to each type of vehicle approved. Its first two digits shall indicate the series of amendments incorporating the most recent major technical amendments made to the Regulation at the time of issue of the approval.
- 16.3. Notice of approval or of refusal or of extension of approval of a CNG vehicle type pursuant to this Regulation shall be communicated to the Parties to the Agreement applying this Regulation, by means of a form conforming to the model in annex 2D to this Regulation.
- 16.4. There shall be affixed, conspicuously and in a readily accessible space specified on the approval form referred to in paragraph 16.2. above, to every vehicle type approved under this Regulation an international approval mark consisting of:
- 16.4.1. A circle surrounding the letter "E" followed by the distinguishing number of the country which has granted approval $\frac{1}{2}$;
- 16.4.2. The number of this Regulation, followed by the letter "R", a dash and the approval number to the right of the circle prescribed in paragraph 16.4.1.
- 16.5. If the vehicle conforms to a vehicle approved, under one or more other Regulations annexed to the Agreement, in the country which has granted approval under this Regulation, the symbol prescribed in

1 for Germany, 2 for France, 3 for Italy, 4 for the Netherlands, 5 for 1/ Sweden, 6 for Belgium, 7 for Hungary, 8 for the Czech Republic, 9 for Spain, 10 for Yugoslavia, 11 for the United Kingdom, 12 for Austria, 13 for Luxembourg, 14 for Switzerland, 15 (vacant), 16 for Norway, 17 for Finland, 18 for Denmark, 19 for Romania, 20 for Poland, 21 for Portugal, 22 for the Russian Federation, 23 for Greece, 24 for Ireland, 25 for Croatia, 26 for Slovenia, 27 for Slovakia, 28 for Belarus, 29 for Estonia, 30 (vacant), 31 for Bosnia and Herzegovina, 32 for Latvia, 33 (vacant), 34 for Bulgaria, 35-36 (vacant), 37 for Turkey, 38-39 (vacant), 40 for The former Yugoslav Republic of Macedonia, 41 (vacant), 42 for the European Community (Approvals are granted by its Member States using their respective ECE symbol), 43 for Japan, 44 (vacant), 45 for Australia and 46 for Ukraine. Subsequent numbers shall be assigned to other countries in the chronological order in which they ratify or accede to the Agreement Concerning the Adoption of Uniform Technical Prescriptions for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these Prescriptions, and the numbers thus assigned shall be communicated by the Secretary-General of the United Nations to the Contracting Parties to the Agreement.

paragraph 16.4.1. need not be repeated; in such case, the Regulation and approval numbers and the additional symbols of all the Regulations under which approval has been granted in the country which has granted approval under this Regulation shall be placed in vertical columns to the right of the symbol prescribed in paragraph 16.4.1.

- 16.6. The approval mark shall be clearly legible and be indelible.
- 16.7. The approval mark shall be placed close to or on the vehicle data plate.
- 16.8. Annex 2C to this Regulation gives examples of the arrangement of the aforesaid approval mark.
- 17. REQUIREMENTS FOR THE INSTALLATION OF SPECIFIC COMPONENTS FOR THE USE OF COMPRESSED NATURAL GAS IN THE PROPULSION SYSTEM OF A VEHICLE
- 17.1. General
- 17.1.1. The CNG system of the vehicle shall function in a good and safe manner at the working pressure for which it has been designed and approved.
- 17.1.2. All components of the system shall be type approved as individual parts pursuant to Part I of this Regulation.
- 17.1.3. The materials used in the system shall be suitable for use with CNG.
- 17.1.4. All components of the system shall be fastened in a proper way.
- 17.1.5. The CNG system shall show no leaks, i.e. stay bubble-free for 3 minutes.
- 17.1.6. The CNG system shall be installed such that is has the best possible protection against damage, such as damage due to moving vehicle components, collision, grit or due to the loading or unloading of the vehicle or the shifting of those loads.
- 17.1.7. No appliances shall be connected to the CNG system other than those strictly required for the proper operation of the engine of the motor vehicle.
- 17.1.7.1. Notwithstanding the provisions of paragraph 17.1.8., vehicles may be fitted with a heating system to heat the passenger compartment and/or the load area which is connected to the CNG system.
- 17.1.7.2. The heating system referred to in paragraph 17.1.8.1. shall be permitted if, in the view of the technical services responsible for conducting type approval, the heating system is adequately protected and the required operation of the normal CNG system is not affected.

- 17.1.8. Identification of CNG-fuelled vehicles of categories M2 and M3 \pm /.
 - 17.1.8.1. Vehicles of categories M2 and M3 equipped with a CNG system shall carry a plate as specified in annex 6.
 - 17.1.8.2. The plate shall be installed on the front and rear of the vehicle of category M2 or M3 and on the outside of the doors on the right-hand side.
 - 17.2. Further requirements
 - 17.2.1. No component of the CNG system, including any protective materials which form part of such components, shall project beyond the outline of the vehicle, with the exception of the filling unit if this does not project more than 10 mm beyond its point of attachment.
 - 17.2.2. No component of the CNG system shall be located within 100 mm of the exhaust or similar heat source, unless such components are adequately shielded against heat.
 - 17.3. The CNG system
 - 17.3.1. <u>A CNG system shall contain at least the following components:</u>
 - 17.3.1.1. Container(s) or cylinder(s);
 - 17.3.1.2. Pressure indicator or fuel level indicator;
 - 17.3.1.3. Pressure relief device (temperature triggered);
 - 17.3.1.4. Automatic valve;
 - 17.3.1.5. Manual valve;
 - 17.3.1.6. Pressure regulator;
 - 17.3.1.7. Gas flow adjuster;
 - 17.3.1.8. Excess flow valve;
 - 17.3.1.9. Gas/air mixer (carburettor or injector(s));
 - 17.3.1.10. Filling unit or receptacle;
 - 17.3.1.11. Flexible fuel line;
 - 17.3.1.12. Rigid fuel line;

^{*/} As defined in the Consolidated Resolution on the Construction of Vehicles (R.E.3), annex 7 (TRANS/WP.29/78/Rev.1/Amend.2).

- 17.3.1.13. Electronic control unit;
- 17.3.1.14. Fittings;
- 17.3.1.15. Gas-tight housing for those components installed inside the luggage and passenger compartment. If the gas-tight housing will be destroyed in case of fire, the pressure relief device may be covered by the gas-tight housing.
- 17.3.2. The CNG system may also include the following components:
- 17.3.2.1. Check valve or non-return valve;
- 17.3.2.2. Pressure relief valve;
- 17.3.2.3. CNG filter;
- 17.3.2.4. Pressure and/or temperature sensor;
- 17.3.2.5. Fuel selection system and electrical system.
- 17.3.3. An additional automatic valve may be combined with the pressure regulator.
- 17.4. Installation of the container
- 17.4.1. The container shall be permanently installed in the vehicle and shall not be installed in the engine compartment.
- 17.4.2. The container shall be installed such that there is no metal to metal contact, with the exception of the fixing points of the container(s).
- 17.4.3. When the vehicle is ready for use the fuel container shall not be less than 200 mm above the road surface.
- 17.4.3.1. The provisions of paragraph 17.4.3. shall not apply if the container is adequately protected, at the front and the sides and no part of the container is located lower than this protective structure.
- 17.4.4. The fuel container(s) or cylinder(s) must be mounted and fixed so that the following accelerations can be absorbed (without damage occurring) when the containers are full:

Vehicles of categories M1 and N1:

- (a) 20 g in the direction of travel
- (b) 8 g horizontally perpendicular to the direction of travel

Vehicles of categories M2 and N2:

- (a) 10 g in the direction of travel
- (b) 5 g horizontally perpendicular to the direction of travel

Vehicles of categories M3 and N3:(a) 6.6 g in the direction of travel(b) 5 g horizontally perpendicular to the direction of travel

A calculation method can be used instead of practical testing if its equivalence can be demonstrated by the applicant for approval to the satisfaction of the technical service.

- 17.5. Accessories fitted to the container(s) or cylinder(s)
- 17.5.1. <u>Automatic valve</u>
- 17.5.1.1. An automatic valve shall be installed directly on the container.
- 17.5.2. <u>Pressure relief device</u>
- 17.5.2.1. The pressure relief device (temperature triggered) shall be fitted to the fuel container(s) in such a manner that can discharge into the gas-tight housing if that gas-tight housing fulfils the requirements of paragraph 17.5.5.
- 17.5.3. Excess flow valve on the container
- 17.5.3.1. The excess flow valve shall be fitted to the fuel container(s) in such a manner that can discharge into the gas-tight housing if that gas-tight housing fulfils the requirements of paragraph 17.5.5.
- 17.5.4. <u>Manual valve</u>
- 17.5.4.1. A manual valve is rigidly fixed to the cylinder.
- 17.5.5. <u>Gas-tight housing on the container(s)</u>
- 17.5.5.1. A gas-tight housing over the container(s) fittings, which fulfils the requirements of paragraphs 17.5.5.2. to 17.5.5.5. shall be fitted to the fuel container, unless the container(s) is installed outside the vehicle.
- 17.5.5.2. The gas-tight housing shall be in open connection with the atmosphere, where necessary through a connecting hose and a lead-through which shall be resistant against CNG.
- 17.5.5.3. The ventilation opening of the gas-tight housing shall point upwards at the point of exit from the motor vehicle. However, it shall not discharge into a wheel arch, nor shall it be aimed at a heat source such as the exhaust.
- 17.5.5.4. Any connecting hose and lead-through in the bottom of the bodywork of the motor vehicle for ventilation of the gas-tight housing shall have a minimum clear opening of 450 mm².

- 17.5.5.5. The housing over the container(s) fittings and connecting hoses shall be gas-tight at a pressure of 10 kPa without any permanent deformations.
- 17.5.5.6. The connecting hose shall be secured by clamps, or other means, to the gas-tight housing and the lead-through to ensure that a gas-tight joint is formed.
- 17.5.5.7. The gas-tight housing shall contain all the components installed into the luggage or passenger compartment.
- 17.6. Rigid and flexible fuel lines
- 17.6.1. Rigid fuel lines shall be made of seamless steel.
- 17.6.2. The rigid fuel line may be replaced by a flexible fuel line if used in Class 0, 1 or 2.
- 17.6.3. Flexible fuel line shall fulfil the requirement of annex 4B to this Regulation.
- 17.6.4. Rigid fuel lines, shall be secured such that they shall not be subjected to vibration of stresses.
- 17.6.5. Flexible fuel lines shall be secured such that they shall not be subjected to vibration or stresses.
- 17.6.6. At the fixing point, the fuel line, flexible or rigid, shall be fitted in such a way that there is no metal to metal contact.
- 17.6.7. Rigid and flexible fuel gas line shall not be located at jacking points.
- 17.6.8. At passages the fuel lines shall be fitted with protective material.
- 17.7. Fitting or gas connections between the components
- 17.7.1. Soldered joints and bite-type compression joints are not permitted.
- 17.7.2. Stainless steel tubes shall only be joined by stainless steel fittings.
- 17.7.3. Distributing-blocks shall be made of corrosion-resistant material.
- 17.7.4. Rigid fuel lines shall be connected by appropriate joints, for example, two-part compression joints in steel tubes and joints with olives tapered on both sides.
- 17.7.5. The number of joints shall be limited to a minimum.

- 17.7.6. Any joints shall be made in locations where access is possible for inspection.
- 17.7.7. In a passenger compartment or enclosed luggage compartment the fuel lines shall be no longer than reasonably required, and in any case shall be protected by a gas-tight housing.
- 17.7.7.1. The provisions of paragraph 17.7.7. shall not apply to vehicles of categories M2 or M3 where the fuel lines and connections are fitted with a sleeve which is resistant against CNG and which has an open connection to the atmosphere.
- 17.8. Automatic valve
- 17.8.1. An automatic valve shall be installed on each CNG container.
- 17.8.2. An additional automatic valve may be installed in the fuel line as close as possible to the pressure regulator.
- 17.8.3. The automatic valve shall be operated such that the fuel supply is cut off when the engine is switched off, irrespective of the position of the ignition switch, and shall remain closed while the engine is not running.
- 17.9. Filling unit or receptacle
- 17.9.1. The filling unit shall be secured against rotation and shall be protected against dirt and water.
- 17.9.2. When the CNG container is installed in the passenger compartment or a enclosed (luggage) compartment the filling unit shall be located at the outside of the vehicle or in engine compartment.
- 17.10. Fuel selection system and electrical installation
- 17.10.1. The electrical components of the CNG system shall be protected against overloads.
- 17.10.2. Vehicles with more than one fuel system shall have a fuel selection system to ensure that no more than one fuel is supplied to the engine at any time.
- 17.10.3. The electrical connections and components in the gas-tight housing shall be constructed such that no sparks are generated.
- 18. CONFORMITY OF PRODUCTION
- 18.1. The conformity of production procedures shall comply with those set out in the Agreement, appendix 2 (E/ECE/324-E/ECE/TRANS/505/Rev.2).

- 19. PENALTIES FOR NON-CONFORMITY OF PRODUCTION
- 19.1. The approval granted in respect of a type of vehicle pursuant to this Regulation may be withdrawn if the requirements referred to in paragraph 18 above are not complied with.
- 19.2. If a Party to the Agreement applying this Regulation withdraws an approval it has previously granted, it shall forthwith so notify the other Contracting Parties applying this Regulation, by means of a communication form conforming to the model in annex 2D to this Regulation.
- 20. MODIFICATION AND EXTENSION OF APPROVAL OF A VEHICLE TYPE
- 20.1. Every modification of the installation of the specific components for the use of compressed natural gas in the propulsion system of the vehicle shall be notified to the administrative department which approved the vehicle type. The department may then either:
- 20.1.1. Consider that the modifications made are unlikely to have an appreciably adverse effect and that in any case the vehicle still complies with the requirements; or
- 20.1.2. Require a further test report from the technical service responsible for conducting the tests.
- 20.2. Confirmation or refusal of approval, specifying the alteration, shall be communicated to the Parties to the Agreement applying this Regulation by means of a form conforming to the model in annex 2D to this Regulation.
- 20.3. The competent authority issuing the extension of approval shall assign a series number for such an extension and inform thereof the other Parties to the 1958 Agreement applying this Regulation by means of a communication form conforming to the model in annex 2D to this Regulation.
- 21. PRODUCTION DEFINITELY DISCONTINUED

If the holder of the approval completely ceases to manufacture a type of vehicle approved in accordance with this Regulation, he shall so inform the authority which granted the approval. Upon receiving the relevant communication, that authority shall inform thereof the other Parties to the Agreement applying this Regulation by means of a communication form conforming to the model in annex 2D to this Regulation. 22.

NAMES AND ADDRESSES OF TECHNICAL SERVICES RESPONSIBLE FOR CONDUCTING APPROVAL TESTS, AND OF ADMINISTRATIVE DEPARTMENTS

The Parties to the Agreement applying this Regulation shall communicate to the United Nations Secretariat the names and addresses of the technical services responsible for conducting approval tests and of the administrative departments which grant approval and to which forms certifying approval or extension or refusal or withdrawal of approval, issued in other countries, are to be sent.

Annex 1A

ESSENTIAL CHARACTERISTICS OF THE CNG COMPONENT

1.	(Not allocated)
1.2.4.5.1.	System description:
1.2.4.5.2.	Pressure regulator(s): yes/no <u>1</u> /
1.2.4.5.2.1.	Make(s):
1.2.4.5.2.2.	Type(s):
1.2.4.5.2.5.	Drawings:
1.2.4.5.2.6.	Number of main adjustment points
1.2.4.5.2.7.	Description of principle of adjustment through main adjustment points:
1.2.4.5.2.8.	Number of idle adjustment points:
1.2.4.5.2.9.	Description of principles of adjustment through idle adjustment points:
1.2.4.5.2.10.	Other adjustment possibilities: if so and which (description and drawings):
1.2.4.5.2.11.	Working pressure(s): 2/
1.2.4.5.2.12.	Material:
1.2.4.5.3.	Gas/air mixer (carburettor): yes/no <u>1</u> /
1.2.4.5.3.1.	Number:
1.2.4.5.3.2.	Make(s):
1.2.4.5.3.3.	Type(s):
1.2.4.5.3.4.	Drawings:
1.2.4.5.3.5.	Adjustment possibilities:
1.2.4.5.3.6.	Working pressure(s): <u>2</u> /kPa
1.2.4.5.3.7.	Material:
1.2.4.5.4.	Gas flow adjuster: yes/no <u>1</u> /
1.2.4.5.4.1.	Number:
1.2.4.5.4.2.	Make(s):

1.2.4.5.4.3.	Type(s):
1.2.4.5.4.4.	Drawings:
1.2.4.5.4.5.	Adjustment possibilities (description)
1.2.4.5.4.6	Working pressure(s): $\underline{2}/$
1.2.4.5.4.7.	Material:
1.2.4.5.5.	Gas/air mixer (injector)(s): yes/no <u>1</u> /
1.2.4.5.5.1.	Make(s):
1.2.4.5.5.2.	Type(s):
1.2.4.5.5.3.	Identification:
1.2.4.5.5.4.	Working pressure(s): <u>2</u> /
1.2.4.5.5.5.	Drawings of installation:
1.2.4.5.5.6.	Material:
1.2.4.5.6.	Electronic Control Unit (CNG-fuelling): yes/no $1/2$
1.2.4.5.6.1.	Make(s):
1.2.4.5.6.2.	Type(s):
1.2.4.5.6.3.	Adjustment possibilities:
1.2.4.5.6.4.	Basic software principles:
1.2.4.5.7.	CNG container(s) or cylinder(s): yes/no $1/$
1.2.4.5.7.1.	Make(s):
1.2.4.5.7.2.	Type(s) (include drawings):
1.2.4.5.7.3.	Capacity:
1.2.4.5.7.4.	Drawings of the installation of the container:
1.2.4.5.7.5.	Dimensions:
1.2.4.5.7.6.	Material:
1.2.4.5.8.	CNG container accessories
1.2.4.5.8.1.	<u>Pressure indicator:</u> yes/no <u>1</u> /
1.2.4.5.8.1.1.	Make(s):

1.2.4.5.8.1.2.	Туре(s):
1.2.4.5.8.1.3.	Operating principle: float/other <u>1</u> / (include description or drawings)
1.2.4.5.8.1.4.	Working pressure(s): <u>2</u> /
1.2.4.5.8.1.5.	Material:
1.2.4.5.8.2.	<u>Pressure relief valve (discharge valve):</u> yes/no <u>1</u> /
1.2.4.5.8.2.1.	Make(s):
1.2.4.5.8.2.2.	Туре(s):
1.2.4.5.8.2.3.	Working pressure(s) <u>2</u> /:
1.2.8.5.8.2.4.	Material:
1.2.4.5.8.3.	<u>Automatic valve:</u> yes/no <u>1</u> /
1.2.4.5.8.3.1.	Make(s):
1.2.4.5.8.3.2.	Type(s):
1.2.4.5.8.3.3.	Working pressure(s) <u>2</u> /:
1.2.4.5.8.3.4.	Material:
1.2.4.5.8.4.	Excess flow valve: yes/no 1/
1.2.4.5.8.4.1	Make(s):
1.2.4.5.8.4.2	Type(s):
1.2.4.5.8.4.3	Working pressure(s) <u>2</u> /:
1.2.4.5.8.4.4.	Material:
1.2.4.5.8.5.	<u>Gas-tight housing:</u> yes/no <u>1</u> /
1.2.4.5.8.5.1	Make(s):
1.2.4.5.8.5.2	Type(s):
1.2.4.5.8.5.3	Working pressure(s) $\frac{2}{2}$:
1.2.4.5.8.5.4.	Material:
1.2.4.5.8.6.	<u>Manual_valve;</u> yes/no <u>1</u> /
1.2.4.5.8.6.1	Make(s):
1.2.4.5.8.6.2	Type(s):

· _ · _ · __

- -

1.2.4.5.8.6.3	Drawings:
1.2.4.5.8.6.4	Working pressure(s) <u>2</u> /:
1.2.4.5.8.6.4.	Material:
1.2.4.5.9.	Pressure relief device (temperature triggered): yes/no $\underline{1}$ /
1.2.4.5.9.1.	Make(s):
1.2.4.5.9.2.	Type(s):
1.2.4.5.9.3.	Description and drawings:
1.2.4.5.9.4.	Operating temperature: <u>2</u> / °C
1.2.4.5.9.5.	Material:
1.2.4.5.10.	Filling unit or receptacle: yes/no <u>1</u> /
1.2.4.5.10.1.	Make(s):
1.2.4.5.10.2.	Type(s):
1.2.4.5.10.3.	Working pressure(s) <u>2</u> /:
1.2.4.5.10.4.	Description and drawings:
1.2.4.5.10.5.	Material:
1.2.4.5.11.	Flexible fuel lines: yes/no <u>1</u> /
1.2.4.5.11.1.	Make(s):
1.2.4.5.11.2.	Type(s):
1.2.4.5.11.3.	Description :
1.2.4.5.11.4.	Working pressure(s): <u>2</u> /
1.2.4.5.11.5.	Material:
1.2.4.5.12.	Pressure and Temperature sensor(s): yes/no $1/2$
1.2.4.5.12.1.	Make(s):
1.2.4.5.12.2.	Type(s):
1.2.4.5.12.3.	Description:
1.2.4.5.12.4.	Working pressure(s): <u>2</u> /
1.2.4.5.12.5.	Material:

1.2.4.5.13.	CNG filter(s): yes/no <u>1</u> /
1.2.4.5.13.1.	Make(s):
1.2.4.5.13.2.	Type(s):
1.2.4.5.13.3.	Description:
1.2.4.5.13.4.	Working pressure(s): <u>2</u> /
1.2.4.5.13.5.	Material:
1.2.4.5.14.	Check valve(s) or non-return valve(s) : yes/no <u>1</u> /
1.2.4.5.14.1.	Make(s):
1.2.4.5.14.2.	Туре(s):
1.2.4.5.14.3.	Description:
1.2.4.5.14.4.	Working pressure(s) : $\frac{2}{2}$ /
1.2.4.5.14.5.	Material:
1.2.4.5.15.	Connection to CNG system for heating system : yes/no $1/$
1.2.4.5.15.1.	Make(s):
1.2.4.5.15.2.	Type(s):
1.2.4.5.15.3.	Description and drawings of installation:
1.2.5.	Cooling system: (liquid/air) <u>1</u> /
1.2.5.1.	System description/drawings with regard to the CNG system:

•

- --

1/ Strike out what does not apply.

2/ Specify the tolerance.

-

Annex 1B

ESSENTIAL CHARACTERISTICS OF THE VEHICLE, ENGINE AND CNG-RELATED SYSTEM

0.	DESCRIPTION OF THE VEHICLE(S)
0.1.	Make:
0.2.	Type(s):
0.3.	Name and address of the manufacturer:
0.4.	Engine type(s) and approval No.(Nos.):
1.	DESCRIPTION OF THE ENGINE (S)
1.1.	Manufacturer:
1.1.1.	Manufacturer's engine code(s) (as marked on the engine, or other means of identification):
1.2.	Internal combustion engine
1.2.3	(Not allocated)
1.2.4.5.1.	(Not allocated)
1.2.4.5.2.	Pressure regulator(s):
1.2.4.5.2.1.	Make(s):
1.2.4.5.2.2.	Type (s):
1.2.4.5.2.3.	Working pressure(s): <u>2</u> /
1.2.4.5.2.4.	Material:
1.2.4.5.3.	Gas/air mixer (carburettor): yes/no $1/$
1.2.4.5.3.1.	Number:
1.2.4.5.3.2.	Make(s):
1.2.4.5.3.3.	Type(s):
1.2.4.5.3.4.	Working pressure(s): <u>2</u> /
1.2.4.5.3.5.	Material:
1.2.4.5.4.	Gas flow adjuster: yes/no <u>1</u> /
1.2.4.5.4.1.	Number:
1.2.4.5.4.2.	Make(s):

1.2.4.5.4.3.	Type(s):
1.2.4.5.4.4.	Working pressure(s): 2/
1.2.4.5.4.5.	Material:
1.2.4.5.5.	Gas/air mixer (injector(s)): yes/no <u>1</u> /
1.2.4.5.5.1.	Make(s):
1.2.4.5.5.2.	Type(s):
1.2.4.5.5.3.	Working pressure(s): 2/
1.2.4.5.5.4.	Material:
1.2.4.5.6.	Electronic Control Unit CNG-fuelling: yes/no <u>1</u> /
1.2.4.5.6.1.	Make(s):
1.2.4.5.6.2.	Type(s):
1.2.4.5.6.3.	Basic software principles:
1.2.4.5.7.	CNG container(s) or cylinder(s): yes/no <u>1</u> /
1.2.4.5.7.1.	Make(s):
1.2.4.5.7.2.	Type(s):
1.2.4.5.7.3.	Capacity:
1.2.4.5.7.4.	Approval number:
1.2.4.5.7.5.	Dimensions:
1.2.4.5.7.6.	Material:
1.2.4.5.8.	CNG container accessories:
1.2.4.5.8.1.	Pressure indicator:
1.2.4.5.8.1.1	. Make(s)
1.2.4.5.8.1.2	. Type(s):
1.2.4.5.8.1.3	. Working pressure(s) <u>2</u> /:
1.2.4.5.8.1.4	. Material:
1.2.4.5.8.2.	<u>Pressure relief valve (discharge valve):</u> yes/no <u>1</u> /
1.2.4.5.8.2.1	Make(s):

1.2.4.5.8.2.2	Type(s):
1.2.4.5.8.2.3	Working pressure <u>2</u> /:
1.2.4.5.8.2.4.	Material:
1.2.4.5.8.3.	Automatic_valve(s):
1.2.4.5.8.3.1.	Make(s):
1.2.4.5.8.3.2.	Туре (s):
1.2.4.5.8.3.3.	Working pressure(s) <u>2</u> /:
1.2.4.5.8.3.4.	Material:
1.2.4.5.8.4.	Excess flow valve: yes/no 1/
1.2.4.5.8.4.1.	Make(s):
1.2.4.5.8.4.2.	Type(s):
1.2.4.5.8.4.3.	Working pressure(s) <u>2</u> /:
1.2.4.5.8.4.4.	Material:
1.2.4.5.8.5.	<u>Gas-tight housing:</u> yes/no <u>1</u> /
1.2.4.5.8.5.1	Make(s):
1.2.4.5.8.5.2	Туре(s):
1.2.4.5.8.5.3.	Working pressure(s) <u>2</u> /:
1.2.4.5.8.5.4.	Material:
1.2.4.5.8.6.	<u>Manual valve:</u>
1.2.4.5.8.6.1	Make(s):
1.2.4.5.8.6.2	Туре(s):
1.2.4.5.8.6.3	Working pressure(s) <u>2</u> /:
1.2.4.5.8.6.4.	Material:
1.2.4.5.9.	Pressure relief device (temperature triggered): yes/no $1/2$
1.2.4.5.9.1.	Make(s):
1.2.4.5.9.2.	Туре(s):
1.2.4.5.9.3.	Operating temperature: 2/ °C

1.2.4.5.9.4.	$Material: \ldots \ldots$
1.2.4.5.10.	Filling unit or receptacle: yes/no 1/
1.2.4.5.10.1.	Make(s):
1.2.4.5.10.2.	Type(s):
1.2.4.5.10.3.	Working pressure(s) 2/:
1.2.4.5.10.4.	Material:
1.2.4.5.11.	Flexible fuel lines: yes/no $1/$
1.2.4.5.11.1.	Make(s):
1.2.4.5.11.2.	Type(s):
1.2.4.5.11.3.	Working pressure(s): 2/
1.2.4.5.11.4.	Material:
1.2.4.5.12.	Pressure and temperature sensor(s): yes/no $1/$
1.2.4.5.12.1.	Make(s):
1.2.4.5.12.2.	Type(s):
1.2.4.5.12.3.	Working pressure(s): <u>2</u> /
1.2.4.5.12.4.	Material:
1.2.4.5.13.	CNG filter: yes/no <u>1</u> /
1.2.4.5.13.1.	Make(s):
1.2.4.5.13.2.	Type(s):
1.2.4.5.13.3.	Working pressure(s): <u>2</u> /
1.2.4.5.13.4.	Material:
1.2.4.5.14.	Check valve(s) or non-return valve(s) : yes/no 1
1.2.4.5.14.1.	Make(s) :
1.2.4.5.14.2.	Туре(s):
1.2.4.5.14.3.	Working pressure(s) : <u>2</u> /
1.2.4.5.14.4.	Material:

1.2.4.5.15.	Connection to CNG system for heating system : yes/no $1/2$
1.2.4.5.15.1.	Make(s):
1.2.4.5.15.2.	Type(s):
1.2.4.5.15.3.	Description and drawings of installation:
1.2.4.5.16.	Further documentation:
1.2.4.5.16.1.	Description of the CNG system
1.2.4.5.16.2.	System lay-out (electrical connections, vacuum connections compensation hoses, etc.):
1.2.4.5.16.3.	Drawing of the symbol:
1.2.4.5.16.4.	Adjustment data:
1.2.4.5.16.5.	Certificate of the vehicle on petrol, if already granted:
1.2.5.	Cooling system: (liquid/air) 1/

 $\underline{1}$ / Strike out what does not apply.

.

. . .

. .

.


····· · · · · ·

2/ Specify the tolerance.

Annex 2A

ARRANGEMENT OF THE CNG COMPONENT TYPE-APPROVAL MARK

(See paragraph 5.2. of this Regulation)



xx R-002439


a ≥ 8 mm

The above approval mark affixed to the CNG component shows that this component has been approved in Italy (E3), pursuant to Regulation No.xx under approval number 002439. The first two digits of the approval number indicate that the approval was granted in accordance with the requirements of Regulation No. xx in its original form.

Annex 2B

COMMUNICATION (maximum format: A4 (210 x 297 mm))

issued by: Name of administration:



of a type of CNG component pursuant to Regulation No. xx

Approval No.:

Extension No.:

1. CNG component considered:

Container(s) or cylinder(s) 2/ Pressure indicator 2/ Pressure relief valve 2/ Automatic valve(s) 2/ Excess flow valve 2/ Gas-tight housing 2/ Pressure regulator(s) 2/Check valve(s) 2/ Pressure relief device 2/ Manual valve 2/ Flexible fuel lines 2/Filling unit or receptacle 2/ Gas/air mixer (injector(s)) 2/ Gas flow adjuster 2/ Gas/air mixer (carburettor) 2/ Electronic control unit 2/Pressure and temperature sensor(s) 2/CNG filter(s) 2/



2.	Trade name or mark:
3.	Manufacturer's name and address:
4.	If applicable, name and address of manufacturer's representative:
5.	Submitted for approval on:
6.	Technical service responsible for conducting approval tests:
	••••••••••••••••••••••••••••••••••••••
7.	Date of report issued by that service:
8.	No. of report issued by that service:
9.	Approval granted/refused/extended/withdrawn 2/
10.	Reason(s) of extension (if applicable):
11.	Place:
12.	Date:
13.	Signature:
14.	The documents filed with the application or extension of approval can be obtained upon request.

1/ Distinguishing number of the country which has granted/extended/refused/withdrawn approval (see approval provisions in the Regulation).

2/ Strike out what does not apply.

Annex 2B - Addendum

1.	Additional information concerning the type approval of a type of CNG components pursuant to Regulation No XXX
1.1.	Container(s) or cylinder(s)
1.1.1.	Dimensions:
1.1.2.	Material:
1.2.	Pressure indicator
1.2.1	Working pressure(s): <u>2</u> /
1.2.2.	Material:
1.3.	Pressure relief valve (discharge valve)
1.3.1	Working pressure(s): <u>2</u> /
1.3.2.	Material:
1.4.	Automatic valve(s)
1.4.1	Working pressure(s): <u>2</u> /
1.4.2.	Material:
1.5.	Excess flow valve
1.5.1.	Working pressure(s): <u>2</u> /
1.5.2.	Material:
1.6.	Gas-tight housing
1.6.1.	Working pressure(s): <u>2</u> /
1.6.2.	Material:
1.7.	Pressure regulator(s)
1.7.1.	Working pressure(s): <u>2</u> /
1.7.2.	Material:
1.8.	Check valve(s) or non-return valve(s)
1.8.1.	Working pressure(s): <u>2</u> /
1.8.2.	Material:
1.9.	Pressure relief device (temperature triggered)
1.9.1.	Working pressure(s): <u>2</u> /
1.9.2.	$Material: \ldots \ldots$
1.10.	Manual valve
1.10.1.	Working pressure(s): <u>2</u> /
1.10.2.	Material:
1.11.	Flexible fuel lines
1.11.1.	Working pressure(s): <u>2</u> /
1.11.2.	$Material: \ldots \ldots$
1.12.	Filling unit or receptacle
1.12.1.	Working pressure(s): <u>2</u> /
1.12.2.	Material:

.

Gas/air mixer (injector(s)) 1.13. 1.13.1. 1.13.2. 1.14. Gas flow adjuster 1.14.1. 1.14.2. Gas/air mixer (carburettor) 1.15. 1.15.1. 1.15.2. Electronic control unit (CNG-fuelling) 1.16. 1.16.1. Pressure and temperature sensor(s) 1.17. 1.17.1. 1.17.2. 1.18. CNG filter(s) 1.18.1. 1.18.2.

•

1/ Strike out what does not apply.

2/ Specify the tolerance.


TRANS/WP.29/704

page 38

Annex 2C

ARRANGEMENT OF APPROVAL MARKS


<u>Model A</u> (See paragraph 16.2. of this Regulation)




xx R-002439

 $a \ge 8 mm$

The above approval mark affixed to a vehicle shows that the vehicle has, with regard to the installation of CNG system for the use of CNG for propulsion, been approved in Italy (E3), pursuant to Regulation No. xx under approval number 002439. The first two digits of the approval number indicate that the approval was granted in accordance with the requirements of Regulation No. xx in its original form.





xx 002439 83 021628

a ≥ 8 mm

The above approval mark affixed to a vehicle shows that the vehicle has, with regard to the installation of CNG system for the use of CNG for propulsion, been approved in Italy(E3), pursuant to Regulation No.xx under approval number 002439. The first two digits of the approval number indicate that at the date the approval was granted in accordance with the requirements of Regulation No. xx in its original form and that Regulation No. 83 included the 02 series of amendments.

Annex 2D

COMMUNICATION

(maximum format: A4 (210 x 297 mm))

issued by: Name of administration:

concerning: 2/ APPROVAL GRANTED APPROVAL EXTENDED APPROVAL REFUSED APPROVAL WITHDRAWN PRODUCTION DEFINITELY DISCONTINUED

of a vehicle type with regard to the installation of CNG system pursuant to Regulation No. XX

Approval	No:	Extension No:
1.	Trade name or mark of vehicle:	
2.	Vehicle type:	
3.	Vehicle category:	
4.	Manufacturer's name and address:	
5.	If applicable, name and address of ma	anufacturer's representative:
6.	Description of the vehicle, drawings,	etc. (needs detailing):
7.	Test results:	
8.	Vehicle submitted for approval on: .	
9.	Technical service responsible for con	nducting approval tests:
10.	Date of report issued by that service	
11.	CNG system	
11.1.	Trade name or mark of components and	their approval numbers:
11.1.1.	Container(s) or cylinder(s):	
11.1.2.	etc. (see para. 2.2. of the Regulation	on)
12.	No. of report issued by that service:	· · · · · · · · · · · · · · · · · · ·
13.	Approval granted/refused/extended/wit	hdrawn <u>2</u> /

- - ----



14.	Reason(s) of	extension	(if	applicable):	•••	• • •	 • • • • • •
15.	Place:	• • • • •	• •	•••••		• • •	 • • • • • •
16.	Date:	• • • • •	• •	•••••	• •	• • •	 • • • • • •
17.	Signature: .		•••			• • •	

18. The following documents filed with the application or extension of approval can be obtained upon request:

Drawings, diagrams and scheme plans regarding the components and the installation of the CNG equipment considered to be of importance for the purpose of this Regulations;

Where applicable drawings of the various equipment and their position in the vehicle.

1/ Distinguishing number of the country which has granted/extended/refused/withdrawn approval (see approval provisions in the Regulation.)

2/ Strike out what does not apply.

. . .

Annex 3

GAS CYLINDERS HIGH PRESSURE CYLINDER FOR THE ON-BOARD STORAGE OF NATURAL GAS AS A FUEL FOR AUTOMOTIVE VEHICLES

1. SCOPE

This annex sets out minimum requirements for light-weight refillable gas cylinders having a water capacity exceeding 20 litres but not exceeding 1000 litres. The cylinders are intended only for the on-board storage of high pressure compressed natural gas as a fuel for automotive vehicles to which the cylinders are to be fixed. Cylinders may be of any steel, aluminium or non-metallic material, design or method of manufacture suitable for the specified service conditions. This annex does not cover metal liners or cylinders of stainless steels or of welded construction. Cylinders covered by this annex are Classified in Class 0, as described in paragraph 2. of this Regulation, and are :

- CNG-1 Metal
- CNG-2 Metal liner reinforced with resin impregnated continuous filament (hoop wrapped)
- CNG-3 Metal liner reinforced with resin impregnated continuous filament (fully wrapped)
- CNG-4 Resin impregnated continuous filament with a non-metallic liner (all composite)

Service conditions to which the cylinders will be subjected are detailed in paragraph 4. This annex is based upon a working pressure for natural gas as a fuel of 20 MPa settled at 15 °C with a maximum filling pressure of 26 MPa. Other working pressures can be accommodated by adjusting the pressure by the appropriate factor (ratio). For example, a 25 MPa working pressure system will require pressures to be multiplied by 1.25.

The service life of the cylinder shall be defined by the manufacturer and may vary with applications. Definition of service life is based upon filling the cylinders 1,000 times a year for a minimum of 15,000 fills. The maximum service life shall be 20 years.

For metal and metal-lined cylinders, the cylinder life is based upon the rate of fatigue crack growth. The ultrasonic inspection, or equivalent, of each cylinder or liner is required to ensure the absence of flaws which exceed the maximum allowable size. This approach permits the optimised design and manufacture of light weight cylinders for natural gas vehicle service.

For all-composite cylinders with non-metallic non-load bearing liners the "safe life" is demonstrated by appropriate design methods, design qualification testing and manufacturing controls.

2. REFERENCES

The following standards contain provisions which, through reference in this text, constitute provisions of this annex (until equivalent ECE provisions will be available).

ASTM Standards 1/

- ASTM B117-90 Test method of Salt Spray (Fog) Testing,
- ASTM B154-92 Mercurous Nitrate Test for Copper and Copper Alloys
- ASTM D522-92 Mandrel Bend Test of attached Organic Coatings;
- ASTM D1308-87 Effect of Household Chemicals on Clear and Pigmented Organic Finishes;
- ASTM D2344-84 Test Method for Apparent interlaminar Shear Strength of Parallel Fibre Composites by Short Beam Method;
- ASTM D2794-92 Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact);
- ASTM D3170-87 Chipping Resistance of Coatings;
- ASTM D3418-83 Test Method for Transition Temperatures Polymers by Thermal Analysis;
- ASTM E647-93 Standard Test ,Method for Measurement of Fatigue Crack Growth Rates;
- ASTM E813-89 Test Method for J_{ic}, a Measure of Fracture Toughness;
- ASTM G53-93 Standard Practice for Operating Light and Water -Exposure Apparatus (Fluorescent UV-Condensation Type) for Exposure of non-metallic materials

BSI Standards 2/

- BS 5045: Part 1 (1982) Transportable Gas Containers Specification for Seamless Steel Gas Containers Above 0.5 litre Water Capacity
- BS 7448-91 Fracture Mechanics Toughness Tests Part I Method for Determination of K_{IC}, Critical COD and Critical J Values of BS PD 6493-1991.Guidance an Methods for Assessing the A Acceptability of Flaws in Fusion Welded Structures; Metallic Materials

2/ British Standards Institution.

<u>1</u>/ American Society for Testing and Materials.

TRANS/WP.29/704 page 44	
ISO Standards <u>3</u> /	
ISO 148-1983	<pre>Steel - Charpy Impact Test (v-notch);</pre>
ISO 306-1987	Plastics - Thermoplastic Materials - Determination of Vicat Softening Temperature ;
ISO 527 Pt 1-93	Plastics - Determination of Tensile Properties - Part I: General principles;
ISO 642-79	Steel-Hardenability Test by End Quenching (Jominy Test);
ISO 2808-91	Paints and Varnishes - Determination of film Thickness;
ISO 3628-78	Glass Reinforced Materials - Determination of Tensile Properties
ISO 4624-78	Plastics and Varnishes - Pull-off Test for adhesion;
ISO 6982-84	Metallic Materials - Tensile Testing,
ISO 6506-1981	Metallic Materials - Hardness test - Brinell Test;
ISO 6508-1986	Metallic Materials - Hardness Tests - Rockwell Test (Scales, ABCDEFGHK);
ISO 7225	Precautionary Labels for Gas Cylinders,
ISO/DIS 7866-1992	Refillable Transportable Seamless Aluminium Alloy Cylinders for Worldwide Usage Design, Manufacture and Acceptance;
ISO 9001:1994	Quality Assurance in Design/Development. Production, Installation and Servicing;
ISO 9002:1994	Quality Assurance in Production and Installation;
ISO/DIS 12737	Metallic Materials - Determination of the Plane-Strain Fracture Toughness;
ISO/IEC Guide 25-1990	General requirements for the Technical Competenceof Testing Laboratories;
ISO/IEC Guide 48-1986	Guidelines for Third Party Assessment and Registration of Supplies Quality System;
ISO/DIS 9809	Transportable Seamless Steel Gas Cylinders Design, Construction and Testing - Part I: Quenched and Tempered Steel Cylinders with Tensile Strength < 1100 MPa;

3/ International Organization for Standardization.

- -

NACE Standard 4/

NACE TM0177-90 Laboratory Testing of Metals for Resistance to Sulphide Stress Cracking in H₂S Environments.

3. DEFINITIONS

For the purpose of this annex the following definitions shall apply:

- 3.1. (not allocated)
- 3.2. <u>auto-frettage</u>: A pressure application procedure used in manufacturing composite cylinders with metal liners, which strains the liner past its limit of elasticity, sufficiently to cause permanent plastic deformation which results in the liner having compressive stresses and the fibres having tensile stresses at zero internal pressure.
- 3.3. <u>auto-frettage pressure</u>: the pressure within the over-wrapped cylinder at which the required distribution of stresses between the liner and the over-wrap is established.
- 3.4. <u>batch composite cylinders</u>: A "batch" shall be a group of cylinders successively produced from qualified liners having the same size, design, specified materials of construction and process of manufacture.
- 3.5. <u>batch metal cylinders and liners</u>: A "batch" shall be a group of metal cylinders or liners successively produced having the same nominal diameter, wall thickness, design, specified material of construction, process of manufacture, equipment for manufacture and heat treatment, and conditions of time, temperature and atmosphere during heat treatment.
- 3.6. <u>batch non-metallic liners</u>: A "batch" shall be a group of nonmetallic liners successively produced having the same nominal diameter, wall thickness, design specified material of construction and process of manufacture.
- 3.7. <u>batch limits</u>: In no case shall a "batch" be permitted to exceed 200 finished cylinders or liners (not including destructive test cylinders or liners), or one shift of successive production, whichever is greater.
- 3.8. <u>composite cylinder</u>: A cylinder made of resin impregnated continuous filament wound over a metallic or non-metallic liner. Composite cylinders using non-metallic liners are referred to as all-composite cylinders.

^{4/} National Association of Corrosion Engineers.

- 3.9. <u>controlled tension winding</u>: A process used in manufacturing hoop wrapped composite cylinders with metal liners by which compressive stresses in the liner and tensile stresses in the over-wrap at zero internal pressure are obtained by winding the reinforcing filaments under significant high tension.
- 3.10. <u>filling pressure</u>: The gas pressure in the cylinder immediately upon completion of filling.
- 3.11. <u>finished cylinders</u>: Completed cylinders which are ready for use, typical of normal production, complete with identification marks and external coating including integral insulation specified by the manufacturer, but free from non-integral insulation or protection.
- 3.12. <u>full-wrap</u>: An over-wrap having a filament wound reinforcement both in the circumferential and axial direction of the cylinder.
- 3.13. <u>gas temperature</u>: The temperature of gas in a cylinder.
- 3.14. <u>hoop-wrap</u>: An over-wrap having a filament wound reinforcement in a substantially circumferential pattern over the cylindrical portion of the liner so that the filament does not carry any significant load in a direction parallel to the cylinder longitudinal axis.
- 3.15. <u>liner</u>: A container that is used as a gas-tight, inner shell, on which reinforcing fibres are filament wound to reach the necessary strength. Two types of liners are described in this standard: Metallic liners that are designed to share the load with the reinforcement, and non-metallic liners that do not carry any part of the load.
- 3.16. <u>manufacturer</u>: The person or organization responsible for the design, fabrication and testing of the cylinders.
- 3.17. <u>maximum developed pressure</u>: the settled pressure developed when gas in a cylinder filled to the working pressure is raised to the maximum service temperature.
- 3.18. <u>over-wrap</u>: The reinforcement system of filament and resin applied over the liner.
- 3.19. <u>prestressing</u>: The process of applying auto-frettage or controlled tension winding.
- 3.20. <u>service life</u>: The life in years during which the cylinders may safely be used in accordance with the standard service conditions.
- 3.21. <u>settled pressure</u>: The gas pressure when a given settled temperature is reached.
- 3.22. <u>settled temperature</u>: The uniform gas temperature after any change in temperature caused by filling has dissipated.

- 3.23. <u>test pressure</u>: The pressure at which the cylinder is hydrostatically tested.
- 3.24. <u>working pressure</u>: The settled pressure of 20 MPa at a uniform temperature of 15 °C.
- 4. SERVICE CONDITIONS
- 4.1. <u>General</u>
- 4.1.1. Standard service conditions

The standard service conditions specified in this section are provided as a basis for the design, manufacture, inspection, testing, and approval of cylinders that are to be mounted permanently on vehicles and used to store natural gas at ambient temperatures for use as a fuel on vehicles.

4.1.2. Use of cylinders

The service conditions specified are also intended to provide information on how cylinders made to this Regulation may safely be used to:

- (a) manufacturers of cylinders;
- (b) owners of cylinders;
- (c) designers or contractors responsible for the installation of cylinders;
- (d) designers or owners of equipment used to refuel vehicle cylinders;
- (e) suppliers of natural gas; and
- (f) regulatory authorities who have jurisdiction over cylinder use.
- 4.1.3. Service life

The service life for which cylinders are safe shall be specified by the cylinder designer on the basis of use under service conditions specified herein. The maximum service life shall be 20 years.

4.1.4. Periodic regualification

Recommendations for periodic requalification by visual inspection or testing during the service life shall be provided by the cylinder manufacturer on the basis of use under service conditions specified herein. Each cylinder shall be visually inspected at least every 36 months, and at the time of any re-installation, for external damage and deterioration, including under the support straps. The visual inspection shall be performed by a competent agency approved or recognized by the Regulatory Authority, in accordance with the manufacturers specifications: Cylinders without label containing mandatory information, or with labels containing mandatory information that are illegible in any way shall be removed from service. If the cylinder can be positively

identified by manufacturer and serial number, a replacement label may be applied, allowing the cylinder to remain in service.

4.1.4.1. Cylinders involved in collisions

Cylinders which have been involved in a vehicle collision shall be reinspected by an agency authorized by the manufacturer, unless otherwise directed by the Authority having jurisdiction. Cylinder which have not experienced any impact damage from the collision may be returned to service, otherwise the cylinder shall be returned to the manufacturer for evaluation.

4.1.4.2 Cylinders involved in fires

Cylinders which have been subject to the action of fire shall be reinspected by an agency authorized by the manufacturer, or condemned and removed from service.

4.2. <u>Maximum pressures</u>

The cylinder pressure shall be limited to the following:

- (a) a pressure that would settle to 20 MPa at a settled temperature of 15 °C;
- (b) 26 MPa, immediately after filling, regardless of temperature;
- (c) the maximum developed pressure should not exceed 26 MPa. Consequently in locations where the ambient temperature exceeds 30 °C for 10 per cent of the days in a year, the filling pressure shall be adjusted in such a way that the developed pressure shall not exceed 26 MPa at 65 °C (i.e. settled pressure at -40 °C should be limited to 18 MPa).

4.3. <u>Maximum number of filling cycles</u>

Cylinders are designed to be filled up to a settled pressure of 20 MPa bar at a settled gas temperature of 15 °C for up to 1,000 times per year of service.

- 4.4. <u>Temperature range</u>
- 4.4.1. Settled gas temperature

Settled temperature of gas in cylinders may vary from a minimum of -40 °C to a maximum of 65 °C;

4.4.2. Cylinder temperatures

The temperature of the cylinder materials may vary from a minimum of -40 $^{\circ}$ C to a maximum of +82 $^{\circ}$ C;

- Temperatures over +65 °C may be sufficiently local, or of short enough duration, that the temperature of gas in the cylinder never exceeds +65 °C, except under the conditions of paragraph 4.4.3;
- 4.4.3. Transient temperatures

Developed gas temperatures during filling and discharge may vary beyond the limits of paragraph 4.4.1;

4.5. <u>Gas composition</u>

Methanol and/or glycol shall not be deliberately added to the natural gas. Cylinder should be designed to tolerate being filled with natural gas meeting either of the following three conditions:

(a) SAE J1616(b) Dry gas

Water vapour would normally be limited to less than 32 mg/m^3 . a pressure dewpoint of -9 °C at 20 MPa. There would be no constituent limits for dry gas, except for:

Hydrogen sulfide and other soluble sulfides: 23 mg/m³

Oxygen:

1 per cent by volume

Hydrogen shall be limited to 2 per cent by volume when cylinders are manufactured from a steel with an ultimate tensile strength exceeding 950 MPa;

(c) Wet gas

Gas that contains a water content higher than b) normally meets the following constituent limits;

Hydrogen sulfide and other soluble sulfides: 23 mg/m³

Oxygen: Carbon dioxide: Hydrogen: 1 per cent by volume 0.1 per cent by volume

Under wet gas conditions, a minimum of 1 mg of compressor oil per kg of gas is necessary to protect metallic cylinders and liners.

4.6. <u>External surfaces</u>

Cylinders are not designed for continuous exposure to mechanical or chemical attack. e.g.leakage from cargo that may be carried on

vehicles or severe abrasion damage from road conditions, and shall comply with recognized installation standards. However, cylinder external surfaces may be inadvertently exposed to:

- (a) water, either by intermittent immersion or road spray;
- (b) salt, due to the operation of the vehicle near the ocean or where ice melting salt is used;
- (c) ultra-violet radiation from sunlight;
- (d) impact of gravel;
- (e) solvents, acids and alkalis, fertilizers; and
- (f) automotive fluids, including gasoline, hydraulic fluids, glycol and oils.

4.7. <u>Gas permeation or leakage</u>

Cylinders may be located in enclosed spaces for extended periods of time. Permeation of gas through the cylinder wall or leakage between the end connections and the liner shall be considered in the design.

- 5. DESIGN APPROVAL
- 5.1. <u>General</u>

The following information shall be submitted by the cylinder designer with a request for approval to the Competent Authority:

- (a) statement of service (paragraph 5.2.)
- (b) design data (paragraph 5.3.)
- (c) manufacturing data (paragraph 5.4.)
- (d) quality system (paragraph 5.5.)
- (e) fracture performance and NDE (Non Destructive Examination) defect size (paragraph 5.6.);
- (f) **specification sheet** (paragraph 5.7.)
- (g) additional supporting data (paragraph 5.8.)

For cylinders designed in accordance with ISO 9809 it is not required to provide the stress analysis report in paragraph 5.3.2. or the information in paragraph 5.6.

5.2. <u>Statement of service</u>

The purpose of this statement of service is to guide users and installers of cylinders as well as to inform the approving Competent Authority, or their designated representative. The statement of service shall include:

- (a) a statement that the cylinder design is suitable for use in the service conditions defined in paragraph 4 for the service life of the cylinder;
- (b) the service life;
- (c) the minimum in-service test and/or inspection requirements;
- (d) the pressure relief devices and/or insulation required;
- (e) support methods, protective coatings, etc., required but not provided;
- (f) a description of the cylinder design;
- (g) any other information necessary to ensure the safe use and inspection of the cylinder.

5.3. <u>Design data</u>

5.3.1. Drawings

Drawings shall show the following as a minimum:

- (a) Title, reference number, date of issue, and revision numbers with dates of issue if applicable;
- (b) Reference to this Regulation and the cylinder type;
- (c) All dimensions complete with tolerances, including details of end closure shapes with minimum thicknesses and of openings;
- (d) Mass, complete with tolerance, of cylinders;
- (e) Material specifications, complete with minimum mechanical and chemical properties or tolerance ranges and, for metal cylinders or metal liners, the specified hardness range;
- (f) Other data such as, auto-frettage pressure range, minimum test pressure, details of the fire protection system and of the exterior protective coating.

5.3.2. Stress analysis report

A finite element stress analysis or other stress analysis shall be provided;

A table summarizing the calculated stresses in the report shall be provided.

5.3.3. Material test data

A detailed description of the materials and tolerances of the materials properties used in the design shall be provided. Test data shall also be presented characterizing the mechanical properties and the suitability of the materials for service under the conditions specified in paragraph 4.

5.3.4. Design qualification test data

The cylinder material, design, manufacture and examination shall be provided to be adequate for their intended service by meeting the requirements of the tests required for the particular cylinder design, when tested in accordance with the relevant methods of test detailed in appendix A to this annex. The test data shall also document the dimensions, wall thicknesses and weights of each of the test cylinders.

5.3.5. Fire protection

The arrangement of pressure relief devices that will protect the cylinder from sudden rupture when exposed to the fire conditions in paragraph A.15 shall be specified. Test data shall substantiate the effectiveness of the specified fire protection system.

5.3.6. Cylinder supports

Details of cylinder supports or support requirements shall be provided in accordance with paragraph 6.11.

5.4. <u>Manufacturing data</u>

Details of all fabrication processes, non-destructive examinations, production tests and batch tests Shall be provided; The tolerances for all production processes such as heat treatment, end forming, resin mix ratio, filament winding tension and speed, curing times and temperatures, and auto-frettage procedures shall be specified; Surface finish, thread details, acceptance criteria for ultrasonic scanning (or equivalent), and maximum lot sizes for batch tests shall also be specified.

5.5. (not allocated)

5.6. <u>Fracture performance and NDE defect size</u>

5.6.1. Fracture performance

The manufacturer shall demonstrate the Leak-Before-Break performance of the design as described in paragraph 6.7.

5.6.2. NDE defect size

Using the approach described in paragraph 6.15.2 the manufacturer shall establish the maximum defect size for non-destructive examination which will prevent the failure of the cylinder during its service life due to fatigue, or failure of the cylinder by rupture.

5.7. <u>Specification sheet</u>

A summary of the documents providing the information required in paragraph 5.1. shall be listed on a specification sheet for each cylinder design. The title, reference number, revision numbers and dates of original issue and version issues of each document shall be given. All documents shall be signed or initialled by the issuer; The specification sheet shall be given a number, and revision numbers if applicable, that can be used to designate the cylinder design and shall carry the signature of the engineer responsible for the design. Space shall be provided on the specification sheet for a stamp indicating registration of the design.

5.8. <u>Additional supporting data</u>

Additional data which would support the application, such as the service history of material proposed for use, or the use of a particular cylinder design in other service conditions, shall be provided where applicable.

5.9. <u>Approval and certification</u>

5.9.1. Inspection and testing

Evaluation of conformity is required to be performed in accordance with the provisions of paragraph 9 of this Regulation;

In order to ensure that the cylinders are in compliance with this international Regulation they shall be subject to inspection in accordance with paragraphs 6.13. and 6.14. performed by the Competent Authority.

5.9.2. Test certificate

If the results of prototype testing according to paragraph 6.13. are satisfactory, the Competent Authority shall issue a test certificate. An example of a test certificate is given in Appendix D to this annex.

5.9.3. Batch acceptance certificate

The Competent Authority shall prepare an acceptance certificate as provided in appendix D to this annex.

6. REQUIREMENTS APPLICABLE TO ALL CYLINDER TYPES

6.1. <u>General</u>

The following requirements are generally applicable to the cylinder types specified in paragraphs 7 to 10. The design of cylinders shall cover all relevant aspects which are necessary to ensure that every cylinder produced according to the design is fit for its purpose for the specified service life; Type CNG-1 steel cylinders designed in accordance with ISO 9809 and meeting all the requirements therein are only required to meet the requirements of paragraphs 6.3.2.4. and 6.9 to 6.13.

6.2. <u>Design</u>

This Regulation does not provide design formulas nor permissible stresses or strains, but requires the adequacy of the design to be established by appropriate calculations and demonstrated by cylinders being capable of consistently passing the materials, design qualification, production and batch tests specified in this Regulation; All designs shall ensure a "leakage before break" failure mode under feasible degradation of pressure parts during normal service. If leakage of metal cylinders or metal liners occurs, it shall be only by the growth of a fatigue crack.

6.3. <u>Materials</u>

- 6.3.1. Materials used shall be suitable for the service conditions specified in paragraph 4. The design shall not have incompatible materials in contact. The design qualification tests for materials are summarised in table 6.1.
- 6.3.2. Steel

6.3.2.1. Composition

Steels shall be aluminium and/or silicon killed and produced to predominantly fine grain practice. The chemical composition of all steels shall be declared and defined at least by:

- (a) carbon, manganese, aluminium and silicon contents in all cases;
- (b) nickel, chromium, molybdenum, boron and vanadium contents, and any other alloying elements intentionally added. The following limits shall not be exceeded in the cast analysis:

Tensile strength	< 950 MPa	≥ 950 MPa		
Sulfur	0.020 per cent	0.010 per cent		
Phosphorus	0.020 per cent	0.020 per cent		
Sulfur and Phosphorus	0.030 per cent	0.025 per cent		

When a carbon-boron steel is used, a hardenability test in accordance with ISO 642, shall be performed on the first and last ingot or slab of each heat of steel. The hardness as measured in a distance of 7.9 mm from the quenched end, shall be within the range 33-53 HRC, or 327-560 HV, and shall be certified by the material manufacturer;

6.3.2.2. Tensile properties

The mechanical properties of the steel in the finished cylinder or liner shall be determined in accordance with paragraph A.1 (appendix A). The elongation for steel shall be at least 14 per cent;

6.3.2.3. Impact properties

The impact properties of the steel in the finished cylinder or liner shall be determined in accordance with paragraph A.2 (appendix A). Impact values shall not be less than that indicated in table 6.2 of this annex;

6.3.2.4. Sulfide stress cracking resistance

If the upper limit of the specified hardness range for the steel exceeds 240 HB, the steel from finished cylinder shall be tested in accordance with paragraph A.3 (appendix A) and meet the requirements therein.

6.3.3. Aluminium

6.3.3.1. Composition

Aluminium alloys shall be quoted in line with Aluminium Association practice for a given alloy system. The impurity limits for lead and bismuth in any aluminium alloy shall not exceed 0.003 per cent;

6.3.3.2. Corrosion tests

Aluminium alloys shall meet the requirements of the corrosion tests carried out in accordance with paragraph A.4 (appendix A);

6.3.3.3. Sustained load cracking

Aluminium alloys shall meet the requirements of the sustained load cracking tests carried out in accordance with paragraph A.5 (appendix A);

6.3.3.4. Tensile properties

The mechanical properties of the aluminium alloy in the finished cylinder shall be determined in accordance with paragraph A.1 (appendix A). The elongation for aluminium shall be at least 12 per cent.

6.3.4. Resins

6.3.4.1. General

The material for impregnation may be thermosetting or thermoplastic resins. Examples of suitable matrix materials are epoxy, modified epoxy, polyester and vinylester thermosetting plastics, and polyethylene and polyamide thermoplastic material;

6.3.4.2. Shear strength

Resin materials shall be tested in accordance with paragraph A.26 (appendix A), and meet the requirements therein;

6.3.4.3. Glass transition temperature

The glass transition temperature of the resin material shall be determined in accordance with ASTM D3418.

6.3.5. Fibres

Structural reinforcing filament material types shall be glass fibre, aramid fibre or carbon fibre. If carbon fibre reinforcement is used the design shall incorporate means to prevent galvanic corrosion of metallic components of the cylinder. The manufacturer shall keep on file the published specifications for composite materials, the material manufacturer's recommendations for storage, conditions and shelf life and the material manufacturer's certification that each shipment conforms to said specification requirements. The fibre manufacturer shall certify that the fibre material properties conform to the manufacturer's specifications for the product.

6.3.6 Plastic liners

The tensile yield strength and ultimate elongation shall be determined in accordance with paragraph A.22 (appendix A). Tests shall demonstrate the ductile properties of the plastic liner material at temperatures of -50 °C or lower by meeting the values specified by the manufacturer; The polymeric material shall be compatible with the service conditions specified in paragraph 4 of this annex. In accordance with the method described in paragraph A.23 (appendix A), the softening temperature shall be at least 90 °C, and the melting temperature at least 100 °C.

6.4. <u>Test pressure</u>

The minimum test pressure used in manufacture shall be 30 MPa;

6.5. <u>Burst pressures and fibre stress ratios</u>

For all types of cylinder the minimum actual burst pressure shall not be less than the values given in table 6.3 of this annex. For type CNG-2, CNG-3 and CNG-4 designs the composite over-wrap shall

be designed for high reliability under sustained loading and cyclic loading. This reliability shall be achieved by meeting or exceeding the composite reinforcement stress ratio values given in table 6.3 of this annex. Stress ratio is defined as the stress in the fibre at the specified minimum burst pressure divided by the stress in the fibre at working pressure. The burst ratio is defined as the actual burst pressure of the cylinder divided by the working pressure; For type CNG-4 designs, the stress ratio is equal to the burst ratio; For type CNG-2 and CNG-3 designs (metal-lined, composite overwrapped) stress ratio calculations must include:

- (a) An analysis method with capability for non-linear materials
 (special purpose computer program or finite element analysis program);
- (b) Elastic-plastic stress-strain curve for liner material must be known and correctly modelled;
- (c) Mechanical properties of composite materials must be correctly modelled;
- (d) Calculations must be made at: auto-frettage, zero after auto-frettage, working and minimum burst pressures;
- (e) Prestresses from winding tension must be accounted for in the analysis;
- (f) Minimum burst pressure must be chosen such that the calculated stress at minimum burst pressure divided by the calculated stress at working pressure meets the stress ratio requirements for the fibre used;
- (g) When analyzing cylinders with hybrid reinforcement (two or more different fibre types), the load share between the different fibres must be considered based on the different elastic modulii of the fibres. The stress ratio requirements for each individual fibre type must be in accordance with the values given in table 6.3 of this annex. Verification of the stress ratios may also be performed using straingauges. An acceptable method is outlined in the informative appendix E to this annex.

6.6. <u>Stress analysis</u>

A stress analysis shall be performed to justify the minimum design wall thicknesses. It shall include the determination of the stresses in liners and fibres of composite designs.

6.7. <u>Leak-before-break (LBB) assessment</u>

Types CNG-1, CNG-2 and CNG-3 cylinders shall demonstrate Leak-Before-Break (LBB) performance. The LBB performance test shall be carried out in accordance with paragraph A.6 (appendix A). Demonstration of LBB performance is not required for cylinder

> designs that provide a fatigue life exceeding 45,000 pressure cycles when tested in accordance with paragraph A.13 (appendix A). Two methods of LBB assessment are included for information in appendix F to this annex.

6.8. <u>Inspection and testing</u>

The manufacturing inspection shall specify programmes and procedures for:

- (a) manufacturing inspection, tests and acceptance criteria; and
- (b) periodic in service inspection, tests and acceptance criteria. The interval of visual reinspection of the external cylinder surfaces shall be in accordance with paragraph 4.1.4. of this annex unless varied by the Competent Authority. The manufacturer shall establish the visual reinspection rejection criteria based on the results of pressure cycling tests performed on cylinders containing flaws. A guide for manufacturer's instructions for handling, use and inspection is provided in appendix G to this annex.

6.9. <u>Fire protection</u>

All cylinders shall be protected from fire with pressure relief devices. The cylinder, its materials, pressure relief devices and any added insulation or protective material shall be designed collectively to ensure adequate safety during fire conditions in the test specified in paragraph A.15 (appendix A).

Pressure relief devices shall be tested in accordance with paragraph A.24 (appendix A).

6.10. <u>Openings</u>

6.10.1. General

Openings are permitted in heads only. Centre line of openings shall coincide with the longitudinal axis of the cylinder.Threads shall be clean cut, even, without surface discontinuities, and to gauge.

6.10.2. Tapered threads

Openings with tapered threads may be used in all cylinder types. Tapered threads shall comply with a recognized international or national standard.

6.10.3. Straight threads

Openings with straight threads shall comply with a recognized international or national standard. The thread shear stress at cylinder test pressure calculated using the equations given below shall not exceed one quarter of the ultimate shear stress of the threaded material:

$$A = \pi \cdot n \cdot L \cdot d \cdot \left[\frac{1}{2n} + \frac{d - D}{\sqrt{3}}\right]$$
(1)

$$T = P \cdot \pi \cdot \frac{\left(\frac{b}{2}\right)^2}{10} \tag{2}$$

$$S = \frac{T}{A}$$
(3)

where:

A = shear area of internal thread, mm² n = number of threads per mm d = minimum major diameter of external thread, mm D = maximum pitch diameter of internal thread, mm L = length of thread engagement, mm P = hydrostatic test pressure, MPa b = basic pitch diameter of external thread, mm T = thrust force, n S = average shear stress on internal thread, MPa.

6.11. <u>Cylinder supports</u>

The manufacturer shall specify the means by which cylinders shall be supported for installation on vehicles. The manufacturer shall also supply support installation instructions, including clamping force and torque to provide the required restraining force but not cause unacceptable stress in the cylinder or damage to the cylinder surface.

6.12. <u>Exterior environmental protection</u>

The exterior of cylinders shall meet the requirements of the environmental test conditions of paragraph A.14 (appendix A). Exterior protection may be provided by using any of the following:

- (a) a surface finish giving adequate protection (e.g. metal sprayed on aluminium, anodizing); or
- (b) the use of a suitable fibre and matrix material (e.g. carbon fibre in resin); or
- (c) a protective coating (e.g. organic coating, paint) that shall meet the requirements of paragraph A.9 (appendix A).

Any coatings applied to cylinders shall be such that the application process does not adversely affect the mechanical properties of the cylinder. The coating shall be designed to facilitate subsequent in service inspection and the manufacturer shall provide guidance on coating treatment during such inspection to ensure the continued integrity of the cylinder.

Manufacturers are advised that an environmental performance test that evaluates the suitability of coating systems is provided in the informative appendix H to this annex.

6.13. <u>Design qualification tests</u>

For the approval of each cylinder type the material, design, manufacture and examination shall be proved to be adequate for their intended service by meeting the appropriate requirements of the material qualification tests summarized in table 6.1 of this annex and the cylinder qualification tests summarized in table 6.4 of this annex, with all tests in accordance with the relevant methods of test as described in appendix A to this annex. The test cylinders or liners shall be selected and the tests witnessed by the Competent Authority. If more cylinders or liners are subjected to the tests than are required by this annex, all results shall be documented.

6.14. <u>Batch tests</u>

The batch tests specified in this annex for each cylinder type shall be conducted on cylinders or liners taken from each batch of finished cylinders or liners. Heat treated witness samples shown to be representative of finished cylinders or liners may also be used. Batch tests required for each cylinder type are specified in table 6.5 of this annex.

6.15. <u>Production examinations and tests</u>

6.15.1. General

Production examinations and tests shall be carried out on all cylinders produced in a batch. Each cylinder shall be examined during manufacture and after completion by the following means:

(a) ultrasonic scanning (or demonstrated equivalent) of metallic cylinders and liners in accordance with BS 5045, Part 1, annex B, or demonstrated equivalent method, to confirm that

the maximum defect size present is smaller than the size specified in the design;

- (b) verification that the critical dimensions and mass of the completed cylinder and of any liner and overwrapping are within design tolerances;
- (c) verification of compliance with specified surface finish with special attention to deep drawn surfaces and folds or laps in the neck or shoulder of forged or spun end enclosures or openings;
- (d) verification of markings;
- (e) hardness tests of metallic cylinders and liners in accordance with paragraph A.8 (appendix A) shall be carried out after the final heat treatment and the values thus determined shall be in the range specified for the design;
- (f) hydrostatic proof test in accordance with paragraph A.11
 (appendix A);

A summary of critical production inspection requirements to be performed on every cylinder is provided in table 6.6 of this annex;

6.15.2. Maximum defect size

For type CNG-1, CNG-2 and CNG-3 designs, the maximum defect size at any location in the metal cylinder or metal liner that will not grow to a critical size within the specified service life shall be determined. The critical defect size is defined as the limiting through-wall (cylinder or liner) thickness defect that would allow stored gas to be discharged without rupturing the cylinder. Defect sizes for the rejection criteria for ultrasonic scanning, or equivalent shall be smaller than the maximum allowable defect sizes. For type CNG-2 and CNG-3 designs assume that there shall be no damage to composite due to any time-dependent mechanisms; The allowable defect size for NDE shall be determined by an appropriate method. Two such methods are outlined in the informative appendix F to this annex.

6.16. Failure to meet test requirements

In the event of failure to meet test requirements retesting or reheat treatment and retesting shall be carried out as follows:

- (a) if there is evidence of a fault in carrying out a test, or an error of measurement, a further test shall be performed. If the result of this test is satisfactory, the first test shall be ignored;
- (b) If the test has been carried out in a satisfactory manner, the cause of test failure shall be identified.

If the failure is considered to be due to the heat treatment applied, the manufacturer may subject all the cylinders of the batch to a further heat treatment.

If the failure is not due to the heat treatment applied, all the identified defective cylinders shall be rejected or repaired by an approved method. The non-rejected cylinders are then considered as a new batch.

In both cases the new batch shall be retested. All the relevant prototype or batch tests needed to prove the acceptability of the new batch shall be performed again. If one or more tests prove even partially unsatisfactory, all cylinders of the batch shall be rejected.

6.17. <u>Change of design</u>

A design change is any change in the selection of structural materials or dimensional change not attributable to normal manufacturing tolerances.

Minor design changes shall be permitted to be qualified through a reduced test program. Changes of design specified in table 6.7 shall require design qualification testing as specified in the table.

Relevant paragraph of this annex						
Steel	Aluminium	Resins	Fibres	Plastic liners		
6.3.2.2	6.3.3.4		6.3.5	6.3.6		
6.3.2.4						
6.3.2.3						
	6.3.3.3					
	6.3.3.2					
		6.3.4.2				
		6.3.4.3				
				6.3.6		
6.7	6.7					
	6.3.2.2 6.3.2.4 6.3.2.3	Steel Aluminium 6.3.2.2 6.3.3.4 6.3.2.4	Steel Aluminium Resins 6.3.2.2 6.3.3.4 6.3.2.4 6.3.2.3 6.3.3.3 6.3.3.3 6.3.3.2 6.3.4.2 6.3.4.3	Steel Aluminium Resins Fibres 6.3.2.2 6.3.3.4 6.3.5 6.3.5 6.3.2.4		

Table 6.1 - Material design qualification test

Table 6.2	-	Impact	test	acceptable values
-----------	---	--------	------	-------------------

Cylinder diameter D, mm		> 140		≤ 140
Direction of testing		transverse		longitudinal
Width of test piece, mm	3 - 5	> 5 - 7.5	> 7.5 - 10	3 to 5
Test temperature, °C		-50		-50
Mean of 3 specimens Impact strength, J/cm ²	30	35	40	60
Individual specimen	24	28	32	48

.

	CNG-1 CNG-2 All-metal Hoop-wrapped				VG-3 wrapped	CNG-4 All-composite	
	Burst pressure [MPa]	Stress ratio [MPa]	Burst pressure [MPa]	Stress ratio [MPa]	Burst pressure [MPa]	Stress ratio [MPa]	Burst pressure [MPa]
All metal	450						
Glass		2.75	50 ¹⁾	3.65	70 ¹⁾	3.65	73
Aramid		2.35	47	3.10	60 ¹⁾	3.1	62
Carbon		2.35	47	2.35	47	2.35	47
Hybrid			2)		2)		2)

Table 6.3 - Minimum actual burst values and stress ratios

• .

Test and annex reference		Cylinder type					
		CNG-1	CNG-2	CNG-3	CNG-4		
A.12	Burst	X *	x	x	x		
A.13	Ambient temp/cycle	X *	X	x	x		
A.14	Acid environment test		Х	x	x		
A.15	Bonfire	х	х	x	X -		
A.16	Penetration	x	х	x	x		
A.17	Flaw tolerance		Х	x	x		
A.18	High temp. creep		Х	x	x		
A.19	Stress rupture		Χ.	x	x		
A.20	Drop test			x	x		
A.21	Permeation				x		
A.24	PRD performance	Х	Х	X	X		
A.25	Boss torque test				x		
A.27	Natural gas cycling				x		
A.6	LBB assesment	x	X	x	[
A.7	Extreme temperature/cycle		Х	x	x		

* = Not required for cylinders designed to ISO 9809 (ISO 9809 already provides for these tests).

.

Test and annex reference		Cylinder type					
		CNG-1	CNG-2	CNG-3	CNG-4		
A.12	Burst	x	x	x	x		
A.13	Ambient cycle	x	x	x	x		
A.1	Tensile	x	X†	x†			
A.2	Impact (steel)	x	x†	x†			
A.9.2	Coating *	x	x	x	x		

Table 6.5 - Batch tests

Table 6.6 - Critical production inspection requirements

Туре	CNG-1	CNG-2	CNG-3	CNG-4
Inspection requirement				
Critical dimensions	x	x	x	x
Surface finish	x	x	x	x
Flaws (ultrasonic or equivalent)	x	x	x	
Hardness of metal cylinders and metal liners	x	x	x	
Hydrostatic proof test	x	x x	x	x
Leak test				x
Markings	x	x	x x	l x

	Type of test								
Design change	Burst Hydro- static A.12		Environ- mental A. 14	Bonfire A.15	Flaw tolerance A.17	Penetra- tion A.16	Stress rupture A.19 High. temp:Creep A.18 Drop test A.20	Boss torque A.25 Perm- eation A.21 CNG Cycling A.27	PRD performance A.24
Fibre manufacturer	X	X					X*	X†	
Metallic cylinder or liner material	x	x	X•	x	X*	x	Х•		
Plastic liner material		x	x					X†	
Fibre material	x	x	x	x	x	x	x	X†	
Resin material			x		x	x	x		
Diameter change ≤ 20 per cent	x	x							
Diameter change > 20 per cent	X	x		x	X*	x			
Length change ≤ 50 per cent	x			X‡					
Length change > 50 per cent	x	x		X‡					
Working pressure change ≤ 20 per cent @	x	X							
Dome shape	x	x						X†	
Opening size	x	x							
Coating change			x						
End boss design								X†	
Change in manuf. process	x	x							
Pressure relief device				x					x

Table 6.7 - Change of design

X = requried

* Test not required on metal (CNG-1) designs:

† test only required on all-composite (CNG-4) designs

‡ Test only required when length increases

@ Only when thickness change proportional to diameter and/or pressure change

7. TYPE CNG-1 METAL CYLINDERS

7.1. <u>General</u>

The design shall identify the maximum size of an allowable defect at any point in the cylinder which will not grow to a critical size within the specified retest period, or service life if no retest is specified, of a cylinder operating to the working pressure. Determination of leak-before-break (LBB) performance shall be done in accordance with the appropriate procedures defined in paragraph A.6 (appendix A). Allowable defect size shall be determined in accordance with paragraph 6.15.2. above.

Cylinders designed in accordance with ISO 9809 and meeting all the requirements therein are only required to meet the materials test requirements of paragraph 6.3.2.4. above and the design qualification test requirements of paragraph 7.5., except paragraphs 7.5.2. and 7.5.3. below.

7.2. <u>Stress analysis</u>

The stresses in the cylinder shall be calculated for 2 MPa, 20 MPa, test pressure and design burst pressure. The calculations shall use suitable analysis techniques using thin-shell theory that takes into account out-of-plane bending of the shell to establish stress distributions at the neck, transition regions and the cylindrical part of the cylinder.

7.3. <u>Manufacturing and production test requirements</u>

7.3.1. General

The ends of aluminium cylinders shall not be closed by a forming process. The base ends of steel cylinders which have been closed by forming, except those cylinders designed in accordance with ISO 9809, shall be NDE inspected or equivalent. Metal shall not be added in the process of closure at the end. Each cylinder shall be examined before end forming operations for thickness and surface finish.

After end forming the cylinders shall be heat treated to the hardness range specified for the design. Localized heat treatment is not permitted.

When a neck ring, foot ring or attachments for support are provided, it shall be of material compatible with that of the cylinder and shall be securely attached by a method other than welding, brazing or soldering.

7.3.2. Non-destructive examination

The following tests shall be carried out on each metallic cylinder:

- (a) Hardness test in accordance with paragraph A.8 (appendix A),
- (b) Ultrasonic examination, in accordance with BS 5045, Part 1, annex I, or demonstrated equivalent NDT method, to ensure that the maximum defect size does not exceed the size specified in the design as determined in accordance with paragraph 6.15.2. above.
- 7.3.3. Hydrostatic pressure testing

Each finished cylinder shall be hydrostatically pressure tested in accordance with paragraph A.11 (appendix A).

7.4. <u>Cylinder batch tests</u>

Batch testing shall be conducted on finished cylinders which are representative of normal production and are complete with identification marks. Two cylinders shall be randomly selected from each batch. If more cylinders are subjected to the tests than are required by this annex, all results shall be documented. The following tests shall as a minimum be carried out on these.

- (a) Batch materials tests. One cylinder, or a heat treat witness sample representative of a finished cylinder, shall be subjected to the following tests:
 - (i) Critical dimensions checked against the design;
 - (ii) One tensile test in accordance with paragraph A.1 (appendix A) and meet the requirements of the design;
 - (iii) For steel cylinders, three impact tests in accordance with paragraph A.2 (appendix A) and meet the requirements of paragraph 6.3.2.3. above;
 - (iv) When a protective coating is a part of the design, the coating shall be tested in accordance with paragraph A.9.2 (appendix A);

All cylinders represented by a batch test which fail to meet the specified requirements shall follow the procedures specified in paragraph 6.16. above.

Where the coating fails to meet the requirements of paragraph A.9.2 (appendix A), the batch shall be 100 percent inspected to remove similarly defective cylinders. The coating on all defective cylinders may be stripped and recoated. The coating batch test shall then be repeated; (b) Batch burst test. One cylinder shall be hydrostatically pressurized to burst in accordance with paragraph A.12 (appendix A).

If the burst pressure is less than the minimum calculated burst pressure the procedures specified in paragraph 6.16. above shall be followed.

- (c) Periodic pressure cycling test. Finished cylinders shall be pressure cycled in accordance with paragraph A.13 (appendix A) at a test frequency defined as follows:
 - (i) one cylinder from each batch shall be pressure cycled for a total of 1,000 times the specified service life in years, with a minimum 15,000 cycles;
 - (ii) on 10 sequential production batches of a design family

 (i.e. similar materials and processes), should none of the
 pressure cycled cylinders in (i) above leak or rupture in
 less than 1,500 cycles times the specified life in years
 (minimum 22,500 cycles) then the pressure cycle test can be
 reduced to one cylinder from every 5 batches of production;
 - (iii) on 10 sequential production batches of a design family, should none of the pressure cycled cylinders in (i) above leak or rapture in less than 2,000 cycles times the specified service life in years (minimum 30,000 cycles) then the pressure cycle test can be reduced to one cylinder from every 10 batches of production;
 - (iv) should more than 6 months have expired since the last batch of production. then a cylinder from the next batch of production shall be pressure cycle tested in order to maintain the reduced frequency of batch testing in (ii) or (iii) above.
 - (v) should any reduced frequency pressure cycle test cylinder in
 (ii) or (iii) above fail to meet the required number of
 pressure cycles (minimum 22,500 or 30,000 pressure cycles,
 respectively,) then it shall be necessary to repeat the
 batch pressure cycle test frequency in (i) for a minimum
 10 production batches in order to re-establish the reduced
 frequency of batch pressure cycle testing in (ii) or (iii)
 above.
 - (vi) should any cylinder in (i), (ii), or (iii) above fail to meet the minimum cycle life requirement of 1,000 cycles times the specified service life in years (minimum 15,000 cycles), then the cause of failure shall be determined and corrected following the procedures in paragraph 6.16. The pressure cycle test shall then be repeated on an additional three cylinders from that batch. Should any of the three additional cylinders fail to meet the minimum pressure cycling requirement of 1,000 cycles

times the specified service life in years, then the batch shall be rejected.

7.5. Cylinder design qualification tests

7.5.1. General

Qualification testing shall be conducted on finished cylinders which are representative of normal production and complete with identification marks. Selection, witnessing and documentation of the results shall be in accordance with paragraph 6.13. above.

7.5.2. Hydrostatic pressure burst test

Three representative cylinders shall be hydrostatically pressurised to failure in accordance with paragraph A.12. (appendix A to this annex). The cylinder burst pressures shall exceed the minimum burst pressure calculated by the stress analysis for the design, and shall be at least 45 MPa.

7.5.3. Ambient temperature pressure cycling test.

Two finished cylinders shall be pressure cycled at ambient temperature in accordance with paragraph A.13 (appendix A) to failure, or to a minimum of 45,000 cycles. The cylinders shall not fail before reaching the specified service life in years times 1,000 cycles. Cylinders exceeding 1,000 cycles times the specified service life in years shall fail by leakage and not by rupture. Cylinders which do not fail within 45,000 cycles shall be destroyed either by continuing the cycling until failure occurs, or by hydrostatically pressurising to burst. The number of cycles to failure and the location of the failure initiation shall be recorded.

7.5.4. Bonfire test

Tests shall be conducted in accordance with paragraph A.15 (appendix A) and meet the requirements therein.

7.5.5. Penetration test

Test shall be conducted in accordance with paragraph A.16 (appendix A) and meet the requirements therein.

7.5.6. LBB performance

For cylinder designs not exceeding 45,000 cycles when tested as per paragraph 7.5.3. above, LBB performance tests shall be conducted in accordance with A.6 and meet the requirements therein.

8. TYPE CNG-2 HOOP-WRAPPED CYLINDERS

8.1. <u>General</u>

During pressurisation, this type of cylinder design has a behaviour in which the displacements of the composite overwrap and the metal liner are linearly superimposed. Due to different techniques of manufacture, this Annex does not give a definite method for design.

Determination of the leak-before-break (LBB) performance shall be in accordance with the appropriate procedures defined in paragraph A.6 (appendix A). Allowable defect size shall be determined in accordance with paragraph 6.15.2. above.

8.2. <u>Design requirements</u>

8.2.1. Metal liner

The metal liner shall have a minimum actual burst pressure of 26 MPa.

8.2.2. Composite overwrap

The tensile stress in the fibres shall meet the requirements of paragraph 6.5. above.

8.2.3. Stress analysis

The stresses in the composite and in the liner after prestress shall be calculated. The pressures used for these calculations shall be zero, 2 MPa, 20 MPa test pressure and design burst pressure. The calculations shall use suitable analysis techniques using thin-shell theory taking account of non-linear material behaviour of the liner to establish stress distributions at the neck, transition regions and the cylindrical part of the liner.

For designs using auto-frettage to provide prestress, the limits within which the auto-frettage pressure must fall shall be calculated.

For designs using controlled tension winding to provide prestress, the temperature at which it is performed, the tension required in each layer of composite and the consequent prestress in the liner shall be calculated.

8.3. <u>Manufacturing requirements</u>

8.3.1. General

The composite cylinder shall be fabricated from a liner overwrapped with continuous filament windings. Filament winding operations shall be computer or mechanically controlled. The filaments shall be applied under controlled tension during winding. After winding is complete, thermosetting resins shall be cured by heating, using a predetermined and controlled time-temperature profile.

8.3.2. Liner The manufacture of a metallic liner shall meet the requirements given under paragraph 7.3. above for the appropriate type of liner construction.

8.3.3. Over-wrap

The cylinders shall be fabricated in a filament winding machine. During winding the significant variables shall be monitored within specified tolerances, and documented in a winding record. These variables can include but are not limited to:

- (a) fibre type including sizing;
- (b) manner of impregnation;
- (c) winding tension;
- (d) winding speed;
- (e) number of rovings;
- (f) band width;
- (g) type of resin and composition;
- (h) temperature of the resin;
- (i) temperature of the liner.

8.3.3.1. Curing of thermosetting resins

If a thermosetting resin is used, the resin shall be cured after filament winding. During the curing, the curing cycle (i.e. the time-temperature history) shall be documented. The curing temperature shall be controlled and shall not affect the material properties of the liner. The maximum curing temperature for cylinders with aluminium liners is 177 °C.

8.3.4. Auto-frettage

Auto-frettage, if used, shall be carried out before the hydrostatic pressure test. The auto-frettage pressure shall be within the limits established in paragraph 8.2.3. above, and the manufacturer shall establish the method to verify the appropriate pressure.

8.4. <u>Production test requirements</u>

8.4.1. Non-destructive examination

Non-destructive examinations shall be carried out in accordance with a recognized ISO or an equivalent standard. The following tests shall be carried out on each metallic liner:

- (a) Hardness test in accordance with paragraph A.8 (appendix A);
- (b) Ultrasonic examination, in accordance with BS 5045, Part 1, annex 1B, or demonstrated equivalent NDT method, to ensure that the maximum defect size does not exceed the size specified in the design.

8.4.2. Hydrostatic pressure testing

Each finished cylinder shall be hydrostatically pressure tested in accordance with paragraph A.11 (appendix A). The manufacturer shall define the appropriate limit of permanent volumetric expansion for the test pressure used, but in no case shall the permanent expansion exceed 5per cent of the total volumetric expansion at test pressure. Any cylinders not meeting the defined rejection limit shall be rejected and either destroyed or used for batch rest purposes.

8.5. <u>Cylinder batch tests</u>

8.5.1. General

Batch testing shall be conducted on finished cylinders which are representative of normal production and are complete with identification marks. Two cylinders, or a cylinder and a liner as appropriate, shall be randomly selected from each batch. If more cylinders are subjected to the tests than are required by this annex, all results shall be documented. The following tests shall as a minimum be carried out on these.

Where defects are detected in over-wrapping before any autofrettage or hydrostatic pressure testing, the over-wrapping may be completely removed and replaced;

- Batch materials tests. One cylinder, or liner, or heat treat witness sample that is representative of a finished cylinder, shall be subjected to the following tests:
 - (i) Dimensions checked against the design;
 - (ii) One tensile test in accordance with paragraph A.1 (appendix A) and meet the requirements of the design;
 - (iii) For steel liners, three impact tests in accordance with paragraph A.2 (appendix A) and meet the requirements of the design;
 - (iv) When a protective coating is a part of the design, the coating shall be tested in accordance with paragraph A.9.2 (appendix A) and meet the requirements therein. All cylinders or liners represented by a batch test which fails to meet the requirements specified shall follow the procedures specified in paragraph 6.16. above.

Where the coating fails to meet the requirements of paragraph A.9.2. (appendix A), the batch shall be 100 per cent inspected to remove similarly defective cylinders. The coating on all defective cylinders may be stripped using a method that does not affect the integrity of the composite wrapping, and recoated. The coating batch test shall then be repeated.

- (b) Batch burst test. One cylinder shall be tested in accordance with the requirements of paragraph 7.4(b) above;
- (c) Periodic pressure cycling test. In accordance with the requirements of paragraph 7.4(c) above.

8.6. <u>Cylinder design gualification tests</u>

8.6.1. General

Qualification testing shall be conducted on cylinders which are representative of normal production and complete with identification marks. Selection, witnessing and documentation of the results shall comply with paragraph 6.13. above.

- 8.6.2. Hydrostatic pressure burst test
 - (a) One liner shall be hydrostatically burst in accordance with paragraph A.12. (appendix A). The burst pressure shall exceed the minimum burst pressure specified for the liner design;
 - (b) Three cylinders shall be hydrostatically burst in accordance with paragraph A.12 (appendix A). Cylinder burst pressures shall exceed the specified minimum burst pressure established by the stress analysis for the design, in accordance with table 6.3, and in no case less than the value necessary to meet the stress ratio requirements of paragraph 6.5 above.
- 8.6.3. Ambient temperature pressure cycling test

Two finished cylinders shall be pressure cycle tested at ambient temperature in accordance with paragraph A.13 (appendix A) to failure, or to a minimum of 45,000 cycles. The cylinders shall not fail before reaching the specified service life in years times 1,000 cycles. Cylinders exceeding 1000 cycles times the specified service life in years shall fail by leakage and not by rupture. Cylinders which do not fail within 45,000 cycles shall be destroyed either by continuing the cycling until failure occurs, or by hydrostatically pressurizing to burst. Cylinders exceeding 45,000 cycles are permitted to fail by rupture. The number of cycles to failure and the location of the failure initiation shall be recorded.

8.6.4. Acid environment test

One cylinder shall be tested in accordance with paragraph A.14 (appendix A) and meet the requirements therein. An optional environmental test is included in the informative appendix H to this annex.

8.6.5. Bonfire test

Finished cylinders shall be tested in accordance with paragraph A.15 (appendix A) and meet the requirements therein.

8.6.6. Penetration test

One finished cylinder shall be tested in accordance with paragraph A.16 (appendix A) and meet the requirements therein.

8.6.7. Flaw tolerance tests

One finished cylinder shall be tested in accordance with paragraph A.17 (appendix A) and meet the requirements therein.

8.6.8. High temperature creep test

In designs where the glass transition temperature of the resin does not exceed the maximum design material temperature by at least 20 °C, one cylinder shall be tested in accordance with paragraph A.18 (appendix A) and meet the requirements therein.

8.6.9. Accelerated stress rupture test

One finished cylinder shall be tested in accordance with paragraph A.19 (appendix A) and meet the requirements therein.

8.6.10. LBB performance

For cylinder designs not exceeding 45,000 cycles when tested as per paragraph 8.6.3. above, LBB performance tests shall be conducted in accordance with A.6 and meet the requirements therein.

8.6.11. Extreme temperature pressure cycling test

One finished cylinder shall be tested in accordance with paragraph A.7 (appendix A) and meet the requirements therein.

- 9. TYPE CNG-3 FULLY-WRAPPED CYLINDERS
- 9.1. <u>General</u>

During pressurisation, this type of cylinder has a behaviour in which the displacements of the composite over-wrap and the liner are superimposed. Due to different techniques of manufacture, this annex does not give a definite method for design; Determination of the leak-before-break (LBB) performance shall be in accordance with the appropriate procedures defined in paragraph A.6 (appendix A). Allowable defect size shall be determined in accordance with paragraph 6.15.2. above.

9.2. <u>Design requirements</u>

9.2.1. Metal liner

The compressive stress in the liner at zero pressure and 15 °C shall not cause the liner to buckle or crease.

9.2.2. Composite overwrap

The tensile stress in the fibres shall meet the requirements of paragraph 6.5. above.

9.2.3. Stress analysis

The stresses in the tangential and longitudinal direction of the cylinder in the composite and in the liner after pressure shall be calculated. The pressure used for these calculations shall be zero, working pressure, 10 per cent of working pressure, test pressure and design burst pressure. The limits within which autofrettaging pressure must fall shall be calculated, The calculations shall use suitable analysis techniques using thin-shell theory taking account of non-linear material behaviour of the liner to establish stress distributions at the neck, transition regions and the cylindrical part of the liner.

9.3. <u>Manufacturing requirements</u>

Manufacturing requirements shall be in accordance with paragraph 8.3. above except that the over-wrap shall also include helically wound filaments.

9.4. <u>Production test requirements</u>

Production test requirements shall be in accordance with the requirements of paragraph 8.4. above.

9.5. <u>Cylinder batch tests</u>

The batch tests shall be in accordance with the requirements of paragraph 8.5. above.

9.6. <u>Cylinder design gualification tests</u>

Cylinder design qualification tests shall be in accordance with the requirements of paragraph 8.6. above, and paragraph 9.6.1. below, except that the liner burst in paragraph 8.6. above is not required.

9.6.1. Drop test

One or more finished cylinders shall be drop tested in accordance with paragraph A.30 (appendix A).

.

10. TYPE CNG-4 ALL-COMPOSITE CYLINDERS

10.1. <u>General</u>

This annex does not give a definite method for the design of cylinders with polymeric liners because of the variety of cylinder designs possible.

10.2. Design requirements

Design calculations shall be used to provide justification of design adequacy. The tensile stresses in the fibres shall meet the requirements of paragraph 6.5. above. Tapered and straight threads in accordance with paragraph 6.10.2. or 6.10.3. above shall be used on the metal end bosses. Metal end bosses with threaded openings shall be able to withstand a torque force of 500 Nm, without damaging the integrity of the connection to the non-metallic liner. The metal end bosses connected to the non-metallic liner shall be of a material compatible with the service conditions specified in paragraph 4 of this annex.

10.3. <u>Stress analysis</u>

The stresses in the tangential and longitudinal direction of the cylinder in the composite and in the liner shall be calculated. The pressures used for these calculations shall be zero, working pressure, test pressure and design burst pressure. The calculations shall use suitable analysis techniques to establish stress distribution throughout the cylinder.

10.4. <u>Manufacturing requirements</u>

Manufacturing requirements shall be in accordance with paragraph 8.3. above except that the curing temperature for thermosetting resins shall be at least 10 °C below the softening temperature of the plastic liner.

10.5. <u>Production test requirements</u>

10.5.1. Hydrostatic pressure testing

Each finished cylinder shall be hydrostatically pressure tested in accordance with paragraph A.11 (appendix A). The manufacturer shall define the appropriate limit of elastic expansion for the test pressure used, but in no case shall the elastic expansion of any cylinder exceed the average batch value by more than 10 per cent. Any cylinders not meeting the defined rejection limit shall be rejected and either destroyed or used for batch test purposes.

10.5.2. Leak testing

Each finished cylinder shall be leak tested in accordance with paragraph A.10 (appendix A) and meet the requirements therein.

10.6. <u>Cylinder batch tests</u>

10.6.1. General

Batch testing shall be conducted on finished cylinders which are representative of normal production and are complete with identification marks. One cylinder shall be randomly selected from each batch. If more cylinders are subjected to the tests than are required by this annex, all results shall be documented. The following tests shall as a minimum be carried out on these.

(a) Batch materials test

One cylinder, or liner, or liner witness sample that is representative of a finished cylinder, shall be subjected to the following tests:

- (i) Dimensions checked against the design;
- (ii) One tensile test of the plastic liner in accordance with paragraph A.22 (appendix A) and meet the requirements of the design;
- (iii) The melt temperature of the plastic liner shall be tested in accordance with paragraph A.23 (appendix A), and meet the requirements of the design;
- (iv) When a protective coating is a part of the design, the coating shall be tested in accordance with paragraph A.9.2 (appendix A). Where the coating fails to meet the requirements of paragraph A.9.2 (appendix A), the batch shall be 100 per cent inspected to remove similarly defective cylinders. The coating on all defective cylinders may be stripped using a method that does not affect the integrity of the composite wrapping, and recoated. The coating batch test shall then be repeated.
- (b) Batch burst test

One cylinder shall be tested in accordance with the requirements of paragraph 7.4(b) above;

(c) Periodic pressure cycling test

On one cylinder the end boss shall be torque tested to 500 Nm in accordance with the test method in paragraph A.25 (appendix A). The cylinder shall then be pressure cycle

tested in accordance with the procedures provided in paragraph 7.4(c) above.

Following the required pressure cycling, the cylinder shall be leak tested in accordance with the method described in paragraph A.10 (appendix A) and meet the requirements therein.

10.7. <u>Cylinder design qualification tests</u>

10.7.1. General

Cylinder design qualification tests shall be in accordance with the requirements of paragraphs 8.6., 10.7.2., 10.7.3. and 10.7.4. of this annex, except that the LBB performance in paragraph 8.6.10. above is not required.

10.7.2. Boss torque test

One cylinder shall be tested in accordance with paragraph A.25 (appendix A).

10.7.3. Permeation test

One cylinder shall be tested for permeation in accordance with paragraph A.21 (appendix A) and meet the requirements therein.

10.7.4. Natural gas cycling test

One finished cylinder shall be tested in accordance with paragraph A.27 (appendix A) and meet the requirements therein.

11. MARKING

11.1. <u>Provision of marking</u>

On each cylinder the manufacturer shall provide clear permanent markings not less than 6 mm high. Marking shall be made either by labels incorporated into resin coatings, labels attached by adhesive, low stress stamps used on the thickened ends of type CNG-1 and CNG-2 designs, or any combination of the above. Adhesive labels and their application shall be in accordance with ISO 7225, or an equivalent Standard. Multiple labels are allowed and should be located such that they are not obscured by mounting brackets. Each cylinder complying with this annex shall be marked as follows:

- (a) Mandatory information:
 - (i) "CNG ONLY", in letters at least 25 mm high;

- (ii) "DO NOT USE AFTER XX/XXXX", in letters at least 25 mm high, and providing the month and year of expiry <u>1</u>/;
- (iii) Manufacturers identification;
- (v) Working pressure and temperature;
- (vi) ECE Regulation number, along with cylinder type and certification registration number;
- (vii) The pressure relief devices and/or valves which are qualified for use with the cylinder, or the means for obtaining information on qualified fire protection systems;
- (viii) When labels are used, all cylinders shall have a unique identification number stamped on an exposed metal surface to permit tracing in the event that the label is destroyed;
- (b) Non-mandatory information:

On a separate label(s) the following non-mandatory information may be provided:

- Gas temperature range, e.g. -40 °C to 65 °C;
- (ii) Nominal water capacity of the cylinder to two significant numbers. e.g. 120 litres;
- (iii) Date of original pressure test (month and year).

The markings shall be placed in the listed sequence but the specific arrangement may be varied to match the space available. An acceptable example of mandatory information is:

CNG ONLY DO NOT USE AFTER ../.... Manufacturer/Part Number/Serial Number 20 MPa/15 °C ECE R XXXX CNG-2 (registration No.) "Use Only Manufacturer-Approved Pressure Relief Device"

^{1/} The expiry date shall not exceed the specified service life. The expiry date may be applied to the cylinder at the time of dispatch, provided that the cylinders have been stored in a dry location without internal pressure.

12. PREPARATION FOR DISPATCH

Prior to dispatch from the manufacturers shop, every cylinder shall beinternally clean and dried. Cylinders not immediately closed by the fitting of a valve, and safety devices if applicable, shall have plugs, which prevent entry of moisture and protect threads, fitted to all openings. A corrosion inhibitor (e.g. oil-containing) shall be sprayed into all steel cylinders and liners prior to dispatch.

The manufacturer's statement of service and all necessary information to ensure the proper handling, use and in-service inspection of the cylinder shall be supplied to the purchaser. The statement shall be in accordance with appendix D to this annex.

<u>Annex 3 - Appendix A</u>

TEST METHODS

A.1. <u>Tensile tests</u>, steel and aluminium

A tensile test shall be carried out on the material taken from the cylindrical part of the finished cylinder using a rectangular test piece shaped in accordance with the method described in ISO 9809 for steel and ISO 7866 for aluminium. The two faces of the test piece representing the inside and outside surface of the cylinder shall not be machined; The tensile test shall be carried out in accordance with ISO 6892.

<u>NOTE</u> - Attention is drawn to the method of measurement of elongation described in ISO 6892, particularly in cases where the tensile test piece is tapered, resulting in a point of fracture away from the middle of the gauge length.

A.2. Impact test, steel cylinders and steel liners

The impact test shall be carried out on the material taken from the cylindrical part of the finished cylinder on three test pieces in accordance with ISO 148. The impact test pieces shall be taken in the direction as required in table 6.2 of annex 3 from the wall of the cylinder. The notch shall be perpendicular to the face of the cylinder wall. For longitudinal tests the test piece shall be machined all over (on six faces), if the wall thickness does not permit a final test piece width of 10 mm, the width shall be as near as practicable to the nominal thickness of the cylinder wall. The test pieces taken in transverse direction shall be machined on four faces only, the inner and outer face of the cylinder wall unmachined.

A.3. <u>Sulfide stress cracking test for steel</u>

In accordance with the NACE Standard Tensile Test described in the NACE Standard TM0177-90, subsized tensile specimens with a gauge diameter 2.54 mm shall be machined from the wall of a finished cylinder, placed under a constant tensile load and immersed in the NACE test solution. A minimum of 3 tests shall be conducted to demonstrate that the threshold stress (the maximum stress at or below which no specimen fails the sulfide stress cracking test for a period of 720 hours) exceeds 20 per cent of the specified minimum yield strength of the steel.

A.4. <u>Corrosion tests, aluminium</u>

Corrosion tests for aluminium alloys shall be carried out in accordance with annex A of ISO/DIS 7866 and meet the requirements therein.

A.5. <u>Sustained load cracking tests, aluminium</u>

The resistance to SLC shall be carried out in accordance with annex D of ISO/DIS 7866 and shall meet the requirements therein;

A.6. Leak-Before-Break (LBB) performance test

Three finished cylinders shall be pressure cycled between not more than 2 MPa and nor less than 30 MPa at a rate not to exceed 10 cycles per minute.

All cylinder shall fail by leakage.

A.7. <u>Extreme temperature pressure cycling</u>

Finished cylinders, with the composite wrapping free of any protective coating, shall be cycle tested, without showing evidence of rupture, leakage, or fibre unravelling, as follows:

- (a) Condition for 48 hours at zero pressure, 65 °C or higher, and 95 per cent or greater relative humidity. The intent of this requirement shall be deemed met by spraying with a fine spray or mist of water in a chamber held at 65 °C;
- (b) Hydrostatically pressurized for 500 cycles times the specified service life in years between not more than 2 MPa and not less than 26 MPa at 65 ° or higher and 95 per cent humidity;
- (c) Stabilize at zero pressure and ambient temperature;
- (d) Then pressurize from not more than 2 MPa to not less than 20 MPa for 500 cycles times the specified service life in years at -40 °C or lower;

The pressure cycling rate of b) shall not exceed 10 cycles per minute. The pressure cycling rate of d) shall not exceed 3 cycles per minute unless a pressure transducer is installed directly within the cylinder. Adequate recording instrumentation shall be provided to ensure the minimum temperature of the fluid is maintained during the low temperature cycling.

Following pressure cycling at extreme temperatures, cylinders shall be hydrostatically pressured to failure in accordance with the hydrostatic burst test requirements, and achieve a minimum burst pressure of 85 per cent of the minimum design burst pressure. For type CNG-4 designs, prior to the hydrostatic burst test the cylinder shall be leak tested in accordance with paragraph A.10 below.

A.8. Brinell hardness test

Hardness tests shall be carried out on the parallel wall at the centre and a domed end of each cylinder or liner in accordance with

- -

ISO 6506. The test shall be carried out after the final heat treatment and the hardness values thus determined shall be in the range specified for the design.

A.9. <u>Coating tests</u> (mandatory if paragraph 6.12 c) of annex 3 is used)

A.9.1. Coating performance tests

Coatings shall be evaluated using the following test methods, or using equivalent National Standards.

- (i) adhesion testing in accordance with LSO 4624 using Method A or B as applicable. The coating shall exhibit an adhesion rating of either 4A or 4B, as applicable;
- (ii) flexibility in accordance with ASTM D522 Mandrel Bend Test of Attached Organic Coatings, using Test Method B with a 12.7 mm (0.5 in) mandrel at the specified thickness at -20 °C. Samples for the flexibility test shall be prepared in accordance with the ASTM D522 standard. There shall not be any visually apparent cracks;
- (iii) impact resistance in accordance with ASTM D2794 Test method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact). The coating at room temperature shall pass a forward impact test of 18 J (160 in-lbs);
- (iv) chemical resistance when tested in general accordance with ASTM D1308 Effect of Household Chemicals on Clear and Pigmented Organic Finishes. The tests shall be conducted using the Open Spot Test Method and 100 hour exposure to a 30 per cent sulfuric acid solution (battery acid with a specific gravity of 1.219) and 24 hour exposure to a polyalkalene glycol (e.g. brake fluid). There shall be no evidence of lifting, blistering or softening of the coating. The adhesion shall meet a rating of 3 when tested in accordance with ASTM D3359;
- (v) Minimum 1,000 hours exposure in accordance with ASTM G53 Practice for Operating Light- and Water-Exposure Apparatus (Fluorescent W-Condensation Type) for Exposure of nonmetallic Materials.There shall be no evidence of blistering, and adhesion shall meet a rating of 3 when tested in accordance with ISO 4624. The maximum gloss loss allowed is 20 per cent;
- (vi) minimum 500 hours exposure in accordance with ASTM B117 Test Method of Salt Spray (Fog) Testing. Undercutting shall not exceed 3 mm at the scribe mark, there shall be no evidence of blistering, and adhesion shall meet a rating of 3 when tested in accordance with ASTM D3359;
- (vii) resistance to chipping at room temperature using the ASTM D3170 Chipping Resistance of Coatings. The coating shall

have a rating of 7A or better, and there shall not be any exposure of the substrate;

A.9.2. Coating batch tests

(i) Coating thickness

The thickness of the coating shall meet the requirements of the design when tested in accordance with ISO 2808;

(ii) Coating adhesion

The coating adhesion strength shall be measured in accordance with ISO 4624, and shall have a minimum rating of 4 when measured using either Test Method A or B, as appropriate.

A.10. Leak test

Type CNG-4 designs shall be leak tested using the following procedure (or an acceptable alternative);

- (a) cylinders shall be thoroughly dried and pressurized to working pressure with dry air or nitrogen, and containing a detectable gas such as helium;
- (b) any leakage measured at any point that exceeds
 0.004 standard cc/hr shall be cause for rejection.

A.11. <u>Hydraulic test</u>

One of the following two options shall be used:

Option 1: Water jacket test

- (a) The cylinder shall be hydrostatically tested to at least
 1.5 times working pressure. In no case may the test pressure
 exceed the auto-frettage pressure;
- (b) Pressure shall be maintained for a sufficiently long period (at least 30 seconds) to ensure complete expansion. Any internal pressure applied after auto-frettage and previous to the hydrostatic test shall not exceed 90 per cent of the hydrostatic test pressure. If the test pressure cannot be maintained due to failure of the test apparatus, it is permissible to repeat the test at a pressure increased by 700 kPa. Not more than 2 such repeat rests are permitted;
- (c) The manufacturer shall define the appropriate limit of permanent volumetric expansion for the test pressure used, but in no case shall the permanent expansion exceed 5 per cent of the total volumetric expansion measured under the test pressure. For type CNG-4 designs, the elastic expansion shall be established by the manufacturer. Any cylinders not

meeting the defined rejection limit shall be rejected and either destroyed or used for batch test purposes.

Option 2: Proof pressure test

The hydrostatic pressure in the cylinder shall be increased gradually and regularly until the test pressure, at least 1.5 times working pressure, is reached. The cylinder test pressure shall be held for a sufficiently long period (at least 30 seconds) to ascertain that there is no tendency for the pressure to decrease and that tightness is guaranteed;

A.12. <u>Hydrostatic pressure burst test</u>

- (a) The rate of pressurisation shall not exceed 1.4 MPa per second (200 psi/second) at pressures in excess of 80 per cent of the design burst pressure. If the rate of pressurisation at pressures in excess of 80 per cent of the design burst pressure exceeds 350 kPa/second
 (50 psi/second), then either the cylinder must be placed schematically between the pressure source and the pressure measurement device, or there must be a 5 second hold at the minimum design burst pressure;
- (b) The minimum required (calculated) burst pressure shall be at least 45 MPa, and in no case less than the value necessary to meet the stress ratio requirements. Actual burst pressure shall be recorded. Rupture may occur in either the cylindrical region or the dome region of the cylinder.

A.13. <u>Ambient temperature pressure cycling</u>

Pressure cycling shall be performed in accordance with the following procedure:

- (a) fill the cylinder to be tested with a non-corrosive fluid such as oil, inhibited water or glycol;
- (b) cycle the pressure in the cylinder between not more than
 2 MPa and not less than 26 MPa at a rate not to exceed
 10 cycles per minute.

The number of cycles to failure shall be reported, along with the location and description of the failure initiation.

A.14. <u>Acid environment test</u>

On a finished cylinder the following test procedure should be applied:

 (i) exposing a 150 mm diameter area on the cylinder surface for 100 hours to a 30 per cent sulfuric acid solution (battery acid with a specific gravity of 1.219) while the cylinder is held at 26 MPa;

(ii) the cylinder shall then be burst in accordance with the procedure defined in paragraph A.12 above and provide a burst pressure that exceeds 85 per cent of the minimum design burst pressure.

A.15. Bonfire test

A.15.1. General

The bonfire tests are designed to demonstrate that finished cylinders complete with the fire protection system (cylinder valve, pressure relief devices and/or integral thermal insulation) specified in the design will not burst when tested under the specified fire conditions. Extreme caution must be exercised during fire testing in the event that cylinder rupture occurs;

A.15.2. Cylinder set-up

Cylinders shall be placed horizontally with the cylinder bottom approximately 100 mm above the fire source; Metallic shielding shall be used to prevent direct flame impingement on cylinder valves, fittings, and/or pressure relief devices. The metallic shielding shall not be in direct contact with the specified fire protection system (pressure relief devices or cylinder valve). Any failure during the test of a valve, fitting or tubing that is not part of the intended protection system for the design shall invalidate the result.

A.15.3. Fire source

A uniform fire source of 1.65 m length shall provide direct flame impingement on the cylinder surface across its entire diameter.

Any fuel may be used for the fire source provided it supplies uniform heat sufficient to maintain the specified test temperatures until the cylinder is vented. The selection of fuel should take into consideration air pollution concerns. The arrangement of the fire shall be recorded in sufficient detail to ensure the rate of heat input to the cylinder is reproducible. Any failure or inconsistency of the fire source during a test invalidate the result;

A.15.4. Temperature and pressure measurements

Surface temperatures shall be monitored by at least three thermocouples located along the bottom of the cylinder and spaced not more than 0.75 m apart; Metallic shielding shall be used to prevent direct flame impingement on the thermocouples. Alternatively, thermocouples may be inserted into blocks of metal measuring less than 25 mm square.

Thermocouple temperatures and the cylinder pressure shall be recorded at intervals of every 30 seconds or less during the test.

A.15.5. General test requirements

Cylinders shall be pressurized with natural gas and tested in the horizontal position at both:

- (a) working pressure;
- (b) 25 per cent of the working pressure.

Immediately following ignition, the fire shall produce flame impingement on the surface of the cylinder along the 1.65 m length of the fire source and across the cylinder diameter. Within 5 minutes of ignition, at least one thermocouple shall indicate a temperature of at least 590 °C. This minimum temperature shall be maintained for the remaining duration of the test.

A.15.6. Cylinders 1.65 m length or less

The centre of the cylinder shall be positioned over the centre of the fire source;

A.15.7. Cylinders greater than 1.65 m length

If the cylinder is fitted with a pressure relief device at one end, the fire source shall commence at the opposite end of the cylinder; If the cylinder is fitted with pressure relief devices at both ends, or at more than one location along the length of the cylinder, the centre of the fire source shall be centred midway between the pressure relief devices that are separated by the greatest horizontal distance.

If the cylinder is additionally protected using thermal insulation, then two fire tests at service pressure shall be performed, one with the fire centred midway along the cylinder length, and the other with the fire commencing at one of the cylinder ends.

A.15.8. Acceptable results

The cylinder shall vent through a pressure relief device.

A.16. <u>Penetration tests</u>

A cylinder pressurised to 20 MPa \pm 1 MPa with compressed gas shall be penetrated by an armour piercing bullet with a diameter of 7.62 mm or greater. The bullet shall completely penetrate at least one side wall of the cylinder. For type CNG-2, CNG-3 and CNG-4 designs, the projectile shall impact the side wall at an approximate angle of 45°. The cylinder shall reveal no evidence of fragmentation failure. Loss of small pieces of material, each not weighing more than 45 grams, shall not constitute failure of the test. The approximate size of entrance and exit openings and their locations shall be recorded.

A.17. <u>Composite flaw tolerance tests</u>

For type CNG-2, CNG-3 and CNG-4 designs only, one finished cylinder, complete with protective coating, shall have flaws in the longitudinal direction cut into the composite. The flaws shall be greater than the visual inspection limits as specified by the manufacturer.

The flawed cylinder shall then be pressure cycled from not more than 2 MPa to not less than 26 MPa for 3,000 cycles, followed by an additional 12,000 cycles at ambient temperature; The cylinder shall not leak or rupture within the first 3,000 cycles, but may fail by leakage during the last 12,000 cycles. All cylinders which complete this test shall be destroyed.

A.18. <u>High temperature creep test</u>

This test is required for all type CNG-4 designs, and all type CNG-2 and CNG-3 designs in which the glass transition temperature of the resin matrix does not exceed the maximum design material temperature given in paragraph 4.4.2. of annex 3 by at least 20 °C. One finished cylinder shall be tested as follows:

- (a) The cylinder shall be pressurised to 26 MPa and held at a temperature of 100 °C for not less than 200 hours;
- (b) Following the test, the cylinder shall meet the requirements of the hydrostatic expansion test A.11, the leak test A.10, and the burst test A.12 above.

A.19. <u>Accelerated stress rupture test</u>

For type CNG-2, CNG-3, and CNG-4 designs only, one cylinder free of protective coating shall be hydrostatically pressurised to 26 MFa while immersed in water at 65 °C. The cylinder shall be held at this pressure and temperature for 1,000 hours. The cylinder shall then be pressured to burst in accordance with the procedure defined in paragraph A.12 above except that the burst pressure shall exceed 85 per cent of the minimum design burst pressure;

A.20. Impact damage test

One or more finished cylinders shall be drop tested at ambient temperature without internal pressurisation or attached valves. The surface onto which the cylinders are dropped shall be a smooth, horizontal concrete pad or flooring. One cylinder shall be dropped in a horizontal position with the bottom 1.8 m above the surface onto which it is dropped. One cylinder shall be dropped vertically on each end at a sufficient height above the floor or pad so that the potential energy is 488 J, but in no case shall the height of the lower end be greater than 1.8 m. One cylinder shall be dropped at a 45° angle onto a dome from a height such that the centre of gravity is at 1.8 m; however, if the lower end is closer to the ground than 0.6 m, the drop angle shall be changed to maintain a minimum height of 0.6 m and a centre of gravity of 1.8 m.

Following the drop impact, the cylinders shall be pressure cycled from not more than 2 MPa to not less than 26 MPa bar for 1,000 cycles times the specified service life in years. The cylinders may leak but not rupture, during the cycling. Any cylinders completing the cycling test shall be destroyed;

A.21. <u>Permeation test</u>

This test is only required on type CNG-4 designs. One finished cylinder shall be filled with compressed natural gas or a 90 per cent nitrogen/10 per cent helium mixture to working pressure, placed in an enclosed sealed chamber at ambient temperature, and monitored for leakage for a time sufficient to establish a steady state permeation rate. The permeation rate shall be less than 0.25 ml of natural gas or helium per hour per litre water capacity of the cylinder.

A.22. <u>Tensile properties of plastics</u>

The tensile yield strength and ultimate elongation of plastic liner material shall be determined at -50 °C using ISO 3628, and meet the requirements of paragraph 6.3.6. of annex 3.

A.23. <u>Melting temperature of plastics</u>

Polymeric materials from finished liners shall be tested in accordance with the method described in ISO 306, and meet the requirements of paragraph 6.3.6. of annex 3.

A.24. <u>Pressure relief device requirements</u>

Pressure relief devices specified by the manufacturer shall be shown to be compatible with the service conditions listed in paragraph 4. of annex 3 and through the following qualification tests:

- (a) One specimen shall be held at a controlled temperature of not less than 100 °C and a pressure not less than test pressure (30 MPa) for 24 hours. At the end of this test there shall be no leakage or visible sign of extrusion of any fusible metal used in the design.
- (b) One specimen shall be fatigue tested at a pressure cycling rate not to exceed 4 cycles per minute as follows:
 - (i) held at 82 °C while pressured for 10,000 cycles between 2 MPa and 26 MPa;

(ii) held at -40 °C while pressure for 10,000 cycles between 2 MPa and 20 MPa.

At the end of this test there shall be no leakage, or any visible sign of extrusion of any fusible metal used in the design.

- (c) Exposed brass pressure retaining components of pressure relief devices shall withstand, without stress corrosion cracking, a mercurous nitrate test as described in ASTM B154. The pressure relief device shall be immersed for 30 minutes in an aqueous mercurous nitrate solution containing 10 g of mercurous nitrate and 10 ml of nitric acid per litre of solution. Following the immersion, the pressure relief device shall be leak tested by applying an aerostatic pressure of 26 MPa for one minute during which time the component shall be checked for external leakage; Any leakage shall not exceed 200 cm³/h;
- (d) Exposed stainless steel pressure retaining components of pressure relief devices shall be made of an alloy type resistant to chloride induced stress corrosion cracking;

A.25. Boss torque test

The body of the cylinder shall be restrained against rotation and a torque of 500 Nm shall be applied to each end boss of the cylinder, first in the direction to tighten a threaded connection, then in the untightening direction, and finally again in the tightening direction.

A.26. <u>Resin shear strength</u>

Resin materials shall be tested on a sample coupon representative of the composite overwrap in accordance with ASTM D2344, or an equivalent National Standard. Following a 24-hour water boil the composite shall have a minimum shear strength of 13.8 MPa.

A.27. <u>Natural gas cycling test</u>

One finished cylinder shall be pressure cycled using compressed natural gas from less than 2 MPa to working pressure for 300 cycles. Each cycle, consisting of the filling and venting of the cylinder, shall not exceed 1 hour. The cylinder shall be leak tested in accordance with paragraph A.10 above and meet the requirements therein. Following the completion of the natural gas cycling the cylinder shall be sectioned and the liner/end boss interface inspected for evidence of any deterioration, such as fatigue cracking or electrostatic discharge.

<u>NOTE</u> - Special consideration must be given to safety when conducting this test. Prior to conducting this test, cylinders of this design must have successfully passed the test requirements of paragraph A.12 above (hydrostatic pressure burst test),

paragraph 8.6.3 of annex 3 (ambient temperature pressure cycling test) and paragraph A.21 above (permeation test). Prior to conducting this test, the specific cylinders to be tested must pass the test requirements of paragraph A.10 above (leak test).

Annex 3 - Appendix B (Not allocated)

Annex 3 - Appendix C (Not allocated)

Annex 3 - Appendix D

REPORT FORMS

NOTE - This appendix is not a mandatory part of this annex.

The following forms should be used:

- (1) Report of Manufacture & Certificate of Conformance Required to be clear, legible and in the format of Form 1:
- (2) Report <u>1</u>/ of Chemical Analysis of Material for Metallic Cylinders, Liners, or Bosses - Required essential elements, identification, etc.
- (3) Report <u>1</u>/ of Mechanical Properties of Material for Metallic Cylinders and Liners - Required to report all tests required by this Regulation.
- (4) Report <u>1</u>/ of Physical and Mechanical Properties of Materials for Non Metallic Liners - Required to report all tests and information required in this Regulation.
- (5) Report <u>1</u>/ of Composite Analysis Required to report all tests and data required in this Regulation.
- (6) Report of Hydrostatic Tests, Periodic Pressure Cycling and Burst Tests - Required to report test and data required in this Regulation.

<u>1</u>/ Report forms 2 through 6 shall be developed by the manufacturer and must fully identify cylinders and requirements. Each report shall be signed by the Competent Authority and the manufacturer.

Form 1: Report of Manufacturer and Certification of Conformance Manufactured by: Located at: Regulatory Registration Number: Manufacturers Mark and Number: Serial Number: from to inclusive Cylinder description: SIZE: Outside diameter: mm; Length:mm; Marks stamped on shoulder or on labels of the cylinder are:

test results are attached. I hereby certify that all these test results proved satisfactory in every way

and are in compliance with the requirements for the type listed above.

Comments :

Competent Authority: Inspector's signature: Manufacturer's signature: Place, Date:

1 21 -----

Annex 3 - Appendix E

VERIFICATION OF STRESS RATIOS USING STRAIN GAUGES

- 1. The stress-strain relationship for fibres is always elastic, therefore, stress ratios and strain ratios are equal.
- 2. High elongation strain gauges are required.
- 3. Strain gauges should be orientated in the direction of the fibres on which they are mounted (i.e. with hoop fibre on the outside of the cylinder, mount gauges in the hoop direction).
- 4. Method 1 (applies to cylinders that do not use high tension winding)
 - (a) Prior to auto-frettage, apply strain gauges and calibrate;
 - (b) Measure strains at auto-frettage, zero after auto-frettage, working, and minimum burst pressure have been met;
 - (c) Confirm that the strain at burst pressure divided by strain at working pressure meets the stress ratio requirements. For hybrid construction, the strain at working pressure, is compared with the rupture strain of cylinders reinforced with a single fibre type.

5. <u>Method 2 (applies to all cylinders)</u>

- (a) At zero pressure after winding and auto-frettage, apply strain gauges and calibrate;
- (b) Measure strains at zero, working, and minimum burst pressure;
- (c) At zero pressure, after strain measurements have been taken at the working and minimum burst pressures, and with strain gauges monitored, cut the cylinder section apart so that the region containing the strain gauge is approximately five inches long. Remove the liner without damaging the composite. Measure the strains after the liner is removed.
- (d) Adjust the strain readings at zero, working, and minimum burst pressures by the amount of strain measured at zero pressure with and without the liner.
- (e) Confirm that the strain at burst pressure divided by strain at working pressure meets the stress ratio requirements. For hybrid construction, the strain at working pressure is compared with the rupture strain of cylinders reinforced with a single fibre type.

Annex 3 - Appendix F

FRACTURE PERFORMANCE METHODS

F.1. Determination of fatique sensitive sites

The location and orientation of fatigue failure in cylinders shall be determined by appropriate stress analysis or by full scale fatigue tests on finished cylinders as required under the design qualification tests for each type of design. If finite element stress analysis is used, the fatigue sensitive site shall be identified based on the location and orientation of the highest tensile principal stress concentration in the cylinder wall or liner at the working pressure.

F.2. Leak-Before-Break (LBB)

- F.2.1. Engineering critical assessment This analysis may be carried out to establish that the finished cylinder will leak in the event of a defect in the cylinder or liner growing into a through-wall crack. A leak-before-break assessment shall be performed at the cylinder side wall. If the fatigue sensitive location is outside the side wall, a leak-before-break assessment shall also be performed at that location using a Level II approach as outlined in BS PD6493. The assessment shall include the following steps:
 - (a) Measure the maximum length (i.e. major axis) of the resultant through-wall surface crack (usually elliptical in shape) from the three cylinder cycle tested under the design qualification tests (according to paragraphs A.13 and A.14 of appendix A) for each type of design. Use the longest crack length of the three cylinders in the analysis. Model a semi-elliptical through-wall crack with a major axis equal to twice the measured longest major axis and with a minor axis equal to 0.9 of wall thickness. The semi-elliptical crack shall be modelled at the locations specified in paragraph F.1. of appendix F. The crack shall be oriented such that the highest tensile principal stress shall drive the crack;
 - (b) Stress levels in the wall/liner at 26 MPa obtained from the stress analysis as outlined in paragraph 6.6 of annex 3 shall be used for the assessment. Appropriate crack driving forces shall be calculated using either Section 9.2 or 9.3 of BS PD6493;
 - (c) Fracture toughness of the finished cylinder or the liner from a finished cylinder, as determined at room temperature for aluminium and at -40 °C for steel, shall be established using a standardized testing technique (either ISO/DIS 12737 or ASTM 813-89 or BS 7448) in accordance with Sections 8.4 and 8.5 of BS PD6493;

- (d) Plastic collapse ratio shall be calculated in accordance with Section 9.4 of BS PD6493-91;
- (e) The modelled flaw shall be acceptable in accordance with Section 11.2 of BS PD6493-91.

F.2.2. LBB by flawed cylinder burst

A fracture test shall be performed by the cylinder side wall. If the fatigue sensitive locations as determined in paragraph F.1. (appendix F) is outside the side wall, the fracture test shall also be performed at that location. The test procedure is as follows:

(a) Determination of leak-before-break flaw length

The length of the LBB flaw at the fatigue sensitive site shall be twice the length of the maximum length measured of the resultant through-wall surface crack from the three cylinders cycle tested to failure under the design qualification tests for each type of design;

(b) Cylinder flaws

For type CNG-1 designs having fatigue sensitive site in the cylindrical part in the axial direction, external flaws shall be machined longitudinally, approximately at midlength of the cylindrical part of the cylinder. The flaws shall be located at minimum wall thickness of the midsection based on thickness measurements at four points around the cylinder. For type CNG-1 designs having fatigue sensitive site outside the cylindrical part, the LBB flaw shall be introduced at the internal surface of the cylinder along the fatigue sensitive orientation. For type CNG-2 and CNG-3 designs the LBB flaw shall be introduced in the metal liner;

For flaws to be tested by monotonic pressure, the flaw cutter shall be approximately 12.5 mm thick with an angle of 45 °C and a tip radius of 0.25 mm maximum. The cutter diameter shall be 50 mm for cylinder with outside diameter less than 140 mm, and 65 to 80 mm for cylinders with outside diameter greater than 140 mm (A standard CVN cutter is recommended).

 $\underline{\text{NOTE}}$ - The cutter should be sharpened regularly to assure tip radius meets specification.

The depth of the flaw may be adjusted to obtain a leak by monotonic hydro-pressurization. The crack shall not propagate by more than 10 per cent outside of the machined flaw measured on the external surface: (c) Test procedure

The test shall be performed by monotonic pressurisation or cyclic pressurisation as described below:

(i) Monotonic pressurisation to burst

The cylinder shall be pressurised hydrostatically until pressure is released from the cylinder at the flaw location. The pressurisation shall be performed as described in paragraph A.12. (appendix A);

(ii) Cyclic pressure

The test procedure shall be in accordance with the requirements of paragraph A.13. of appendix A.

(d) Acceptance criteria for the flawed cylinder test

• The cylinder passes the tests if the following conditions are met:

 (i) For monotonic pressurisation burst test, the failed pressure shall be equal or greater than 26 MPa;

> For monotonic pressurised burst test, a total crack length measured on the external surface of 1.1 times the original machined length is allowed.

 (ii) For cycle tested cylinders, fatigue crack growth beyond the original machined flaw length is allowed. However, the failure mode must be a "leak". Propagation of the flaw by fatigue should occur over at least 90 per cent of the length of the original machined flaw;

NOTE - If these requirements are not fulfilled (failure occurs below 36 MPa, even and if the failure is a leak), a new test can be performed with a less deep flaw. Also, if rupture type failure occurs at a pressure greater than 26 MPa and flaw depth is shallow, a new test can be performed with a deeper flaw.

- F.3. Defect size for non-destructive examination (NDE)
- F.3.1. NDE Defect size by engineering critical assessment

Calculations shall be performed in accordance with British Standard (BS) PD 6493, Section 3, using the following steps:

 (a) Fatigue cracks shall be modelled at the high stress location in the wall/liner as planar flaws;

- (b) The applied stress range at the fatigue sensitive site, due to a pressure between 2 MPa and 20 MPa, shall be established from the stress analysis as outlined in paragraph F.1. of appendix F;
- (c) The bending and membrane stress component may be used separately;
- (d) The minimum number of pressure cycles is 15,000;
- (e) The fatigue crack propagation data shall be determined in air in accordance with ASTM E647. The crack plane orientation shall be in the C-L direction (i.e., crack plane perpendicular to the circumferences and along the axis of the cylinder), as illustrated in ASTM E399. The rate shall be determined as an average of 3 specimen tests. Where specific fatigue crack propagation data are available for the material and service condition, they may be used in the assessment.
- (f) The amount of crack growth in the thickness direction and in the length direction per pressures cycle shall be determined in accordance with the steps outlined in Section 14.2 of the BS PD 6493-91 standard by integrating the relationship between the rate of fatigue crack propagation, as established in e) above, and the range of crack driving force corresponding to the applied pressure cycle;
- (g) Using the above steps, calculate the maximum allowable defect depth and length which shall not cause the failure of the cylinder during the design life due to either fatigue or rupture. The defect size for NDE shall be equal to or less than the calculated maximum allowable defect size for the design.
- F.3.2. NDE Defect size by flawed cylinder cycling

For type CNG-1, CNG-2 and CNG-3 designs, three cylinders containing artificial defects that exceed the defect length and depth detection capability of the NDE inspection method required in paragraph 6.15. of annex 3, shall be pressure cycled to failure in accordance with the test method in paragraph A.13 (appendix A). For type CNG-1 designs having a fatigue sensitive site in the cylindrical part, external flaws shall be introduced on the side wall. For type CNG-1 designs having the fatigue sensitive site outside the side wall, and for type CNG-2 and CNG-3 designs, internal flaws shall be introduced. Internal flaws may be machined prior to the heat treating and closing of the end of the cylinder.

The cylinders shall not leak or rupture in less than 15,000 cycles; The allowable defect size for NDE shall be equal to or less than the artificial flaw size at that location.

Annex 3 - Appendix G

INSTRUCTIONS BY THE CONTAINER MANUFACTURER REGARDING HANDLING, USE AND INSPECTION OF CYLINDERS

G.1. <u>General</u>

The primary function of this appendix is to provide guidance to the cylinder purchaser, distributor, installer and user for the safe use of the cylinder over its intended service life.

G.2. Distribution

The manufacturer shall advise the purchaser that the instructions shall be supplied to all parties involved in the distribution, handling, installation and use of the cylinders; The document may be reproduced to provide sufficient copies for this purpose, however it shall be marked to provide reference to the cylinders being delivered;

G.3. <u>Reference to existing codes, standards and regulations</u>

Specific instructions may be stated by reference to national or recognised codes, standards and regulations.

G.4. Cvlinder handling

Handling procedures shall be provided to ensure that the cylinders will not suffer unacceptable damage or contamination during handling.

G.5. <u>Installation</u>

Installation instructions shall be provided to ensure that the cylinders will not suffer unacceptable damage during installation and during normal operation over the intended service life.

Where the mounting is specified by the manufacturer, the instructions shall contain where relevant, details such as mounting design, the use of resilient gasket materials, the correct tightening torques and avoidance of direct exposure of the cylinder to an environment of chemical and mechanical contacts.

Where the mounting is not specified by the manufacturer, the manufacturer shall draw the purchaser's attention to possible long term impacts of the vehicle mounting system, for example: vehicle body movements and cylinder expansion/contraction in the pressure and temperature conditions of service.

Where applicable, the purchaser's attention shall be drawn to the need to provide installations such that liquids or solids cannot be collected to cause cylinder material damage;

The correct pressure relieve device to be fitted shall be specified.

G.6. <u>Use of cylinders</u>

The manufacturer shall draw the purchaser's attention to the intended service conditions specified by this Regulation, in particular the cylinder's allowable number of pressure cycles. its life in years, the gas quality limits and the allowable maximum pressures.

G.7. <u>In-service inspection</u>

The manufacturer shall clearly specify the user's obligation to observe the required cylinder inspection requirements (e.g. reinspection interval, by authorised personnel). This information shall be in agreement with the design approval requirements.

.

.

Annex 3 - Appendix H

ENVIRONMENTAL TEST

H.1. <u>Scope</u>

The environmental test is intended to demonstrate that NGV cylinders can withstand exposure to the automotive underbody environment and occasional exposure to other fluids. This test was developed by the US automotive industry in response to cylinder failures initiated by stress corrosion cracking of the composite wrap.

H.2. <u>Summary of test method</u>

A cylinder is first preconditioned by a combination of pendulum and gravel impacts to simulate potential underbody conditions. The cylinder is then subjected to a sequence of immersion in simulated road salt/acid rain, exposure to other fluids, pressure cycles and high and low temperature exposures. At the conclusion of the test sequence the cylinder will be hydraulically pressured to destruction. The remaining residual burst strength of the cylinder shall be not less than 85 per cent of the minimum design burst strength.

H.3. Cylinder set-up and preparation


The cylinder shall be tested in a condition representative of installed geometry including coating (if applicable), brackets and gaskets, and pressure fittings using the same sealing configuration (i.e. O-rings) as that used in service. Brackets may be painted or coated prior to installation in the immersion test if they are painted or coated prior to vehicle installation.

Cylinders will be tested horizontally and nominally divided along their horizontal centreline into "upper" and "lower" sections. The lower section of the cylinder will be alternatively immersed in road salt/acid rain environment and in heated or cooled air.

The upper section will be divided into 5 distinct areas and marked for preconditioning and fluid exposure. The areas will be nominally 100 mm in diameter. The areas shall not overlap on the cylinder surface. While convenient for testing, the areas need not be oriented along a single line, but must not overlap the immersed section of the cylinder.

Although preconditioning and fluid exposure is performed on the cylindrical section of the cylinder, all of the cylinder, including the domed sections, should be as resistant to the exposure environments as are the exposed areas.

Other fluid exposure areas



Immersion area (lower third)

Figure H.1 - Cylinder orientation and layout of exposure areas

H.4. <u>Preconditioning apparatus</u>

The following apparatus are needed for preconditioning the test cylinder by pendulum and gravel impact.

(a) Pendulum impact

The impact body shall be of steel and have the shape of a pyramid with equilateral triangle faces and a square base, the summit and the edges being rounded to a radius of 3 mm. The centre of percussion of the pendulum shall coincide with the centre of gravity of the pyramid; its distance from the axis of rotation of the pendulum shall be 1 m. The total mass of the pendulum referred to its centre of percussion shall be 15 kg. The energy of the pendulum at the moment of impact shall be not less than 30 Nm and as close to that value as possible.

During pendulum impact, the cylinder shall be held in position by the end bosses or by the intended mounting brackets.

(b) Gravel impact

Machine constructed according to the design specifications shown in figure H.2.This procedure for operation of the equipment shall follow that described in ASTM D3170, Standard Test Method for Chip Resistance of Coatings with the exception that the cylinder may be at ambient temperature during gravel impact;

(c) Gravel

Alluvial road gravel passing through a 16 mm space screen but retained on a 9.5 mm space screen. Each application is to consist of 550 ml of graded gravel (approx. 250 to 300 stones).




Figure H.2 - Gravel impact test

H.5. <u>Exposure environments</u>

(a) Immersion environment

At the specified stage in the test sequence (table 1) the cylinder will be oriented horizontally with the lower third of the cylinder diameter immersed in a simulated acid rain/road salt water solution. The solution will consist of the following compounds:

Deionized water; Sodium chloride: 2.5 per cent by weight \pm 0.1 per cent; Calcium chloride: 2.5 per cent by weight \pm 0.1 per cent; Sulfuric acid: Sufficient to achieve a solution pH of 4.0 \pm 0.2;

Solution level and pH are to be adjusted prior to each test step which uses this liquid.

The temperature of the bath shall be 21 \pm 5 °C. During immersion, the unsubmerged section of the cylinder shall be in ambient air.

b) Other fluid exposure

At the appropriate stage in test sequence (table 1) each marked area is to be exposed to one of five solutions for 30 minutes. The same environment shall be used for each location throughout the test. The solutions are:

Sulfuric acid:	19 per cent solution by volume in
	water;
Sodium hydroxide:	25 per cent solution by weight in
	water;

Methanol/gasoline: 30/70 per cent concentrations; Ammonium nitrate: 28 per cent by weight in water; Windshield washer fluid.

When exposed, the test sample will be oriented with the exposure area uppermost. A pad of glass wool one layer thick (approximately 0.5 mm) and trimmed to the appropriate dimensions is to be placed on the exposure area. Using a pipet, apply 5 ml of the test fluid to the exposure area. Remove the gauze pad after pressurization of the cylinder for 30 minutes.

H.6. <u>Test conditions</u>

(a) Pressure cycle

As defined in the test sequence, cylinder shall be hydraulically pressure cycled between not more than 2 MPa and not less than 26 MPa. The total cycle shall be not less than 66 seconds and will include a 60 second minimum hold at 26 MPa. The nominal cycle process will be:

Ramp up from \leq 20 MPa to \geq 26 MPa; Hold at \geq 26 MPa for 60 seconds minimum; Ramp down from \geq 26 MPa to \leq 2 MPa; Total minimum cycle time to be 66 seconds.

(b) Pressure during other fluid exposure

Following application of the other fluids, the cylinder shall be pressured to not less than 26 MPa for a minimum of 30 minutes;

(c) High and low temperature exposure

As defined in the test sequence, the entire cylinder shall be exposed to high or low temperature air in contact with external surface. The low temperature air shall be -40 °C or lower and the high temperature air shall be 82 °C \pm 5 °C. For the low temperature exposure, the fluid temperature of type CNG-1 cylinders shall be monitored using a thermocouple installed within the cylinder to ensure it remains at -40 °C or lower.

H.7. <u>Test procedure</u>

(a) Preconditioning of the cylinder

Each of the five areas marked for other fluid exposure an the upper section of the cylinder shall be preconditioned by a single impact of the pendulum body summit at their geometric centre. Following impact, the five areas shall be further conditioned by a gravel impact application.

The central section of the bottom portion of the cylinder that will be submerged shall be preconditioned by an impact of the pendulum body summit at three locations spaced approximately 150 mm apart.

Following impact, the same central section that was impacted shall be further conditioned by a gravel impact application. The cylinder shall be unpressured during preconditioning.

(b) Test sequence and cycles

The sequence of the environment exposure, pressure cycles, and temperature to be used are defined in table 1.

The cylinder surface is not to be washed or wiped between stages.

H.8. <u>Acceptable results</u>

Following the above test sequence, the cylinder shall be hydraulically tested to destruction in accordance with the procedure in paragraph A.12. The burst pressure of the cylinder shall be not less than 85 per cent of the minimum design burst pressure.

Test steps	Exposure environments	Number of pressure cycles	Temperature
1	Other fluids		Ambient
2	Immersion	1875	Ambient
3	Air	1875	High
4	Other fluids		Ambient
5	Immersion	1875	Ambient
- 6	Air	3750	Low
7	Other fluids		Ambient
8	Immersion	1875	Ambient
9	Air	1875	High
10	Other fluids		Ambient
11	Immersion	1875	Ambient

Table H.1 - Test conditions and sequence

Annex 4A

PROVISIONS REGARDING THE APPROVAL OF THE AUTOMATIC VALVE, CHECK VALVE, THE PRESSURE RELIEF VALVE, PRESSURE RELIEF DEVICE AND THE EXCESS FLOW VALVE

- 1. The purpose of this annex is to determine the provisions regarding the approval of the automatic valve, the check valve, the pressure relief valve, the pressure relief device and the excess flow valve.
- 2. <u>The automatic valve</u>
- 2.1. The materials constituting the automatic valve which are in contact with the CNG when operating, shall be compatible with the test CNG. In order to verify this compatibility the procedure described in annex 5D shall be used.
- 2.2. Operating specifications
- 2.2.1. The automatic valve shall be so designed as to withstand a pressure of 1.5 times the working pressure (MPa) without leakage and deformation.
- 2.2.2. The automatic valve shall be so designed as to be leak-proof at a pressure of 1.5 times the working pressure (MPa) (see annex 5B).
- 2.2.3. The automatic valve, being in the normal position of use specified by the manufacturer, is submitted to 20,000 operations; then it is deactivated. The automatic valve shall remain leak-proof at a pressure of 1.5 times the working pressure (MPa) (see annex 5B).
- 2.2.4. The automatic valve shall be so designed to operate at temperatures as specified in annex 50.
- 2.3. The electrical system, if existing, shall be isolated from the body of the automatic valve. Isolation resistance shall be > 10 M Ω .
- 2.4. The automatic valve activated by an electric current shall be in a "closed" position when the current is switched off.
- 2.5. The automatic valve has to comply with the test procedures for the Class component determined according to the scheme in Figure 1-1 of paragraph 2 of this Regulation.

3. <u>The check valve</u>

- 3.1. The materials constituting the check valve which are in contact with the CNG when operating, shall be compatible with the test CNG. In order to verify this compatibility the procedure described in annex 5D shall be used.
- 3.2. Operating specifications
- 3.2.1. The check valve shall be so designed as to withstand a pressure of 1.5 times the working pressure (MPa) without leakage and deformation.

- 3.2.2. The check valve shall be so designed as to be leak-proof (external) at a pressure of 1.5 times the working pressure (MPa) (see annex 5B).
- 3.2.3. The check valve, being in the normal position of use specified by the manufacturer, is submitted to 20,000 operations; then it is deactivated. The check valve shall remain leak-proof (external) at a pressure of 1.5 times the working pressure (MPa) (see annex 5B).
- 3.2.4. The check valve shall be so designed to operate at temperatures as specified in annex 50.
- 3.3. The check valve has to comply with the test procedures for the Class component determined according to the scheme in Figure 1-1 of paragraph 2 of this Regulation.

4. <u>The pressure relief valve and pressure relief device</u>

- 4.1. The materials constituting the pressure relief valve and pressure relief device which are in contact with the CNG when operating, shall be compatible with the test CNG. In order to verify this compatibility, the procedure described in annex 5D shall be used.
- 4.2. Operating specifications
- 4.2.1. The pressure relief value and pressure relief device in Class 0 shall be so designed as to withstand a pressure of 1.5 times the working pressure (MPa).
- 4.2.2. The pressure relief valve and pressure relief device of Class 1 shall be so designed as to be leak-proof at a pressure of 1.5 times the working pressure (MPa) with the outlet closed off (see annex 5B).
- 4.2.3. The pressure relief value of Class 1 and Class 2 shall be so designed as to be leak-proof at twice the working pressure with the outlets closed off.
- 4.2.4. The pressure relief device shall be so designed to open the fuse at a temperature of 110 \pm 10°C.
- 4.2.5. The pressure relief valve of Class 0 shall be so designed to operate at temperatures from -40°C to 85°C.
- 4.3. The pressure relief valve and pressure relief device have to comply with the test procedures for the Class component determined according to the scheme in Figure 1-1 of paragraph 2 of this Regulation.

5. <u>The excess flow valve</u>

5.1. The materials constituting the excess flow valve which are in contact with the CNG when operating, shall be compatible with the test CNG. In order to verify this compatibility, the procedure described in annex 5D shall be used.

5.2. Operating specifications

- 5.2.1. The excess flow valve, if it is not integrated in the cylinder, shall be so designed as to withstand a pressure of 1.5 times the working pressure (MPa).
- 5.2.2. The excess flow valve shall be so designed as to be leak-proof at a pressure of 1.5 times the working pressure (MPa).
- 5.2.3. The excess flow valve shall be so designed to operate at temperatures as specified in annex 50.
- 5.3. The excess flow valve shall be mounted inside the container.
- 5.4. The excess flow valve shall be designed with a bypass to allow for equalization of pressures.
- 5.5. The excess flow valve shall cut off at a pressure difference over the valve of 90 kPa. At this pressure difference the flow shall not exceed 8,000 cm³ per minute.
- 5.6. When the excess flow valve is at cut-off position, the flow through the by-pass shall not exceed 500 cm³/min. at a differential pressure of 700 kPa.
- 5.7. The device have to comply with the test procedures for the Class components, specified in the scheme in Figure 1-1 of paragraph 2 of this Regulation, except overpressue, external leakage, resistance to dry heat test, ozone ageing.

Annex 4B

1.

1.1.

1.1.1.

1.1.2.

1.1.3.

1.2.

1.2.1.

1.2.2.

1.2.3.

1.2.4.

1.2.5.

PROVISIONS REGARDING THE APPROVAL OF FLEXIBLE FUEL LINES OR HOSES
Scope
The purpose of this annex is to determine the provisions regarding the approval of flexible hoses for use with CNG.
This annex covers three types of flexible hoses:
 (i) High pressure hoses (Class 0), (ii) Medium pressure hoses (Class 1), (iii) Low pressure hoses (Class 2)
HIGH PRESSURE HOSES, CLASS 0 CLASSIFICATION
General specifications
The hose shall be so designed as to withstand a maximum working pressure of 1.5 times the working pressure (MPa).
The hose shall be so designed as to withstand temperatures as specified in annex 50.
The inside diameter shall be in compliance with table 1 of Standard ISO 1307.
Hose construction
The hose must embody a smooth-bore tube and a cover of suitable synthetic material, reinforced with one or more interlayer(s).
The reinforcing interlayer(s) has (have) to be protected by a cover against corrosion.
If for the reinforcing interlayer(s) corrosion-resistant-material is used (i.e. stainless-steel) a cover is not required.
The lining and the cover must be smooth and free from pores, holes and strange elements.
An intentionally provided puncture in the cover shall not be considered as an imperfection.
The cover has to be intentionally perforated to avoid the forming of bubbles.
When the cover is punctured and the interlayer is made of a non- corrosion-resistant material, the interlayer has to be protected against corrosion.

- 1.3. Specifications and tests for the lining
- 1.3.1. Tensile strength and elongation
- 1.3.1.1. <u>Tensile strength and elongation at break</u> according to ISO 37. Tensile strength not less than 20 MPa and elongation at break not less than 250 per cent.
- 1.3.1.2. <u>Resistance to n-pentane</u> according to ISO 1817 with the following conditions:
 - (i) medium: n-pentane
 - (ii) temperature: 23°C (tolerance according to ISO 1817)
 - (iii) immersion period: 72 hours

Requirements:

- (i) maximum change in volume 20 per cent
 (ii) maximum change in tensile strength 25 per cent
- (iii) maximum change in elongation at break 30 per cent

After storage in air with a temperature of 40°C for a period of 48 hours the mass compared to the original value may not decrease more than 5 per cent.

- 1.3.1.3. <u>Resistance to ageing</u> according to ISO 188 with the following conditions:
 - (i) temperature: 70°C (test temperature = maximum operating temperature - 10°C)
 - (ii) exposure period: 168 hours

Requirements:

- (i) maximum change in tensile strength 25 per cent
- (ii) maximum change in elongation at break -30 per cent and +10 per cent
- 1.4. Specifications and test-method for the cover
- 1.4.1. Tensile strength and elongation
- 1.4.1.1. <u>Tensile strength and elongation at break</u> according to ISO 37. Tensile strength not less than 10 MPa and elongation at break not less than 250 per cent.
- 1.4.1.2. <u>Resistance to n-hexane</u> according to ISO 1817 with the following conditions:
 - (i) medium: n-hexane
 - (ii) temperature: 23 °C (tolerance acc.to ISO 1817)
 - (iii) immersion period: 72 hours

Requirements:

(i) maximum change in volume 30 per cent

- (ii) maximum change in tensile strength 35 per cent
- (iii) maximum change in elongation at break 35 per cent
- 1.4.1.3. <u>Resistance to ageing according</u> to ISO 188 with the following conditions:
 - (i) temperature: 70°C (test temperature = maximum operating temperature - 10°C)
 - (ii) exposure period: 336 hours

Requirements:

- (i) maximum change in tensile strength 25 per cent
 (ii) maximum change in elongation at break -30 per cent and +10 per cent
- 1.4.2. Resistance to ozone
- 1.4.2.1. The test has to be performed in compliance with Standard ISO 1431/1.
- 1.4.2.2. The test-pieces, which have to be stretched to an elongation of 20 per cent shall have to be exposed to air of 40°C with an ozone-concentration of 50 parts per hundred million during 120 hours.
- 1.4.2.3. No cracking of the test pieces is allowed.
- 1.5. Specifications for uncoupled hose
- 1.5.1. Gas-tightness (permeability)
- 1.5.1.1. A hose at a free length of 1 m has to be connected to a container filled with liquid propane, having a temperature of $23^{\circ} \pm 2^{\circ}C$.
- 1.5.1.2. The test has to be carried out in compliance with the method described in Standard ISO 4080.
- 1.5.1.3. The leakage through the wall of the hose shall not exceed 95 cm³ per metre of hose per 24 h.
- 1.5.2. Resistance at low temperature
- 1.5.2.1. The test has to be carried out in compliance with the method described in Standard ISO 4672-1978, method B.
- 1.5.2.2. Test-temperature: $-25^{\circ} \pm 3^{\circ}C$.
- 1.5.2.3. No cracking or rupture is allowed.

- 1.5.3. Bending test
- 1.5.3.1. An empty hose, at a length of approximately 3.5 m must be able to withstand 3,000 times the hereafter prescribed alternatingbending-test without breaking. After the test the hose must be capable of withstanding the test-pressure as mentioned in paragraph 1.5.4.2.

1.5.3.2.




Figure 1 (example only)

Hose inside diameter (mm)	Bending radius [mm]	Distance between centres [mm] (Figure 1)	
	(Figure 1)	Vertical b	Horizontal a
up to 13	102	241	102
13 to 16	153	356	153
from 16 to 20	178	419	178

1.5.3.3. The testing-machine (Figure 1) shall consist of a steel frame, provided with two wooden wheels, with a rim-width of c.a. 130 mm.

The circumference of the wheels must be grooved for the guidance of the hose. The radius of the wheels, measured to the bottom of the groove, must be as indicated in paragraph 1.5.3.2.

The longitudinal median planes of both wheels must be in the same vertical plane and the distance between the wheel-centres must be in accordance with paragraph 1.5.3.2.

Each wheel must be able to rotate freely round its pivot-centre.

A propulsion-mechanism pulls the hose over the wheels at a speed of four complete motions per minute.

. .

1.5.3.4. The hose shall be S-shape-like installed over the wheels (see Figure 1).

The end, that runs over the upper wheel shall be furnished with a sufficient mass as to achieve a complete snuggling of the hose against the wheels. The part that runs over the lower wheel is attached to the propulsion-mechanism.

The mechanism must be so adjusted, that the hose travels a total distance of 1.2 m in both directions.

- 1.5.4. Hydraulic-test-pressure and appointment of the minimum burstpressure
- 1.5.4.1. The test has to be carried out in compliance with the method described in Standard ISO 1402.
- 1.5.4.2. The test-pressure of 1.5 times the working pressure (MPa) shall be applied during 10 minutes, without any leakage.
- 1.5.4.3. The burst pressure shall not be less than 45 MPa.
- 1.6. Couplings
- 1.6.1. The couplings shall be made from steel or brass and the surface must be corrosion-resistant.
- 1.6.2. The couplings must be of the crimp-fitting type.
- 1.6.2.1. The swivel-nut must be provided with U.N.F.-thread.
- 1.6.2.2. The sealing-cone must be of the type with a half vertical angle of 45°.
- 1.7. Assembly of hose and couplings
- 1.7.1. The construction of the couplings must be such, that it is not necessary to peel the cover unless the reinforcement of the hose consists of corrosion-resistant material.
- 1.7.2. The hose assembly has to be subjected to an impulse test in compliance with Standard ISO 1436.
- 1.7.2.1. The test has to be completed with circulating oil having a temperature of 93 °C, and a minimum pressure of 26 MPa.
- 1.7.2.2. The hose has to be subjected to 150,000 impulses.
- 1.7.2.3. After the impulse-test the hose has to withstand the test-pressure as mentioned in paragraph 1.5.4.2.

- 1.7.3. Gas-tightness
- 1.7.3.1. The hose assembly (hose with couplings) has to withstand during five minutes a gas pressure of 1.5 times the working pressure (MPa) without any leakage.
- 1.8. Markings
- 1.8.1. Every hose must bear, at intervals of not greater than 0.5 m, the following clearly legible and indelible identification markings consisting of characters, figures or symbols.
- 1.8.1.1. The trade name or mark of the manufacturer.
- 1.8.1.2. The year and month of fabrication.
- 1.8.1.3. The size and type-marking.
- 1.8.1.4. The identification-marking "C.N.G. Class 0".
- 1.8.2. Every coupling shall bear the trade name or mark of the assembling manufacturer.
- 2. MEDIUM PRESSURE HOSES, CLASS 1 CLASSIFICATION
- 2.1. General specifications
- 2.1.1. The hose shall be so designed as to withstand a maximum working pressure of 3 MPa.
- 2.1.2. The hose shall be so designed as to withstand temperatures as specified in annex 50.
- 2.1.3. The inside diameter shall be in compliance with table 1 of Standard ISO 1307.
- 2.2. Hose construction
- 2.2.1. The hose must embody a smooth-bore tube and a cover of suitable synthetic material, reinforced with one or more interlayer(s).
- 2.2.2. The reinforcing interlayer(s) has (have) to be protected by a cover against corrosion.

If for the reinforcing interlayer(s) corrosion-resistant-material is used (i.e. stainless-steel) a cover is not required.

2.2.3. The lining and the cover must be smooth and free from pores, holes and strange elements.

An intentionally provided puncture in the cover shall not be considered as an imperfection.

2.3. Specifications and tests for the lining

2.3.1. Tensile strength and elongation

- 2.3.1.1. Tensile strength and elongation at break according to ISO 37. Tensile strength not less than 10 MPa and elongation at break not less than 250 per cent.
- 2.3.1.2. Resistance to n-pentane according to ISO 1817 with the following conditions:

(i) medium: n-pentane
(ii) temperature: 23°C (tolerance acc. to ISO 1817)
(iii) immersion period: 72 hours

Requirements:

(i) maximum change in volume 20 per cent
(ii) maximum change in tensile strength 25 per cent
(iii) maximum change in elongation at break 30 per cent

After storage in air with a temperature of 40°C for a period of 48 hours the mass compared to the original value may not decrease more than 5 per cent.

- 2.3.1.3. Resistance to ageing according to ISO 188 with the following conditions:
 - (i) temperature: 115°C (test temperature = maximum operating temperature - 10°C)
 - (ii) exposure period: 168 hours

Requirements:

- (i) maximum change in tensile strength 25 per cent
- (ii) maximum change in elongation at break -30 per cent and +10 per cent
- 2.4. Specifications and test-method for the cover
- 2.4.1. Tensile strength and elongation
- 2.4.1.1. Tensile strength and elongation at break according to ISO 37. Tensile strength not less than 10 MPa and elongation at break not less than 250 per cent.
- 2.4.1.2. Resistance to n-hexane according to ISO 1817 with the following conditions:
 - (i) medium: n-hexane
 - (ii) temperature: 23°C (tolerance acc. to ISO 1817)
 - (iii) immersion period: 72 hours

Requirements:

(i) maximum change in volume 30 per cent
(ii) maximum change in tensile strength 35 per cent
(iii) maximum change in elongation at break 35 per cent

- 2.4.1.3. Resistance to ageing according to ISO 188 with the following conditions:
 - (i) temperature: 115 °C (test temperature = maximum operating temperature 10°C)
 (ii) exposure period: 336 hours

Requirements:

- (i) maximum change in tensile strength 25 per cent
- (ii) maximum change in elongation at break -30 per cent and + 10 per cent
- 2.4.2. Resistance to ozone
- 2.4.2.1. The test has to be performed in compliance with Standard ISO 1431/1.
- 2.4.2.2. The test-pieces, which have to be stretched to an elongation of 20 per cent shall have to be exposed to air of 40°C with an ozoneconcentration of 50 parts per hundred million during 120 hours.
- 2.4.2.3. No cracking of the test pieces is allowed.
- 2.5. Specifications for uncoupled hose
- 2.5.1. Gas-tightness (permeability)
- 2.5.1.1. A hose at a free length of 1 m has to be connected to a container filled with liquid propane, having a temperature of $23^{\circ} \pm 2^{\circ}C$.
- 2.5.1.2. The test has to be carried out in compliance with the method described in Standard ISO 4080.
- 2.5.1.3. The leakage through the wall of the hose shall not exceed 95 cm³ per metre of hose per 24 h.
- 2.5.2. Resistance at low temperature
- 2.5.2.1. The test has to be carried out in compliance with the method described in Standard ISO 4672-1978, method B.
- 2.5.2.2. Test-temperature: $-25^{\circ} \pm 3^{\circ}$ C.
- 2.5.2.3. No cracking or rupture is allowed.

- 2.5.3. Bending test
- 2.5.3.1. An empty hose, at a length of approximately 3.5 m must be able to withstand 3,000 times the hereafter prescribed alternatingbending-test without breaking. After the test the hose must be capable of withstanding the test-pressure as mentioned in paragraph 2.5.4.2.
- 2.5.3.2.




Figure 2 (example only)

Hose inside diameter [mm]	Bending radius [mm]	Distance between centres [mm] (Figure 2)	
·	(Figure 2)	Vertical b	Horizontal a
up to 13	102	241	102
13 to 16	153	356	153
from 16 to 20	178	419	178

2.5.3.3. The testing-machine (Figure 2) shall consist of a steel frame, provided with two wooden wheels, with a rim-width of c.a. 130 mm.

The circumference of the wheels must be grooved for the guidance of the hose. The radius of the wheels, measured to the bottom of the groove, must be as indicated in paragraph 2.5.3.2.

The longitudinal median planes of both wheels must be in the same vertical plane and the distance between the wheel-centres must be in accordance with paragraph 2.5.3.2.

Each wheel must be able to rotate freely round its pivot-centre.

A propulsion-mechanism pulls the hose over the wheels at a speed of four complete motions per minute. 2.5.3.4. The hose shall be S-shape-like installed over the wheels (see Figure 2).

The end, that runs over the upper wheel shall be furnished with a sufficient mass as to achieve a complete snuggling of the hose against the wheels. The part that runs over the lower wheel is attached to the propulsion mechanism.

The mechanism must be so adjusted, that the hose travels a total distance of 1.2 m in both directions.

- 2.5.4. Hydraulic-test-pressure
- 2.5.4.1. The test has to be carried out in compliance with the method described in Standard ISO 1402.
- 2.5.4.2. The test-pressure of 3 MPa shall be applied during 10 minutes, without any leakage.
- 2.6. Couplings
- 2.6.1. If a coupling is mounted on the hose the following conditions have to be met:
- 2.6.2. The couplings shall be made from steel or brass and the surface must be corrosion-resistant.
- 2.6.3. The couplings must be of the crimp-fitting type.
- 2.7. Assembly of hose and couplings
- 2.7.1. The construction of the couplings must be such, that it is not necessary to peel the cover unless the reinforcement of the hose consists of corrosion-resistant material.
- 2.7.2. The hose assembly has to be subjected to an impulse test in compliance with Standard ISO 1436.
- 2.7.2.1. The test has to be completed with circulating oil having a temperature of 93 °C, and a minimum pressure of 1.5 times the maximum working pressure.
- 2.7.2.2. The hose has to be subjected to 150,000 impulses.
- 2.7.2.3. After the impulse-test the hose has to withstand the test-pressure as mentioned in paragraph 2.5.4.2.
- 2.7.3. Gas-tightness
- 2.7.3.1. The hose assembly (hose with couplings) has to withstand during five minutes a gas pressure of 3 MPa without any leakage.

- 2.8. Markings
- 2.8.1. Every hose must bear, at intervals of not greater than 0.5 m, the following clearly legible and indelible identification markings consisting of characters, figures or symbols.
- 2.8.1.1. The trade name or mark of the manufacturer.
- 2.8.1.2. The year and month of fabrication.
- 2.8.1.3. The size and type marking.
- 2.8.1.4. The identification-marking "C.N.G. Class 1".
- 2.8.2. Every coupling shall bear the trade name or mark of the assembling manufacturer.
- 3. LOW PRESSURE HOSES, CLASS 2 CLASSIFICATION
- 3.1. General specifications
- 3.1.1. The hose shall be so designed as to withstand a maximum working pressure of 450 kPa.
- 3.1.2. The hose shall be so designed as to withstand temperatures as specified in annex 50.
- 3.1.3. The inside diameter shall be in compliance with table 1 of Standard ISO 1307.
- 3.2. (Not allocated)
- 3.3. Specifications and tests for the lining
- 3.3.1. Tensile strength and elongation
- 3.3.1.1. Tensile strength and elongation at break according to ISO 37

Tensile strength not less than 10 MPa and elongation at break not less than 250 per cent.

- 3.3.1.2. <u>Resistance to n-pentane</u> according to ISO 1817 with the following conditions:
 - (i) medium: n-pentane
 (ii) temperature: 23°C (tolerance acc. to ISO 1817)
 - (iii) important provide 70 hours
 - (iii) immersion period: 72 hours

Requirements:

(i) maximum change in volume 20 per cent
(ii) maximum change in tensile strength 25 per cent
(iii) maximum change in elongation at break 30 per cent

After storage in air with a temperature of 40 $^{\circ}$ C for a period of 48 hours the mass compared to the original value may not decrease more than 5 per cent.

- 3.3.1.3. <u>Resistance to ageing</u> according to ISO 188 with the following conditions:
 - (i) temperature: 120 °C (tolerance according to ISO 188)
 - (ii) exposure period: 168 hours

Requirements:

- (i) maximum change in tensile strength 35 per cent
- (ii) maximum change in elongation at break -30 per cent and + 10 per cent
- 3.4. Specifications and test-method for the cover
- 3.4.1. Tensile strength and elongation
- 3.4.1.1. Tensile strength and elongation at break according to ISO 37
- 3.4.1.1. Tensile strength not less than 10 MPa and elongation at break not less than 250 per cent.
- 3.4.1.2. <u>Resistance to n-hexane</u> according to ISO 1817 with the following conditions:
 - (i) medium: n-hexane
 (ii) temperature: 23 °C (tolerance acc. to ISO 1817)
 (iii) immersion period: 72 hours

Requirements:

(i) maximum change in volume 30 per cent
(ii) maximum change in tensile strength 35 per cent
(iii) maximum change in elongation at break 35 per cent

- 3.4.1.3. <u>Resistance to ageing</u> according to ISO 188 with the following conditions:
 - (i) temperature: 120 °C (tolerance according to ISO 88)
 - (ii) exposure period: 336 hours

Requirements:

- (i) maximum change in tensile strength 25 per cent
- (ii) maximum change in elongation at break -30 per cent and +10 per cent
- 3.4.2. Resistance to ozone
- 3.4.2.1. The test has to be performed in compliance with Standard ISO 1431/1.

- 3.4.2.2. The test-pieces, which have to be stretched to an elongation of 20 per cent shall have to be exposed to air of 40 °C and a relative humidity of 50 per cent \pm 10 per cent with an ozone concentration of 50 parts per hundred million during 120 hours.
- 3.4.2.3. No cracking of the test pieces is allowed.
- 3.5. Specifications for uncoupled hose
- 3.5.1. Gas-tightness (permeability)
- 3.5.1.1. A hose at a free length of 1 m has to be connected to a container filled with liquid propane, having a temperature of $23^{\circ} \pm 2^{\circ}C$.
- 3.5.1.2. The test has to be carried out in compliance with the method described in Standard ISO 4080.
- 3.5.1.3. The leakage through the wall of the hose shall not exceed 95 cm³ per metre of hose per 24 h.
- 3.5.2. Resistance at low temperature
- 3.5.2.1. The test has to be carried out in compliance with the method described in Standard ISO 4672, method B.
- 3.5.2.2. Test-temperature: $-25^{\circ} \pm 3^{\circ}C$.
- 3.5.2.3. No cracking or rupture is allowed.
- 3.5.3. Resistance at high temperature
- 3.5.3.1. A piece of hose, pressurized at 450 kPa, with a minimal length of 0.5 m must be put in an oven at a temperature of $120^{\circ}C \pm 2^{\circ}C$ during 24 hours.
- 3.5.3.2. No leakage is allowed.
- 3.5.3.3. After the test the hose shall withstand the test pressure of 50 kPa during 10 minutes. No leakage is allowed.
- 3.5.4. Bending test
- 3.5.4.1. An empty hose, at a length of approximately 3.5 m must be able to withstand 3,000 times the hereafter prescribed alternating-bending-test without breaking.

3.5.4.2.




Figure 3 (example only)

The testing machine (Figure 3) shall consist of a steel frame, provided with two wooden wheels, with a rim width of approx. 130 mm.

The circumference of the wheels must be grooved for the guidance of the hose. The radius of the wheels, measured to the bottom of the groove, must be 102 mm.

The longitudinal median planes of both wheels must be in the same vertical plane. The distance between the wheel-centres must be vertical 241 mm and horizontal 102 mm.

Each wheel must be able to rotate freely round its pivot-centre.

A propulsion-mechanism pulls the hose over the wheels at a speed of four complete motions per minute.

3.5.4.3. The hose shall be S-shape-like installed over the wheels (see Figure 3).

The end, that runs over the upper wheel, shall be furnished with a sufficient mass as to achieve a complete snuggling of the hose against the wheels. The part that runs over the lower wheel is attached to the propulsion mechanism.

The mechanism must be so adjusted, that the hose travels a total distance of 1.2 m in both directions.

- 3.6. Markings
- 3.6.1. Every hose must bear, at intervals of not greater than 0.5 m, the following clearly legible and indelible identification markings consisting of characters, figures or symbols.
- 3.6.1.1. The trade name or mark of the manufacturer.
- 3.6.1.2. The year and month of fabrication.

- 3.6.1.3. The size and type marking.
- 3.6.1.4. The identification marking "CNG Class 2".
- 3.6.2. Every coupling shall bear the trade name or mark of the assembling manufacturer.

Annex 4C

PROVISIONS REGARDING THE APPROVAL OF THE CNG FILTER

- 1. The purpose of this annex is to determine the provisions regarding the approval of the CNG filter.
- 2. Operating conditions
- 2.1. The CNG filter shall be so designed to operate at temperatures as specified in annex 50.
- 2.2. CNG filter shall be Classified with regard to the maximum working pressure (see paragraph 2 of this Regulation):
- 2.2.1. Class 0: The CNG filter shall be so designed to withstand a pressure of 1.5 times the working pressure (MPa).
- 2.2.2. Class 1 and Class 2: The CNG filter shall be so designed to withstand a pressure twice the working pressure.
- 2.2.3. Class 3: the CNG filter shall be so designed to withstand a pressure twice the relief pressure of the pressure relief value on which it is subject.
- 2.3. The materials used in the CNG filter which are in contact with CNG when operating, shall be compatible with this gas (see annex 5D).
- 2.4. The component has to comply with the test procedures for Class components according to the scheme in Figure 1-1 of paragraph 2 of this Regulation.

<u>مار دمر .</u>

Annex 4D

PROVISIONS REGARDING THE APPROVAL OF THE PRESSURE REGULATOR

- 1. The purpose of this annex is to determine the provisions regarding the approval of the pressure regulator.
- 2. Pressure regulator
- 2.1. The material constituting the regulator which is in contact with the compressed natural gas when operating shall be compatible with the test CNG. In order to verify this compatibility, the procedure in annex 5D shall be used.
- 2.2. The materials constituting the regulator which are in contact with the heat exchange medium of the regulator when operating, shall be compatible with that fluid.
- 2.3. The component shall comply with the test procedures provided for in Class 0 for the parts subject to high pressure and Class 1, 2, 3 and 4 for the parts subject to medium and low pressure.
- 3. Classification and test pressures
- 3.1 The part of the pressure regulator which is in contact with the pressure of the container is regarded as Class 0.
- 3.1.1. The Class 0 part of the pressure regulator shall be leak-proof (see annex 5B) at a pressure up to 1.5 times the working pressure (MPa) with the outlet(s) of that part closed off.
- 3.1.2. The Class 0 part of the pressure regulator shall withstand a pressure up to 1.5 times the working pressure (MPa).
- 3.1.3. The Class 1 and Class 2 part of the pressure regulator shall be leak-proof (see annex 5B) at a pressure up to twice the working pressure.
- 3.1.4. The Class 1 and Class 2 part of the pressure regulator shall withstand a pressure up to twice the working pressure.
- 3.1.5. The Class 3 part of the pressure regulator shall withstand a pressure up to twice the relief pressure of the pressure relief valve, on which it is subject.
- 3.2. The pressure regulator shall be so designed to operate at temperatures as specified in annex 50.

. -

Annex 4E

PROVISIONS REGARDING THE APPROVAL OF THE PRESSURE AND TEMPERATURE SENSORS

- 1. The purpose of this annex is to determine the provisions regarding the approval of the pressure and temperature sensors.
- 2. Pressure and temperature sensors
- 2.1. The material constituting the pressure and temperature sensors which is in contact with the CNG when operating shall be compatible with the test CNG. In order to verify this compatibility, the procedure in annex 5D shall be used.
- 2.2. The pressure and temperature sensors are Classified in a Class according to the scheme 1-1 in paragraph 2 of this Regulation.
- 3. Classification and test pressures
- 3.1 The part of the pressure and temperature sensors which is in contact with the pressure of the container is regarded as Class 0.
- 3.1.1. The Class 0 part of the pressure and temperature sensors shall be leak-proof at a pressure up to 1.5 times the working pressure (MPa) (see annex 5B).
- 3.1.2. The Class 0 part of the pressure and temperature sensors shall withstand a pressure up to 1.5 times the working pressure (MPa).
- 3.1.3. The Class 1 and Class 2 part of the pressure and temperature sensors shall be leak-proof at a pressure up to twice the working pressure (see annex 5B).
- 3.1.4. The Class 1 and Class 2 part of the pressure and temperature sensors shall withstand a pressure up to twice the working pressure.
- 3.1.5. The Class 3 part of the pressure and temperature sensors shall withstand a pressure up to twice the relief pressure of the pressure relief valve, on which it is subject.
- 3.2. The pressure and temperature sensors shall be so designed to operate at temperatures as specified in annex 50.
- 3.3. The electrical system, if existing, shall be isolated from the body of the pressure and temperature sensors. Isolation resistance shall be > 10 M Ω .

an and the second se

Annex 4F

PROVISIONS REGARDING THE APPROVAL OF THE FILLING UNIT

1. Scope

The purpose of this annex is to determine the provisions regarding the approval of the filling unit.

- 2. The filling unit
- 2.1. The material constituting the filling unit which is in contact with the CNG when the device is in service shall be compatible with the CNG. In order to verify this compatibility, the procedure of annex 5D shall be used.
- 2.2. The filling unit shall conform to the requirements of Class 0 components.
- 3. Test pressures.
- 3.1. The filling unit shall be considered as component of Class 0.
- 3.1.1. The filling unit shall be free from leakage at a pressure of 1.5 times the working pressure (MPa) (see annex 5B).
- 3.1.2. The filling unit shall withstand a pressure of 33 MPa.
- 3.2. The filling unit shall be so designed to operate at temperatures as specified in annex 50.

<u>Annex 4G</u>

PROVISIONS REGARDING THE APPROVAL OF GAS FLOW ADJUSTER AND GAS/AIR MIXER OR INJECTOR

- 1. The purpose of this annex is to determine the provisions regarding the approval of the gas flow adjuster and gas/air mixer or injector.
- 2. Gas/air mixer or injector
- 2.1. The material constituting the gas/air mixer or injector which is in contact with CNG shall be compatible with the CNG. In order to verify this compatibility, the procedure specified in annex 5D shall be used.
- 2.2. The gas/air mixer or injector shall conform to the requirements of Class 1 or 2 components, according to their Classification.
- 2.3. Test pressures
- 2.3.1. The gas/air mixer or injector of Class 2 shall withstand a pressure twice the working pressure.
- 2.3.1.1. The gas/air mixer or injector of Class 2 shall be free from leakage at a pressure twice the working pressure.
- 2.3.2. The gas/air mixer or injector of Class 1 and Class 2 shall be so designed to operate at temperatures as specified in annex 50.
- 2.4. Electrical operated components containing CNG shall comply with the following:
 - (i) They shall have a separate ground connection;
 - (ii) The electrical system of the component shall be isolated from the body;
 - (iii) The injector shall be in closed position when the electric current is switched off.
- 3. Gas flow adjuster

and the second s

- 3.1. The material constituting the gas flow adjuster which is in contact with the CNG shall be compatible with the CNG. In order to verify this compatibility the procedure specified in annex 5D has to be used.
- 3.2. The gas flow adjuster shall conform to requirements of Class 1 or 2 components, according to their Classification.

- 3.3. Test pressures
- 3.3.1. The gas flow adjuster of Class 2 shall withstand a pressure twice the working pressure.

· ·

- 3.3.1.1. The gas flow adjuster of Class 2 shall be free from leakage at a pressure twice the working pressure.
- 3.3.2. The gas flow adjuster of Class 1 and Class 2 shall be so designed to operate at temperatures as specified in annex 50.
- 3.4. Electrical operated components containing CNG shall comply with the following:
 - (i) They shall have a separate ground connection;
 - (ii) The electrical system of the component shall be isolated from the body.

A.

Annex 4H

PROVISIONS REGARDING THE APPROVAL OF THE ELECTRONIC CONTROL UNIT

- 1. The purpose of this annex is to determine the provisions regarding the approval of the electronic control unit.
- 2. Electronic control unit
- 2.1. The electronic control unit can be any device which controls the CNG demand of the engine and establishes the cut-off of the automatic valve in case of a broken fuel supply pipe or in case of stalling of the engine, or during a crash.
- 2.2. The switching off delay of the automatic value after stalling of the engine may not be more than 5 seconds.
- 2.3. The device may be equipped with an automatic ignition advance timing adjuster integrated in the electronic module or separated.
- 2.4. The device may be integrated with dummy injectors to permit a correct functioning of the gasoline electronic control unit during CNG operation.
- 2.5. The electronic control unit shall be so designed to operate at temperatures as specified in annex 50.

Annex 5

TEST PROCEDURES

1. Classification

- 1.1. CNG components for use in vehicles shall be Classified with regard to the maximum working pressure and function, according to paragraph 2 of this Regulation.
- 1.2 The Classification of the components determines the tests which have to be performed for type approval of the components or parts of the components.
- 2. Applicable test procedures

In table 5.1 below the applicable test procedures dependent on the Classification are shown.

Test	Class 0	Class 1	Class 2	Class 3	Class 4	Paragraph
Overpressure or strength	x	x	x	x	0	5A
External leakage	X	X	X	X	0	5B
Internal leakage	Α	Α	Α	Α	0	5C
Durability tests	Α	Α	Ā	Α	0	5L
CNG compatibility	Α	A	Α	Α	Α	5D
Corrosion resistance	X	X	X	X	X	5E
Resistance to dry heat	Α	Α	A	Α	Α	5F
Ozone ageing	Α	Α	Α	Α	Α	5G
Burst/destructive tests	X	0	0	0	0	5M
Temperature cycle	Α	Α	Α	Α	0	5H
Pressure cycle	X	0	0	0	0	5I
Vibration resistance	Α	A	A	Α	0	5N
Operating temperatures	X	X	X	X	X	50

Table 5.1

X = Applicable

0 = Not applicable

A = As applicable

-

The materials used for the components shall have written specifications that fulfil at least or exceed the (test) requirements laid down in this annex with respect to:

.

- (i) temperature
- (ii) pressure
- (iii) CNG compatibility
- (iv) durability
- 3. General requirements
- 3.1. Leakage tests shall have to be conducted with pressurized gas like air or nitrogen.
- 3.2. Water or another fluid may be used to obtain the required pressure for the hydrostatic strength test.
- 3.3. The test period for leakage- and hydrostatic strength-tests shall be not less than 3 minutes.

······

Annex 5A

OVERPRESSURE TEST (STRENGTH TEST)

- A CNG containing component shall withstand without any visible evidence of rupture or permanent distortion a hydraulic pressure of 1.5-2 times the maximum working pressure during minimal 1 minute at room temperature with the outlet of the high pressure part plugged. Water or any other suitable hydraulic fluid may be used as a test medium.
- 2. The samples, previously subjected to the durability test of annex 5L are to be connected to a source of hydrostatic pressure. A positive shut-off valve and a pressure gauge, having a pressure of not less than 1.5 times nor more than 2 times the test pressure, are to be installed in the hydrostatic pressure supply piping.
- 3. Table 5.2 below shows the working and burst test pressures according to the Classification of paragraph 2 of this Regulation.

Classification of component	Working pressure [kPa]	Overpressure [kPa]
Class 0	3000 <p<26000< td=""><td>1.5 times the working pressure</td></p<26000<>	1.5 times the working pressure
Class 1	450 <p<3000< td=""><td>1.5 times the working pressure</td></p<3000<>	1.5 times the working pressure
Class 2	20 <p<450< td=""><td>2 times the working pressure</td></p<450<>	2 times the working pressure
Class 3	450 <p<3000< td=""><td>2 times the relief pressure</td></p<3000<>	2 times the relief pressure

<u>Table 5.2</u>

Annex 5B

EXTERNAL LEAKAGE TEST

- 1. A component shall be free from leakage through stem or body seals or other joints, and shall not show evidence of porosity in casting when tested as described in paragraphs 2. and 3. of this annex at any aerostatic pressure between 0 and the pressure shown in table 5.2.
- 2. The test shall be performed at the following conditions:

(i) at room temperature

(ii) at the minimum operating temperature(iii) at the maximum operating temperature

The maximum and minimum operating temperatures are given in annex 50.

- 3. During this test the equipment under test (EUT) will be connected to a source of aerostatic pressure. An automatic valve and a pressure gauge having a pressure range of not less than 1.5 times nor more than 2 times the test pressure are to be installed in the pressure supply piping. The pressure gauge is to be installed between the automatic valve and the sample under test. While under the applied test pressure, the sample should be submerged in water to detect leakage or any other equivalent test method (flow measurement or pressure drop).
- 4. The external leakage must be lower than the requirements stated in the annexes or if no requirements are mentioned the external leakage shall be lower than 15 cm³/hour.

5. High temperature test

A CNG containing component shall not leak more than 15 cm³/hour with the outlet plugged when submitted to a gas pressure, at maximum operating temperature as indicated in annex 50, equal to the maximum working pressure. The component shall be conditioned for at least 8 hours at this temperature.

6. Low temperature test

A CNG containing component shall not leak more than 15 cm³/hour with the outlet plugged when submitted to a gas pressure, at the minimum operating temperature, equal to the maximum working pressure as declared by the manufacturer. The component shall be conditioned for at least 8 hours at this temperature.

Annex 5C

INTERNAL LEAKAGE TEST

- The following tests are to be conducted on samples of values or filling unit which have previously been subjected to the external leak test of annex 5B above.
- The seat of the valves, when in the closed position, shall be free from leakage at any aerostatic pressure between 0 to 1.5 times the working pressure (kPa).
- 3. A non-return valve provided with a resilient seat (elastic), when in the closed position, shall not leak when subjected to any aerostatic pressure between 0 and 1.5 times the working pressure (kPa).
- 4. A non-return valve provided with a metal-to-metal seat, when in the

- The seat of the upper non-return valve used in the assembly of a 5. filling unit, when in the closed position, shall be free from leakage at any aerostatic pressure between 0 and 1.5 times the working pressure (kPa).
- The internal leakage tests are conducted with the inlet of the sample 6. valve connected to a source of aerostatic pressure, the valve in the closed position, and with the outlet open. An automatic valve and a pressure gauge having a pressure range of not less than 1.5 times nor more than 2 times the test pressure are to be installed in the pressure supply piping. The pressure gauge is to be installed between the automatic valve and the sample under test. While under the applied test pressure, observations for leakage are to be made with the open outlet submerged in water unless otherwise indicated.
- Conformance with paragraphs 2. to 5. is to be determined by connecting 7. a length of tubing to the valve outlet. The open end of this outlet tube is to be located within an inverted graduated cylinder which is calibrated in cubic centimetres. The inverted cylinder is to be closed by a water tight seal. The apparatus is to be adjusted so that:
 - (1) the end of the outlet tube is located approximately 13 mm above the water level within the inverted graduated cylinder, and
 - (2) the water within and exterior to the graduated cylinder is at the same level. With these adjustments made, the water level within the graduated cylinder is to be recorded. With the valve in the closed position assumed as the result of normal operation, air or nitrogen at the specified test pressure is to be applied to the valve inlet for a test period of not less than 2 minutes. During this time, the vertical position of the graduated cylinder is to be adjusted, if necessary, to maintain the same water level within and exterior to it.

At the end of the test period and with the water within and exterior to the graduated cylinder at the same level, the level of water within the graduated cylinder is again recorded. From the change of volume within the graduated cylinder, the leakage rate is to be calculated according to the following formula:

$$V_1 = V_t \cdot \frac{60}{t} \cdot \left(\frac{273}{T} \cdot \frac{P}{101.6}\right)$$

where:

- V_1 = leakage rate, cubic centimetres of air or nitrogen per hour.
- V_t = increase in volume within graduated cylinder during test.
- t = time of test, minutes.
- P = barometric pressure during test, in kPa.
- T = ambient temperature during test, in K.
- 8. Instead of the method described above, leakage may be measured by a flowmeter installed on the inlet side of the valve under test. The flowmeter shall be capable of indicating accurately, for the test fluid employed, the maximum leakage flow rates permitted.

Annex 5D

CNG COMPATIBILITY TEST

- A synthetic part in contact with CNG shall not show excessive volume change or loss of weight. Resistance to n-pentane according to ISO 1817 with the following conditions:
 - (i) medium: n-pentane
 - (ii) temperature: 23 °C (tolerance acc.to ISO 1817)
 - (iii) immersion period: 72 hours
- 2. Requirements:

maximum change in volume 20 per cent

After storage in air with a temperature of 40°C for a period of 48 hours the mass compared to the original value may not decrease more than 5 per cent.

Annex 5B

CORROSION RESISTANCE TEST

1. A metal CNG containing component shall comply with the leakage tests mentioned in annexes 5B and 5C and after having been submitted to 144 hours salt spray test according to ISO CD 15500-2, with all connections closed.

Test procedure:

Before the test the component shall be cleaned according to the instructions of the manufacturer. All the connections shall be closed off. The component shall not be operated during the test.

Subsequently the component shall be submitted during 2 hours to spraying with a solution of salt, containing 5 per cent NaCl (mass per cent) with less than 0.3 per cent contamination and 95 per cent distilled or demineralised water, at a temperature of 20 °C. After the spraying the component is stored at temperature of 40 °C and 90-95 per cent relative humidity for 168 hours. This sequence shall be repeated 4 times.

After the test the component shall be cleaned and dried during 1 hour at 55 °C. The component shall now be conditioned to reference conditions during 4 hours, before submitting it to further testing.

2. A copper or brass CNG containing component shall comply with the leakage tests mentioned in annexes 5B and 5C and after having been submitted to 24 hours immersion in ammonia according to ISO CD 15500-2 with all connections closed.

Annex 5F

RESISTANCE TO DRY-HEAT

- 1. The test has to be done in compliance with ISO 188. The test piece has to be exposed to air at a temperature equal to the maximum operating temperature for 168 hours.
- 2. The allowable change in tensile strength should not exceed + 25 per cent. The allowable change in ultimate elongation shall not exceed the following values:

Maximum increase 10 per cent Maximum decrease 30 per cent

Annex 5G

OZONE AGEING

1. The test has to be in compliance with ISO 1431/1.

The test piece, which has to be stressed to 20 per cent elongation shall be exposed to air at 40° C with an ozone concentration of 50 parts per hundred million during 120 hours.

2. No cracking of the test piece is allowed.

Annex 5H

TEMPERATURE CYCLE TEST

A non metallic part containing CNG shall comply with the leakage tests mentioned in annexes 5B and 5C after having been submitted to 96 hours temperature cycle from the minimum operating temperature up to the maximum operating temperature with a cycle time of 120 minutes, under maximum working pressure.

Annex 51

PRESSURE CYCLE TEST APPLICABLE ONLY TO CYLINDERS (SEE ANNEX 3)

Annexes J and K - Not allocated

Annex 5L

DURABILITY TEST (CONTINUED OPERATION)

Test method

The component shall be connected to a source of pressurised dry air or nitrogen by means of a suitable fitting and subjected to the number of cycles specified for that specific component. A cycle shall consist of one opening and one closing of the component within a period of not less than 10 ± 2 seconds.

(a) <u>Room temperature cycling</u>

The component shall be operated through 96 per cent of the total cycles at room temperature and at rated service pressure. During the off cycle the down stream pressure of the test fixture should be allowed to decay to 50 per cent of the test pressure. After that, the components shall comply with the leakage test of annex 5B at room temperature. It is allowed to interrupt this part of the test at 20 per cent intervals for leakage testing.

(b) <u>High temperature cycling</u>

The component shall be operated through 2 per cent of the total cycles at the appropriate maximum temperature specified at rated service pressure. The component shall comply with the leakage test of annex 5E at the appropriate maximum temperature at the completion of the high temperature cycles.

(c) Low temperature cycling

The component shall be operated through 2 per cent of the total cycles at the appropriate minimum temperature specified at rated service pressure. The component shall comply with the leakage test of annex 5B at the appropriate minimum temperature specified at the completion of the low temperature cycles.

Following cycling and leakage re-test, the component shall be capable of completely opening and closing when a torque not greater than that specified in Table 5.3 is applied to the component handle in a direction to open it completely and then in the reverse direction.

Component inlet size (mm)	Max. torque (Nm)
6	1,7
8 or 10	2,3
12	2,8

Table 5.3

This test shall be conducted at the appropriate maximum temperature specified, and shall be repeated at a temperature of -40 °C.

Annex 5M

BURST/DESTRUCTIVE TEST APPLICABLE ONLY TO CYLINDERS (SEE ANNEX 3)

Annex 5N

VIBRATION RESISTANCE TEST

All components with moving parts shall remain undamaged, continue to operate, and comply with the component's leakage tests after 6 hours of vibration in accordance with the following test method.

Test method

The component shall be secured in an apparatus and vibrated for 2 hours at 17 Hz with an amplitude of 1.5 mm (0,06 in.) in each of three orientation axes. On completion of 6 hours of vibration the component shall comply with annex 5C.


Annex 50

OPERATING TEMPERATURES

	Engine Compartment	On board
Moderate	-20 °C + +120 °C	-20 °C + +85 °C
Cold	-40 °C + +120 °C	-40 °C + +85 °C

<u>Annex 6</u>

PROVISIONS REGARDING CNG IDENTIFICATION MARK FOR PUBLIC SERVICE VEHICLES



The sign consists of a sticker which must be weather resistant.

The colour and dimensions of the sticker must fulfil the following requirements:

Colours:	
Background:	green
Border:	white or white reflecting
Letters:	white or white reflecting
Dimensions	
Border width:	4 – 6 mm
Character height:	≥ 25 mm
Character thickness:	≥ 4 mm
Sticker width:	110 - 150 mm
Sticker height:	80 - 110 mm

The word "CNG" must be centred in the middle of the sticker.

UNITED NATIONS



NATIONS UNIES

POSTAL ADDRESS-ADRESSE POSTALE: UNITED NATIONS, N.Y. 10017 CABLE ADDRESS-ADRESSE TELEGRAPHIQUE: UNATIONS NEWYORK

Référence : C.N.428.2000.TREATIES-3 (Notification Dépositaire)

ACCORD CONCERNANT L'ADOPTION DE PRESCRIPTIONS TECHNIQUES UNIFORMES APPLICABLES AUX VÉHICULES À ROUES, AUX ÉQUIPEMENTS ET AUX PIÈCES SUSCEPTIBLES D'ÊTRE MONTÉS OU UTILISÉS SUR UN VÉHICULE À ROUES ET LES CONDITIONS DE RECONNAISSANCE RÉCIPROQUE DES HOMOLOGATIONS DÉLIVRÉES CONFORMÉMENT À CES PRESCRIPTIONS

GENÈVE, 20 MARS 1958

PROJET DE RÈGLEMENT

Le Secrétaire général de l'Organisation des Nations Unies, agissant en sa qualité de dépositaire, communique :

Le 23 juin 2000, le Secrétaire général a reçu du Comité administratif de l'Accord susmentionné, conformément au paragraphe 2 de l'article 1 de l'Accord, le projet de règlement suivant :

"Prescriptions uniformes relatives à l'homologation :

- I. Des organes spéciaux pour l'alimentation du moteur au gaz naturel comprimé (GNC) sur les véhicules;
- II. Des véhicules munis d'organes spéciaux d'un type homologue pour l'alimentation du moteur au gaz naturel comprimé (GNC) en ce qui concerne l'installation de ces organes"

Conformément au paragraphe 2 de l'article 1 de l'Accord, le règlement est réputé adopté sauf si, pendant la période de six mois suivant la date de cette notification, plus d'un tiers des Parties contractantes à la date de la notification ont informé le Secrétaire général de leur désaccord avec le règlement.

Référence est fait à ce sujet aux paragraphes 3 et 4 de l'article 2 de l'Accord susmentionné, ainsi conçus :

"3. Après l'adoption d'un règlement, le Secrétaire général notifie le plus tôt possible toutes les Parties contractantes et indique, quelles sont celles qui ont fait objection et pour lesquelles ce règlement n'entrera pas en vigueur.

4. Le règlement adopté entre en vigueur à l'égard de toutes les Parties contractantes qui n'ont pas donné notification de leur désaccord, à la date ou aux dates qui y ont été précisées, en tant que règlement formant annexe au présent Accord."

Attention : Services des Traités des Ministères des Affaires Étrangères et organisations internationales concernés.

•••••

On trouvera ci-joint, conformément au paragraphe 2 de l'article 1 de l'Accord, copies du projet de règlement en question en langues anglaise et française (doc. TRANS/WP.29/704).

Le 28 juin 2000

Attention : Services des Traités des Ministères des Affaires Étrangères et organisations internationales concernés.