No. 16510. CUSTOMS CONVENTION ON THE INTERNATIONAL TRANSPORT OF GOODS UNDER COVER OF TIR CARNETS (TIR CONVENTION). CONCLUDED AT GENEVA ON 14 NOVEMBER 19751

ENTRY INTO FORCE of amendments to Annexes 2 and 7 of the above-mentioned Convention

The amendments were proposed by the Government of the Netherlands and circulated by the Secretary-General on 30 March 1989 to the Contracting Parties. None of the Contracting Parties having expressed an objection prior to the date set forth by the Administrative Committee, the amendments came into force on 1 August 1989, the date determined by the Committee, in accordance with article 60 (1) of the Convention.

Amendment to the Tir Convention 1975, Annexes 2 and 7


Annex 2, article 3, paragraph 9

Annex 7, part I, article 4, paragraph 9

Insert after the existing text, the following wording:

"... In cases where the sheet has to be fixed to the frame in a system of construction which otherwise complies with the provisions of paragraph 6 (a) of this article, a thong can be used as fastening (an example of such a system of construction is given in sketch No. 7 appended to this annex). The thong has to comply with the requirements stipulated in paragraph 11 (c) with regard to material, dimensions and shape."

¹ United Nations, *Treaty Series*, vol. 1079, p. 89, and annex A in volumes <u>1098, 1102, 1110, 1126, 1142, 1155, 1157, 1175, 1199, 1201, 1208, 1216, 1246, 1249, 1252, 1261, 1279, 1286, 1289, 1291, 1295, 1308, 1340, 1349, 1365, 1380, 1388, 1404, 1413, 1434, 1459, 1477, 1510, 1525 and 1530.</u>




SKETCH NO. 7. EXAMPLE OF SHEETS FIXED TO SPECIAL-SHAPED FRAMES

<u>A-A</u>

1989

VIEW OF SIDE-SECTION



Description

This fastening of the sheet to the vehicle is acceptable provided that the rings are recessed in the profile and do not protrude more than the maximum depth of the profile. The width of the profile shall be as narrow as possible.

Authentic texts of the amendments: English, French and Russian. Registered ex officio on 1 August 1989.
